

STN	Zariadenia s krátkym dosahom (SRD) používajúce technológiu ultraširokého pásma (UWB) na komunikačné účely Harmonizovaná norma pre prístup k rádiovému spektru Časť 4: Materiálovo citlivé zariadenia Oddiel 1: Analýza stavebných materiálov pracujúca v rozsahu od 30 MHz do 10,6 GHz	STN EN 302 065-4-1 V2.2.1 87 2065
------------	---	---

Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard for access to radio spectrum; Part 4: Material Sensing devices; Sub-part 1: Building material analysis operating within 30 MHz to 10,6 GHz

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/25

Obsahuje: EN 302 065-4-1 V2.2.1:2025

140565



ETSI EN 302 065-4-1 V2.2.1 (2025-02)



**Short Range Devices (SRD)
using Ultra Wide Band technology (UWB);
Harmonised Standard for access to radio spectrum;
Part 4: Material Sensing devices;
Sub-part 1: Building material analysis
operating within 30 MHz to 10,6 GHz**

Reference

REN/ERM-TGUWB-150-4-1

Keywords

harmonised standard, SRD, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	9
Introduction	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	11
3 Definition of terms, symbols and abbreviations.....	12
3.1 Terms.....	12
3.2 Symbols.....	12
3.3 Abbreviations	13
4 Technical requirements specifications	13
4.1 Environmental profile.....	13
4.2 EUT categories.....	13
4.2.1 General.....	13
4.2.2 Categorization by Regulation	13
4.2.3 Categorization by Modulation	14
4.2.4 Categorization by Active Mitigation Techniques	14
4.2.5 Summary EUT categories.....	14
4.3 Transmitter requirements	15
4.3.1 General.....	15
4.3.2 Operating Frequency Range (OFR).....	15
4.3.2.1 Applicability.....	15
4.3.2.2 Description Operating Frequency Range	15
4.3.2.3 Limits for Operating Frequency Range.....	16
4.3.2.3.1 Limit requirement for BMA2, BMA3, BMA4 and BMA5 categories	16
4.3.2.3.2 Limit requirement for BMA1 category.....	16
4.3.2.4 Conformance.....	16
4.3.3 Mean e.i.r.p.....	16
4.3.3.1 Applicability.....	16
4.3.3.2 Description Mean e.i.r.p.....	16
4.3.3.3 Limits for Mean e.i.r.p.	16
4.3.3.4 Conformance	17
4.3.4 Indirect Emissions	17
4.3.4.1 Applicability.....	17
4.3.4.2 Description Indirect Emission.....	17
4.3.4.3 Limits for Indirect Emission	17
4.3.4.3.1 Limits for Indirect Emissions for EUT categories BMA2 and BMA3	17
4.3.4.3.2 Indirect Emissions for EUT categories BMA4 and BMA5	18
4.3.4.4 Conformance.....	19
4.3.5 TX Unwanted Emissions (TXUE).....	19
4.3.5.1 Applicability.....	19
4.3.5.2 Description TX unwanted emissions.....	19
4.3.5.3 Limits for TXUE	19
4.3.5.3.1 TXUE limit for EUT category BMA1	19
4.3.5.3.2 TXUE limit for EUT categories BMA2, BMA3, BMA4 and BMA5.....	20
4.3.5.4 Conformance.....	20
4.3.6 Total Radiated Mean e.i.r.p. Spectral Density (TRP _{SD}).....	20
4.3.6.1 Applicability.....	20
4.3.6.2 Description Total Radiated Power	20
4.3.6.3 Limits for Total Radiated Power	21
4.3.6.3.1 TRP _{SD} limit for EUT categories BMA2 and BMA3.....	21
4.3.6.3.2 TRP _{SD} limit for EUT categories BMA4 and BMA5.....	21

4.3.6.4	Conformance.....	21
4.3.7	Listen Before Talk (LBT).....	21
4.3.7.1	Applicability.....	21
4.3.7.2	Description of Listen Before Talk.....	22
4.3.7.3	Limits for Listen Before Talk.....	22
4.3.7.4	Conformance.....	22
4.3.8	Duty Cycle.....	22
4.3.8.1	Applicability.....	22
4.3.8.2	Description of Duty Cycle	22
4.3.8.3	Limits for Duty Cycle	22
4.3.8.4	Conformance.....	23
4.3.9	TX behaviour under the complete environmental profile (TXb).....	23
4.3.9.1	Applicability.....	23
4.3.9.2	Description.....	23
4.3.9.3	Limits for radiated assessment of the TX behaviour	23
4.3.9.4	Conformance.....	24
4.4	Receiver requirements	24
4.4.1	General.....	24
4.4.2	Wanted technical performance criteria	24
4.4.3	Receiver Baseline Sensitivity (RBS)	24
4.4.3.1	Applicability.....	24
4.4.3.2	Description for the RBS requirements	24
4.4.3.3	Limits	24
4.4.3.4	Conformance.....	25
4.4.4	Receiver Baseline Resilience (RBR)	25
4.4.4.1	Applicability.....	25
4.4.4.2	Description for the RBR requirement	25
4.4.4.3	Limits	25
4.4.4.4	Conformance.....	25
5	Testing for compliance with technical requirements.....	25
5.1	Environmental conditions for testing	25
5.1.1	General.....	25
5.1.2	Normal test conditions	25
5.1.3	Complete environmental profile test conditions	25
5.2	Conformance test suites and general conditions for testing	26
5.2.1	General.....	26
5.2.2	Disregard time (T_{dis})	26
5.2.3	Threshold - level (P_{thresh}).....	26
5.2.4	EUT orientation and reference points	26
5.2.5	Test scenarios and setup for transmitter conformance tests	27
5.2.5.1	For EUT category BMA1.....	27
5.2.5.2	For EUT categories BMA2, BMA3, BMA4 and BMA5	27
5.3	Conformance methods of measurement for TX requirements.....	29
5.3.1	Operating Frequency Range (OFR)	29
5.3.1.1	OFR assessment parameter X	29
5.3.1.2	OFR conformance test EUT category BMA1	29
5.3.1.3	OFR conformance test EUT categories BMA2, BMA3, BMA4 and BMA5.....	29
5.3.2	Mean e.i.r.p.	30
5.3.3	Indirect emissions	31
5.3.4	TX unwanted emissions.....	32
5.3.4.1	General.....	32
5.3.4.2	TXUE conformance test for EUT category BMA1.....	33
5.3.4.2.1	General	33
5.3.4.2.2	Unwanted emissions within spurious domain	33
5.3.4.2.3	Unwanted missions within out-of-band domain.....	33
5.3.4.3	TXUE conformance test for EUT categories BMA2, BMA3, BMA4 and BMA5.....	33
5.3.5	Total Radiated Mean e.i.r.p. Spectral Density (TRP_{SD}).....	34
5.3.6	Listen Before Talk (LBT).....	34
5.3.7	Duty Cycle	36
5.3.8	TX behaviour under the complete environmental profile	37
5.3.8.1	General.....	37

5.3.8.2	Conformance test procedures	37
5.3.8.2.1	Conformance test procedure for EUT category BMA1	37
5.3.8.2.2	Conformance test procedure for EUT categories BMA2, BMA3, BMA4 and BMA5	37
5.4	Conformance methods of measurement for receiver	38
5.4.1	General for RBS and RBR conformance tests	38
5.4.2	Receiver Baseline Sensitivity (RBS)	38
5.4.2.1	RBS test for BMA category	38
5.4.3	Receiver Baseline Resilience (RBR)	39
5.4.3.1	RBR test for BMA category	39
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	41
Annex B (informative):	Selection of technical parameters	43
Annex C (normative):	BMA EUT Category: Use-Case, wanted technical performance criteria and RX-test conditions	46
C.1	Description	46
C.2	Wanted Technical Performance Criteria (WTPC) and RX - requirement	46
C.2.1	General	46
C.2.2	RBS-requirement and limit	46
C.2.3	RBR requirement and limit	47
C.3	Test-wall for RX-Measurement	47
C.3.1	Description test-wall for RX-measurement	47
C.3.2	Technical Details for RX Test-wall	48
C.3.2.1	Specification of the Gypsum board	48
C.3.2.2	Specification of the Rebar	48
C.3.2.3	Specification of the Wood Frame	48
Annex D (normative):	Interferer for RBR test	49
D.1	Interferer requirements for RBR tests	49
D.1.1	General test frequencies for RBR tests	49
D.1.2	Test frequencies for EUT with OFR < 500 MHz	49
D.1.3	Test frequencies for EUT with OFR ≥ 500 MHz	50
D.1.4	Interferer power levels and modulation	50
D.2	Interferer test signals for EUT category BMA1	51
D.3	Interferer test signals for EUT categories BMA2, BMA3, BMA4 and BMA5	52
D.3.1	Interferer test signals	52
D.3.2	Assessment if no interferer test signal provided at calculated test frequency	53
D.4	List of interferer for RBR test; assessment procedure	54
D.4.1	General	54
D.4.2	Assessment list of relevant interferer	55
D.4.2.1	Basic considerations	55
D.4.2.2	Several interferer within the same frequency range	55
D.4.2.3	Interferer overlapping in frequency range	55
D.4.2.4	Status of interferer	56
D.4.3	Kind of interferer signal	56
Annex E (normative):	Definition of the representative test structure for TX measurements	57
E.1	Attenuation of the TX-test structure	57
E.2	Procedure to measure the attenuation	58
E.3	Absorbing materials with lower attenuation	60
Annex F (informative):	Bibliography	61
Annex G (informative):	Change history	62

History63

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.8] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.6].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 4, sub-part 1 of a multi-part deliverable covering Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised standard for access to radio spectrum, as identified below:

Part 1: "Generic UWB devices":

Sub-part 1: "Communication devices within 3,1 GHz to 4,8 GHz using LDC mitigation or within the 6 GHz to 8,5 GHz".

Part 2: "Ultra Wide Band location tracking devices":

Sub-part 1: "Requirements for devices within 6 GHz to 8,5 GHz";

Sub-part 2: "Requirements for devices in the frequency band between 3,1 GHz to 4,8 GHz utilizing LDC mitigation technique";

Sub-part 3: "Requirements for fixed infrastructure UWB based localization systems in the frequency band between 3,1 GHz to 4,8 GHz deploying Detect-And-Avoid (DAA) mitigation technique";

Sub-part 4: "Requirements for fixed outdoor devices within 6,0 GHz to 8,5 GHz";

Sub-part 5: "Requirements for enhanced indoor devices within 6,0 GHz to 8,5 GHz".

Part 3: "UWB devices installed in motor and railway vehicles":

Sub-part 1: "Requirements for UWB devices for vehicular access systems within 3,8 GHz to 4,2 GHz or 6 GHz to 8,5 GHz";

Sub-part 2: "Requirements for location tracking devices installed in rail and road vehicles operating in the frequency range of 3,1 GHz to 4,8 GHz or 6,0 GHz to 8,5 GHz";

Sub-part 3: "Requirements for UWB radiodetermination applications operating within 6,0 GHz to 8,5 GHz".

Part 4: "Material Sensing devices":

Sub-part 1: "Building material analysis operating within 30 MHz to 10,6 GHz";

Sub-part 2: "UWB Material Sensing devices for Security Scanning";

Sub-part 3: "Ground humidity and condition sensor below 10,6 GHz";

Sub-part 4: "Exterior material sensing applications for ground based vehicles below 10,6 GHz";

Sub-part 5: "UWB surveillance devices for parking lot sensors below 10,6 GHz".

Part 5: "Devices using UWB technology onboard aircraft";

Part 6: "Ultra Wide Band radio-determination for radar sensing devices":

Sub-part 1: "Requirements for presence detection applications within 6,0 GHz to 8,5 GHz";

Sub-part 2: "Requirements for generic UWB through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz";

Sub-part 3: "Requirements for fixed outdoor presence detection devices within 6,0 GHz to 8,5 GHz";

Sub-part 4: "Requirements for fixed outdoor through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz";

Sub-part 5: "Requirements for enhanced indoor presence detection devices within 6,0 GHz to 8,5 GHz";

Sub-part 6: "Requirements for enhanced indoor through-air non-contact vital signs applications within 6,0 GHz to 8,5 GHz".

NOTE 1: The list above shows the planned multi-part deliverable, at the time, when the present document was finalized.

NOTE 2: Part 4, sub-parts 2 (UWB Material Sensing devices for Security Scanning), 3 (Ground humidity and condition sensor below 10,6 GHz) and 5 (UWB surveillance devices for parking lot sensors below 10,6 GHz) of this multi-part deliverable are under discussion (change WI) or will be stopped.

National transposition dates	
Date of adoption of this EN:	18 February 2025
Date of latest announcement of this EN (doa):	31 May 2025
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2025
Date of withdrawal of any conflicting National Standard (dow):	30 November 2026

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

For the present document, the applicable harmonised standard has been ETSI EN 302 065-4 [i.17] (Material Sensing devices using UWB technology below 10,6 GHz) which was published in the OJEU without restriction at 12 April 2017.

Since then ETSI ERM TGUWB decided to develop more specific standards; this means instead of one generic ETSI EN 302 065-4 [i.17] standard for UWB Material Sensing devices a standard family ETSI EN 302 065-4-x [i.17] for UWB Material Sensing devices was started. The present document is sub-part one (ETSI EN 302 065-4-1) of the new standard family.

More details on the changes of the present document to previous versions are provided in annex F.

1 Scope

The present document specifies technical characteristics, limits and methods of measurements for Material Sensing devices for Building Material Analysis (BMA) operating within 30 MHz to 10,6 GHz.

Additional details of the covered Building Material Analysis (BMA) devices can be found in clause 4.2 of the present document.

NOTE: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.6] is given in annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI EN 303 883-1 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements".
- [2] [ETSI EN 303 883-2 \(V2.1.1\) \(08-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 2: Measurement techniques for receiver requirements".
- [3] [EN 520:2004 + A1:2009](#): "Gypsum plasterboards - Definitions, requirements and test methods", (produced by CEN).
- [4] [EN 10080:2005](#): "Steel for the reinforcement of concrete - Weldable reinforcing steel - General", (produced by CEN).
- [5] [EN 15497:2014](#): "Structural finger jointed solid timber - Performance requirements and minimum production requirements", (produced by CEN).
- [6] [ETSI TS 103 941 \(V.1.1.1\) \(01-2024\)](#): "Short Range Devices (SRD) and Ultra Wide Band (UWB); Measurement setups and specifications for testing under full environmental profile (normal and extreme environmental conditions)".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [ECC/DEC/\(07\)01](#): "ECC Decision of 30 March 2007 on the harmonised use, exemption from individual licensing and free circulation of Material Sensing Devices using Ultra-Wideband (UWB) technology, approved 30 March 2007, updated 1 July 2022".
- [i.2] [Commission Implementing Decision \(EU\) 2024/1467 of 27 May 2024](#) amending Implementing Decision (EU) 2019/785 on the harmonisation of radio spectrum for equipment using ultra-wideband technology in the Union.
- [i.3] [ERC/REC 70-03 \(8 March 2024\)](#): "ERC Recommendation of 1997 on relating to the use of Short Range Devices (SRD)".
- [i.4] [Commission Implementing Decision \(EU\) 2025/105](#) of 22 January 2025 amending Decision 2006/771/EC updating harmonised technical conditions in the area of radio spectrum use for short-range devices and repealing Implementing Decision 2014/641/EU on harmonised technical conditions of radio spectrum use by wireless audio programme making and special events equipment in the Union.
- [i.5] ETSI TR 102 495-1 (V1.1.1) (01-2006): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Technical characteristics for SRD equipment using Ultra Wide Band Sensor technology (UWB); System Reference Document Part 1: Building material analysis and classification applications operating in the frequency band from 2,2 GHz to 8 GHz".
- [i.6] [Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014](#) on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.7] [CEPT Report 45](#): "Report from CEPT to the European Commission in response to the Fifth Mandate to CEPT on ultra-wideband technology to clarify the technical parameters in view of a potential update of Commission Decision 2007/131/EC"; Report approved on 21 June 2013 by the ECC.
- [i.8] [Commission Implementing Decision C\(2015\) 5376 final of 4.8.2015](#) on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.9] Recommendation ITU-R SM.1755: "Characteristics of ultra-wideband technology".
- [i.10] ETSI TR 103 181-2: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD) using Ultra Wide Band (UWB); Transmission characteristics Part 2: UWB mitigation techniques".
- [i.11] [EN 206:2013+A2:2021](#): "Concrete - Specification, performance, production and conformity", (produced by CEN).
- [i.12] ETSI TS 103 361 (V1.1.1): "Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Receiver technical requirements, parameters and measurement procedures to fulfil the requirements of the Directive 2014/53/EU".
- [i.13] [ECC/DEC/\(20\)01](#): "ECC Decision of 20 November 2020 on the harmonised use of the frequency band 5945-6425 MHz for Wireless Access Systems including Radio Local Area Networks (WAS/RLAN)".

- [i.14] ETSI TS 136 101 (V16.8.0): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception (3GPP TS 36.101)".
 - [i.15] ETSI EG 203 336 (V1.2.1): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
 - [i.16] [ECO Frequency Information System](#).
 - [i.17] ETSI EN 302 065-4 (V1.1.1): " Short Range Devices (SRD) using Ultra Wide Band technology (UWB); Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 4: Material Sensing devices using UWB technology below 10,6 GHz".
 - [i.18] ETSI TS 103 567 (V1.1.1): "Requirements on signal interferer handling".
 - [i.19] Void.
-

koniec náhľadu – text ďalej pokračuje v platenej verzii STN