

STN	Nízkonapäťové poistky Časť 1: Všeobecné požiadavky	STN EN IEC 60269-1 35 4701
------------	---	--

Low-voltage fuses - Part 1: General requirements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/25

Obsahuje: EN IEC 60269-1:2025, IEC 60269-1:2024

Oznámením tejto normy sa od 30.04.2028 ruší
STN EN 60269-1 (35 4701) z marca 2008

140640

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2025
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii
v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60269-1

April 2025

ICS 29.120.50

Supersedes EN 60269-1:2007; EN 60269-1:2007/A1:2009; EN 60269-1:2007/A2:2014

English Version

**Low-voltage fuses - Part 1: General requirements
(IEC 60269-1:2024)**

Fusibles basse tension - Partie 1: Exigences générales
(IEC 60269-1:2024)

Niederspannungssicherungen - Teil 1: Allgemeine
Anforderungen
(IEC 60269-1:2024)

This European Standard was approved by CENELEC on 2024-10-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60269-1:2025 (E)**European foreword**

The text of document 32B/748/FDIS, future edition 5 of IEC 60269-1, prepared by SC 32B "Low-voltage fuses" of IEC/TC 32 "Fuses" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60269-1:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-04-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2028-04-30 document have to be withdrawn

This document supersedes EN 60269-1:2007 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60269-1:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60038:2009	NOTE	Approved as EN 60038:2011
IEC 60127-2	NOTE	Approved as EN 60127-2
IEC 60228:2023	NOTE	Approved as EN IEC 60228:2024 (not modified)
IEC 60269-4	NOTE	Approved as EN 60269-4
IEC 60269-6	NOTE	Approved as EN 60269-6
IEC 60269-7	NOTE	Approved as EN IEC 60269-7
IEC 60695-2-10	NOTE	Approved as EN IEC 60695-2-10
IEC 60947-3	NOTE	Approved as EN IEC 60947-3

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60269-2 (mod)	2013	Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to K	HD 60269-2	2013
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	-
IEC 60584-1	2013	Thermocouples - Part 1: EMF specifications and tolerances	EN 60584-1	2013
IEC 60617	-	Standard data element types with associated classification scheme for electric components - Part 4: IEC reference collection of standard data element types and component classes	-	-
IEC 60664-1	1992	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	-	-
+ A1	2000		-	-
+ A2	2002		-	-



IEC 60269-1

Edition 5.0 2024-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage fuses –
Part 1: General requirements**

**Fusibles basse tension –
Partie 1: Exigences générales**

**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2024 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -**webstore.iec.ch/advsearchform**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus de publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



IEC 60269-1

Edition 5.0 2024-08

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage fuses –
Part 1: General requirements**

**Fusibles basse tension –
Partie 1: Exigences générales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-9108-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	10
3.1 Fuses and their component parts	10
3.2 General terms	12
3.3 Characteristic quantities	14
4 Conditions for operation in service	17
4.1 General	17
4.2 Ambient air temperature (T_a)	18
4.3 Altitude	18
4.4 Atmospheric conditions	18
4.5 Voltage	18
4.6 Current	18
4.7 Frequency, power factor and time constant	18
4.7.1 Frequency	18
4.7.2 Power factor	19
4.7.3 Time constant (τ)	19
4.8 Conditions of installation	19
4.9 Utilization class	19
4.10 Selectivity of fuse-links	19
5 Classification	19
6 Characteristics of fuses	19
6.1 Summary of characteristics	19
6.1.1 General	19
6.1.2 Fuse-holders	19
6.1.3 Fuse-links	20
6.1.4 Complete fuses	20
6.2 Rated voltage	20
6.3 Rated current	21
6.3.1 Rated current of the fuse-link	21
6.3.2 Rated current of the fuse-holder	21
6.4 Rated frequency (see 7.1 and 7.2)	21
6.5 Rated power dissipation of a fuse-link and rated acceptable power dissipation of a fuse-holder.	21
6.6 Limits of time-current characteristics	21
6.6.1 General	21
6.6.2 Time-current characteristics, time-current zones	21
6.6.3 Conventional times and currents	22
6.6.4 Gates	22
6.7 Breaking range and breaking capacity	23
6.7.1 Breaking range and utilization category	23
6.7.2 Rated breaking capacity	24
6.8 Cut-off current and I^2t characteristics	24
6.8.1 General	24
6.8.2 Cut-off current characteristics	24

6.8.3	I^2t characteristics	24
7	Markings.....	24
7.1	General.....	24
7.2	Markings of fuse-holders	25
7.3	Markings of fuse-links	25
8	Standard conditions for construction	25
8.1	Mechanical design	25
8.1.1	Replacement of fuse-links.....	25
8.1.2	Connections, including terminals	25
8.1.3	Fuse-contacts	26
8.1.4	Construction of a gauge-piece	26
8.1.5	Mechanical strength of the fuse-link.....	26
8.2	Insulating properties and suitability for isolation	26
8.3	Temperature rise, power dissipation of the fuse-link and acceptable power dissipation of a fuse-holder	27
8.4	Operation.....	27
8.5	Breaking capacity	28
8.6	Cut-off current characteristic	28
8.7	I^2t characteristics	29
8.8	Overcurrent selectivity of fuse-links	29
8.9	Protection against electric shock.....	30
8.9.1	General	30
8.9.2	Clearances and creepage distances	30
8.9.3	Leakage currents of fuses suitable for isolation	31
8.9.4	Additional constructional requirements for fuse holders for linked fuse- carriers, suitable for isolation.....	31
8.10	Resistance to heat	32
8.11	Mechanical strength.....	32
8.12	Resistance to corrosion	32
8.12.1	General	32
8.12.2	Resistance to rusting	32
8.12.3	Resistance to season cracking	32
8.13	Resistance to abnormal heat and fire	32
8.14	Electromagnetic compatibility.....	32
9	Tests	32
9.1	Overview.....	32
9.1.1	General	32
9.1.2	Kind of tests	33
9.1.3	Ambient air temperature (T_a)	33
9.1.4	Condition of the fuse.....	33
9.1.5	Arrangement of the fuse and dimensions	33
9.1.6	Testing of fuse-links	33
9.1.7	Testing of fuse-holders	37
9.2	Verification of the insulating properties and of the suitability for isolation	38
9.2.1	Arrangement of the fuse-holder	38
9.2.2	Verification of the insulating properties	38
9.2.3	Verification of the suitability for isolation.....	39
9.2.4	Acceptability of test results	40

9.3	Verification of temperature rise and power dissipation	40
9.3.1	Arrangement of the fuse	40
9.3.2	Measurement of the temperature rise	41
9.3.3	Measurement of the power dissipation of the fuse-link	41
9.3.4	Test method	41
9.3.5	Acceptability of test results	43
9.4	Verification of operation	43
9.4.1	Arrangement of the fuse	43
9.4.2	Ambient air temperature	43
9.4.3	Test method and acceptability of test results	43
9.5	Verification of the breaking capacity.....	47
9.5.1	Arrangement of the fuse	47
9.5.2	Characteristics of the test circuit.....	47
9.5.3	Measuring instruments.....	48
9.5.4	Calibration of test circuit	48
9.5.5	Test method	50
9.5.6	Ambient air temperature	52
9.5.7	Interpretation of oscillograms.....	52
9.5.8	Acceptability of test results	52
9.6	Verification of the cut-off current characteristics.....	53
9.6.1	Test method	53
9.6.2	Acceptability of test results	53
9.7	Verification of I^2t characteristics and overcurrent selectivity	53
9.7.1	Test method	53
9.7.2	Acceptability of test results	53
9.7.3	Verification of compliance for fuse-links at 0,01 s	53
9.7.4	Verification of overcurrent selectivity	54
9.8	Verification of the degree of protection of enclosures	54
9.9	Verification of resistance to heat.....	54
9.10	Verification of non-deterioration of contacts	54
9.10.1	General	54
9.10.2	Arrangement of the fuse	54
9.10.3	Test method	54
9.10.4	Acceptability of test results	54
9.11	Mechanical and miscellaneous tests	55
9.11.1	Mechanical strength.....	55
9.11.2	Miscellaneous tests	55
9.12	Test of durability of markings	58
Annex A (informative)	Measurement of short-circuit power factor	68
Annex B (informative)	Calculation of pre-arcing I^2t values for "gG", "gM" and "gU" fuse-links and calculation of operating I^2t values at reduced voltage	71
B.1	Evaluation of the pre-arcing I^2t value at 0,01 s	71
B.2	Calculation of the value of pre-arcing I^2t under the conditions of test no. 2.....	71
B.3	Calculation of the value of operating I^2t at reduced voltage	71
Annex C (informative)	Calculation of cut-off current-time characteristic.....	72
C.1	Overview.....	72
C.2	Preliminary note.....	72
C.3	Definition	72

C.4	Characteristic.....	72
C.5	Test condition	73
C.6	Calculation from the measured values	73
Annex D (informative) Effect of change of ambient temperature and surroundings on the performance of fuse-links.....		76
D.1	Effect of increase of ambient temperature	76
D.1.1	On current rating	76
D.1.2	On temperature rise.....	76
D.1.3	On conventional fusing and non-fusing current (I_f and I_{nf}).....	76
D.1.4	For motor starting conditions	76
D.2	Effect of decrease of ambient air temperature	76
D.3	Effect of installation conditions.....	76
Annex E (normative) Particular requirements for fuse-bases with screwless-type terminals for external copper conductors.....		77
E.1	General.....	77
E.3	Terms and definitions.....	77
E.7	Marking.....	78
E.8	Standard conditions for construction	78
E.8.1	Fixed connections including terminals.....	78
E.8.2	Dimensions of connectable conductors	78
E.8.3	Connectable cross-sectional areas	79
E.8.4	Insertion and disconnecting of conductors	79
E.8.5	Design and construction of terminals	79
E.8.6	Resistance to ageing	80
E.9	Tests	80
E.9.1	Test of reliability of terminals	80
E.9.2	Tests of reliability of terminals for external conductors: mechanical strength	80
E.9.3	Cycling test.....	81
Bibliography.....		84
Figure 1 – Diagram illustrating the means of verification of the time-current characteristic, using the results of the tests at the "gate" currents (example)		59
Figure 2 – Overload curve and time-current characteristic for "a" fuse-links		60
Figure 3 – Time-current zone for aM fuses.....		61
Figure 4 – General presentation of the cut-off characteristics for a series of AC fuse-links		62
Figure 5 – Typical diagram of the circuit used for breaking capacity test (see 9.5)		63
Figure 6 – Interpretation of oscillograms taken during the AC breaking-capacity tests (see 9.5.7)		64
Figure 7 – Interpretation of oscillograms taken during the DC breaking-capacity tests (see 9.5.7)		65
Figure 8 – Glow-wire and position of the thermocouple		66
Figure 9 – Test apparatus (example)		67
Figure A.1 – Determination of circuit-impedance for calculation of power factor in accordance with method I		70
Figure C.1 – Cut-off current characteristic as a function of actual pre-arcing time		75
Figure E.1 – Connecting samples		82

Figure E.2 – Examples of terminals.....	83
Table 1 – Standard values of AC rated voltages for fuses	20
Table 2 – Preferred values of DC rated voltages for fuses	20
Table 3 – Conventional time and current for "gG", and "gM" fuse-links.....	22
Table 4 – Gates for specified pre-arcing times of "gG" and "gM" fuse-links ^a	23
Table 5 – Gates for "aM" fuse-links (all rated currents).....	23
Table 6 – Temperature rise limits $\Delta T = (T - T_a)$ for terminals	27
Table 7 – Maximum arc voltage	28
Table 8 – Pre-arcing I^2t values at 0,01 s for "gG" and "gM" fuse-links	29
Table 9 – Rated impulse withstand voltage	30
Table 10 – Minimum clearances in air	30
Table 11 – Minimum creepage distances	31
Table 12 – Survey of complete tests on fuse-links and number of fuse-links to be tested	35
Table 13 – Survey of tests on fuse-links of smallest rated current of homogeneous series and number of fuse-links to be tested	36
Table 14 – Survey of tests on fuse-links of rated currents between the largest and the smallest rated current of a homogeneous series and number of fuse-links to be tested.....	37
Table 15 – Survey of complete tests on fuse-holders and number of fuse-holders to be tested	37
Table 16 – Test voltage	39
Table 17 – Test voltage across the poles for the verification of the suitability for isolation.....	40
Table 18 – Cross-sectional area of copper conductors for tests corresponding to Subclauses 9.3 and 9.4.....	42
Table 19 – Cross-section areas of the copper conductors for the test of "aM" fuses	45
Table 20 – Table for test in Subclause 9.4.3.5	46
Table 21 – Values for breaking-capacity tests on AC fuses	49
Table 22 – Values for breaking-capacity tests on DC fuses	50
Table E.1 – Connectable conductors.....	79
Table E.2 – Cross-sections of copper conductors connectable to terminals.....	79
Table E.3 – Pull forces.....	81

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE FUSES –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60269-1 has been prepared by subcommittee 32B: Low-voltage fuses, of IEC technical committee 32: Fuses. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2006, Amendment 1:2009 and Amendment 2:2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) New numbering, editorial corrections and normative references updated;
- b) Term "discrimination" replaced by "selectivity" and "utilization category" by "utilization class";
- c) Term "fuses for authorized and unskilled persons" updated;
- d) Replacement of fuse-link added;

- e) Standard values for AC and DC voltages updated;
- f) Rated currents 425A, 355A, and 1 600A added;
- g) Marking: requirements and tests separated to the relevant subclauses;
- h) Requirements for temperature rise limited to terminal temperature rise only;
- i) Graphic symbol for fuse-base updated,

The text of this International Standard is based on the following documents:

Draft	Report on voting
32B/748/FDIS	32B/756/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

IEC 60269 consists of the following parts, under the general title *Low-voltage fuses*:

- Part 1: General requirements
- Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to I
- Part 3: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household or similar application) – Examples of standardized systems of fuses A to F
- Part 4: Supplementary requirements for fuse-links for the protection of semiconductor devices
- Part 5: Guidance for the application of low-voltage fuses
- Part 6: Supplementary requirements for fuse-links for the protection of solar photovoltaic energy systems
- Part 7: Battery Fuses

For reasons of convenience, when a part of this publication has come from other publications, a remark to this effect has been inserted in the text.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

LOW-VOLTAGE FUSES –

Part 1: General requirements

1 Scope

This part of IEC 60269 is applicable to fuses incorporating enclosed current-limiting fuse-links with rated breaking capacities of not less than 6 kA, intended for protecting power-frequency AC circuits of nominal voltages not exceeding 1 000 V or DC circuits of nominal voltages not exceeding 1 500 V.

Subsequent parts of this standard, referred to herein, cover supplementary requirements for such fuses intended for specific conditions of use or applications.

Fuse-links intended to be included in fuse-switch combinations according to IEC 60947-3 should also comply with the following requirements.

As far as not stated in subsequent parts for fuse-links, details of performance (see 3.2.4) on DC circuits should be stated in the manufacturer's literature.

NOTE 1 Modifications of, and supplements to, this document required for certain types of fuses for particular applications – for example, certain fuses for rolling stock, or fuses for high-frequency circuits – will be covered, if necessary, by separate standards.

NOTE 2 This document does not apply to miniature fuses, these being covered by IEC 60127.

The object of this standard series is to establish the characteristics of fuses or parts of fuses (fuse-base, fuse-carrier, fuse-link) in such a way that they can be replaced by other fuses or parts of fuses having the same characteristics provided that they are interchangeable as far as their dimensions are concerned. For this purpose, this standard series refers in particular to

- the following characteristics of fuses:
 - rated values;
 - insulation;
 - temperature rise in normal service;
 - power dissipation and acceptable power dissipation;
 - time/current characteristics;
 - breaking capacity;
 - cut-off current characteristics and their I^2t characteristics.
- type test for verification of the characteristics of fuses;
- the marking of fuses.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60269-2, *Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60584-1:2013, *Thermocouples – Part 1: EMF specifications and tolerances*

IEC 60617, *Graphical symbols for diagrams*

IEC 60664-1:2002, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN