

STN	Špecifikácia Qi, verzia 2.0 Časť 11: Komunikačný protokol MPP	STN EN IEC 63563-11 36 8701
------------	--	---

Qi Specification version 2.0 - Part 11: MPP Communications Protocol

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 06/25

Obsahuje: EN IEC 63563-11:2025, IEC 63563-11:2025

140658



EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 63563-11

March 2025

ICS 29.240.99; 35.240.99

English Version

**Qi Specification version 2.0 - Part 11: MPP Communications
Protocol
(IEC 63563-11:2025)**

Spécification Qi version 2.0 - Partie 11: Protocole de
communications PPM (Profil de puissance magnétique)
(IEC 63563-11:2025)

Qi Spezifikation Version 2.0 - Teil 11: Mpp
Kommunikations-Protokoll
(IEC 63563-11:2025)

This European Standard was approved by CENELEC on 2025-03-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 63563-11:2025 (E)**European foreword**

The text of document 100/4255/FDIS, future edition 1 of IEC 63563-11, prepared by TC 100/Technical Area 15 "Wireless Power Transfer" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63563-11:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2026-03-31
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2028-03-31

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 63563-11:2025 was approved by CENELEC as a European Standard without any modification.



IEC 63563-11

Edition 1.0 2025-02

INTERNATIONAL STANDARD

**Qi Specification version 2.0 –
Part 11: MPP System Specification**

**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



IEC 63563-11

Edition 1.0 2025-02

INTERNATIONAL STANDARD

**Qi Specification version 2.0 –
Part 11: MPP System Specification**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.240.99; 35.240.99

ISBN 978-2-8327-0184-3

Warning! Make sure that you obtained this publication from an authorized distributor.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

QI SPECIFICATION VERSION 2.0 –

Part 11: MPP System Specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63563-11 has been prepared by technical area 15: Wireless Power Transfer, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

It is based on *Qi Specification version 2.0, MPP Communications Protocol* and was submitted as a Fast-Track document.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/4255/FDIS	100/4276/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

This document was developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.



Qi Specification

MPP Communications Protocol

Version 2.0

April 2023

DISCLAIMER

The information contained herein is believed to be accurate as of the date of publication, but is provided “as is” and may contain errors. The Wireless Power Consortium makes no warranty, express or implied, with respect to this document and its contents, including any warranty of title, ownership, merchantability, or fitness for a particular use or purpose. Neither the Wireless Power Consortium, nor any member of the Wireless Power Consortium will be liable for errors in this document or for any damages, including indirect or consequential, from use of or reliance on the accuracy of this document. For any further explanation of the contents of this document, or in case of any perceived inconsistency or ambiguity of interpretation, contact: info@wirelesspowerconsortium.com.

RELEASE HISTORY

Specification Version	Release Date	Description
2.0	April 2023	First release of this v2.0 specification.

Contents

Contents	2
List of Tables	5
1 Introduction	8
1.1 Overview.....	8
2 Magnetic Power Profile	10
2.1 Overview.....	10
2.1.1 Restricted Mode.....	10
2.1.2 Full Mode.....	10
2.2 Power Receiver Requirements.....	11
2.2.1 Amplitude Shift Keying (ASK).....	11
2.2.2 Startup Behavior.....	11
2.2.3 Profile Activation.....	13
2.3 Power Transmitter Requirements.....	15
2.3.1 Frequency Shift Keying (FSK).....	15
2.3.2 Timings Override.....	16
2.3.3 Startup Behavior.....	16
2.4 Supporting EPP and MPP protocols.....	19
2.4.1 MPP/EPP Support on PRx.....	19
2.4.2 MPP/EPP Support on PTx.....	20
3 Negotiation Phase	21
3.1 Overview.....	21
3.2 Requirements.....	21
3.2.1 Negotiation Phase Timings.....	22
3.2.2 FSK Cycles.....	22
3.2.3 Entering Negotiation Phase With Error Status.....	22
3.2.4 Power Transfer Contract Extension.....	23
3.3 Negotiation Phase - 128kHz.....	24
3.3.1 Nominal negotiation flow.....	24
3.3.2 Negotiation flow with PTx error status.....	26
3.3.3 Frequency Selection.....	27
3.4 Negotiation Phase - 360kHz.....	27
3.4.1 PRx Extended Capabilities.....	30
3.4.2 PTx Extended Capabilities.....	30
3.4.3 Exchange Power Loss Accounting Parameters.....	30

3.4.4	Power Negotiation.....	30
3.4.5	Retrieve PTx Extended ID.....	30
3.4.6	Exchange Enabled Data Streams.....	30
3.4.7	Power Control Profile	30
3.4.8	Cloaking Duration.....	30
3.4.9	MPP Proprietary Requests / Packets.....	31
3.5	NFC Identification (Informative)	32
4	Power Transfer Phase	33
4.1	Overview.....	33
4.2	Extended Control Error Packet.....	33
4.2.1	Handling.....	33
4.2.2	PTx Response	34
4.2.3	Example	34
4.3	Power Loss Accounting Packet	36
4.3.1	Handling.....	36
4.3.2	PTx Response	37
4.4	Control Status	37
4.5	GET Request	37
4.5.1	PRx Initiated.....	37
4.5.2	PTx Initiated	38
4.5.3	Examples.....	38
4.6	MPP-Restricted to Full mode Transition.....	39
4.6.1	Transition with power interruption	40
4.6.2	Transition without power interruption.....	40
5	Cloak Phase	43
5.1	Overview.....	43
5.2	Cloak Ping Requirements.....	43
5.3	Cloak Entry	43
5.3.1	PRx Initiated.....	44
5.3.2	PTx Initiated	44
5.4	Cloak Exit	45
5.5	Detect ping.....	46
5.6	State Diagram	46
5.7	Cloak Timings	49
5.8	Examples.....	50
6	Extended Data Streams	56
6.1	Overview.....	56
6.2	Simultaneous Data Stream Extension	56
6.2.1	Error Handling	57
6.2.2	Timings.....	57
6.2.3	Cloaking Compatibility	57
6.3	Data Integrity Extension	58
6.4	Examples.....	58
7	Packets and Streams	67
7.1	Power Receiver data packets	67
7.1.1	Cloak - CLOAK (0x18)	69
7.1.2	Extended Control Error - XCE (0x19)	70
7.1.3	Specific Request - SRQ (0x20).....	71

7.1.4	Specific Request [Frequency Selection] - SRQ/freqsel (0x20)	75
7.1.5	Specific Request [Power Level] - SRQ/egpl (0x20)	76
7.1.6	Specific Request [Cloak Ping Delay - Low Byte] - SRQ/cloakl (0x20)	77
7.1.7	Specific Request [Cloak Ping Delay - High Byte] - SRQ/cloakh (0x20)	78
7.1.8	Specific Request [Power Control Profile] - SRQ/pcp (0x20)	79
7.1.9	Specific Request [Cloak Detect Ping Delay] - SRQ/detect (0x20)	80
7.1.10	Specific Request [Proprietary Parameters] - SRQ/MppProp (0x20)	81
7.1.11	Get Request - GET (0x28)	82
7.1.12	Enabled Data Streams - EDS (0x29)	83
7.1.13	Simultaneous Auxiliary Data Transport - SADT (multiple header codes)	84
7.1.14	Simultaneous Data Stream Response - SDSR (0x38)	85
7.1.15	Simultaneous Auxiliary Data Control - SADC (0x48)	86
7.1.16	Report - REPORT (0x58:0)	87
7.1.17	Report [PRx Identification] (0x58:0)	88
7.1.18	Power Loss Accounting (0x58:1)	89
7.1.19	Power Loss Accounting Parameters - PLAP (0x78)	90
7.1.20	Qi MPP Extended Identification - MPP-XID (0x81)	91
7.1.21	Extended Power Receiver Capabilities - ECAP (0x84)	92
7.2	Power Transmitter data packets	93
7.2.1	Error Status - ERR (0x01)	94
7.2.2	Cloak Request - CLOAK (0x1E:0)	95
7.2.3	Regulation Control Status - RCS (0x1E:3)	96
7.2.4	Charge Status - CHS (0x1F)	97
7.2.5	Get Request - GET (0x2E)	98
7.2.6	Enabled Data Streams - EDS (0x2F)	99
7.2.7	Inverter Voltage - INV (0x3F:0)	100
7.2.8	Simultaneous Auxiliary Data Transport - SADT (multiple header codes)	101
7.2.9	Simultaneous Data Stream Response - SDSR (0x3F:1)	102
7.2.10	Estimated K - KEST (0x3F:2)	103
7.2.11	Simultaneous Auxiliary Data Control - SADC (0x4F)	104
7.2.12	Power Loss Accounting Parameters - PLAP (0x5F)	105
7.2.13	Extended Power Transmitter Identification - XID (0x8F:0)	106
7.2.14	Extended Power Transmitter Extended Capabilities - ECAP (0x8F:1)	107

List of Tables

1.1	MPP Specifications Departure from Qi EPP.....	8
2.1	MPP ID Packet Parameters.....	11
2.2	MPP FSK Parameters.....	14
2.3	MPP FSK Patterns.....	14
2.4	MPP PTx Parameters Override	15
3.1	PRx packets allowed during MPP negotiation phase.....	20
3.2	MPP Negotiation Phase Timing Parameters.....	21
3.3	MPP Power Transfer Contract Elements	23
4.1	MPP Control Error Parameters.....	33
4.2	Power Loss Accounting Timing Parameters.....	35
4.3	PTx Initiated GET Timing Parameters.....	37
4.4	MPP Restricted to Full Transition Timing Parameters.....	39
5.1	Cloak Detect Parameters	45
5.2	Cloak Time Parameters	48
6.1	Data Streams Identifiers	55
6.2	Extended Data Streams Timing	56
6.3	Data Stream CRC Properties.....	57
7.1	MPP PRx ASK Packets.....	68
7.2	PRx End Of Power Reason Codes	69
7.3	End Of Power Request FSK Responses.....	69
7.4	Extended Control Error FSK Responses.....	70
7.5	MPP Specific Requests.....	71
7.6	Specific Request Frequency Selection parameters	72
7.7	Frequency Selection Request FSK Responses	72
7.8	Power Level Selection Request FSK Responses	73
7.9	Cloak Ping Delay Selection Request SRQ/cloakl - FSK Responses	74
7.10	Cloak Ping Delay Selection Request SRQ/cloakh - FSK Responses	75
7.11	Power Control Profile Values	76
7.12	Power Control Profile Selection Request FSK Responses.....	76
7.13	Cloak Detect Ping Delay Selection Request FSK Responses	77
7.14	Proprietary Specific Parameters Request FSK Responses.....	78
7.15	PRx Get Request Types	79
7.16	Simultaneous Auxiliary Data Transport - SADT FSK Responses	81

7.17 PRx Simultaneous Data Stream Response Type.....	82
7.18 Simultaneous Auxiliary Data Control Request Field.....	83
7.19 Simultaneous Auxiliary Data Control Parameter Field	83
7.20 Report ID Field.....	84
7.21 Report [PRx Identification] FSK Responses	85
7.22 PLA FSK Responses.....	86
7.23 Received Power Parameters FSK Responses.....	87
7.24 PRx Capabilities Packet FSK Responses.....	89
7.25 MPP PTX FSK Packets	90
7.26 PTx Error Status Codes.....	91
7.27 PTx End Of Power Reason Codes.....	92
7.28 PTx Regulation Control Status Values.....	93
7.29 PTx Charge Status Values.....	94
7.30 PTx Get Request Fields.....	95
7.31 PTx Simultaneous Data Stream Response Type	99
7.32 PTx Power Limit Reason Code	104

koniec náhľadu – text ďalej pokračuje v platenej verzii STN