

|            |                                                                                                                                |                                                     |
|------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| <b>STN</b> | <b>Systémy mobilnej komunikácie<br/>na palube lietadla (MCOBA)<br/>Harmonizovaná norma pre prístup<br/>k rádiovému spektru</b> | <b>STN<br/>EN 302 480<br/>V3.1.1</b><br><br>87 2480 |
|------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|

Mobile Communication On Board Aircraft (MCOBA) systems; Harmonised Standard for access to radio spectrum

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 07/25

Obsahuje: EN 302 480 V3.1.1:2025

**140866**

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2025

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.



# ETSI EN 302 480 V3.1.1 (2025-04)



**Mobile Communication On Board Aircraft (MCOBA) systems;  
Harmonised Standard for access to radio spectrum**

---

**Reference**

---

REN/MSG-TFES-1138

---

---

**Keywords**

---

3G, 3GPP, 5G, cellular, digital, E-UTRA, GSM,  
LTE, MCOBA, mobile, radio, regulation, UMTS,  
UTRA, WCDMA

---

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

**Important notice**

---

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

**Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.  
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

# Contents

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                 | 8  |
| Foreword.....                                                      | 8  |
| Modal verbs terminology.....                                       | 9  |
| Introduction .....                                                 | 9  |
| 1 Scope .....                                                      | 10 |
| 2 References .....                                                 | 11 |
| 2.1 Normative references .....                                     | 11 |
| 2.2 Informative references.....                                    | 12 |
| 3 Definition of terms, symbols and abbreviations.....              | 13 |
| 3.1 Terms.....                                                     | 13 |
| 3.2 Symbols.....                                                   | 13 |
| 3.3 Abbreviations .....                                            | 13 |
| 4 Technical requirements specifications .....                      | 15 |
| 4.1 Environmental profile.....                                     | 15 |
| 4.2 Conformance requirements .....                                 | 15 |
| 4.2.1 Introduction.....                                            | 15 |
| 4.2.2 GSM-OBTS performance .....                                   | 18 |
| 4.2.2.1 GSM-OBTS maximum output power .....                        | 18 |
| 4.2.2.1.1 Definition.....                                          | 18 |
| 4.2.2.1.2 Limits .....                                             | 18 |
| 4.2.2.1.3 Conformance .....                                        | 18 |
| 4.2.2.2 GSM-OBTS output RF spectrum.....                           | 18 |
| 4.2.2.2.1 Spectrum due to modulation and wideband noise .....      | 18 |
| 4.2.2.2.2 Spectrum due to switching transients .....               | 18 |
| 4.2.2.3 GSM-OBTS radio frequency tolerance.....                    | 19 |
| 4.2.2.3.1 Definition.....                                          | 19 |
| 4.2.2.3.2 Limits .....                                             | 19 |
| 4.2.2.3.3 Conformance .....                                        | 19 |
| 4.2.2.4 GSM-OBTS controlled MS RF power.....                       | 19 |
| 4.2.2.4.1 Definition.....                                          | 19 |
| 4.2.2.4.2 Limits .....                                             | 19 |
| 4.2.2.4.3 Conformance .....                                        | 19 |
| 4.2.2.5 GSM-OBTS reference sensitivity level.....                  | 19 |
| 4.2.2.5.1 Definition.....                                          | 19 |
| 4.2.2.5.2 Limits .....                                             | 20 |
| 4.2.2.5.3 Conformance .....                                        | 20 |
| 4.2.2.6 GSM-OBTS unwanted emissions in the spurious domain .....   | 20 |
| 4.2.2.6.1 Definition.....                                          | 20 |
| 4.2.2.6.2 Limits .....                                             | 20 |
| 4.2.2.6.3 Conformance .....                                        | 20 |
| 4.2.3 UTRA-OBTS performance.....                                   | 20 |
| 4.2.3.1 Conformance compliance.....                                | 20 |
| 4.2.3.2 UTRA-OBTS Spectrum Mask .....                              | 20 |
| 4.2.3.2.1 Definition.....                                          | 20 |
| 4.2.3.2.2 Limits .....                                             | 20 |
| 4.2.3.2.3 Conformance .....                                        | 21 |
| 4.2.3.3 UTRA-OBTS Adjacent Channel Leakage power Ratio (ACLR)..... | 21 |
| 4.2.3.3.1 Definition.....                                          | 21 |
| 4.2.3.3.2 Limits .....                                             | 21 |
| 4.2.3.3.3 Conformance .....                                        | 21 |
| 4.2.3.4 UTRA-OBTS Transmitter spurious emissions.....              | 21 |
| 4.2.3.4.1 Definition.....                                          | 21 |
| 4.2.3.4.2 Limits .....                                             | 21 |
| 4.2.3.4.3 Conformance .....                                        | 22 |

|            |                                                              |    |
|------------|--------------------------------------------------------------|----|
| 4.2.3.5    | UTRA-OBTS maximum output power .....                         | 22 |
| 4.2.3.5.1  | Definition.....                                              | 22 |
| 4.2.3.5.2  | Limits .....                                                 | 22 |
| 4.2.3.5.3  | Conformance .....                                            | 22 |
| 4.2.3.6    | UTRA-OBTS Transmit intermodulation.....                      | 22 |
| 4.2.3.6.1  | Definition.....                                              | 22 |
| 4.2.3.6.2  | Limits .....                                                 | 23 |
| 4.2.3.6.3  | Conformance .....                                            | 23 |
| 4.2.3.7    | UTRA-OBTS Receiver spurious emissions .....                  | 23 |
| 4.2.3.7.1  | Definition.....                                              | 23 |
| 4.2.3.7.2  | Limits .....                                                 | 23 |
| 4.2.3.7.3  | Conformance .....                                            | 23 |
| 4.2.3.8    | UTRA-OBTS Blocking characteristics .....                     | 24 |
| 4.2.3.8.1  | Definition.....                                              | 24 |
| 4.2.3.8.2  | Limits .....                                                 | 24 |
| 4.2.3.8.3  | Conformance .....                                            | 24 |
| 4.2.3.9    | UTRA-OBTS Receiver intermodulation characteristics .....     | 24 |
| 4.2.3.9.1  | Definition.....                                              | 24 |
| 4.2.3.9.2  | Limits .....                                                 | 24 |
| 4.2.3.9.3  | Conformance .....                                            | 24 |
| 4.2.3.10   | UTRA-OBTS Receiver adjacent channel selectivity .....        | 25 |
| 4.2.3.10.1 | Definition.....                                              | 25 |
| 4.2.3.10.2 | Limits .....                                                 | 25 |
| 4.2.3.10.3 | Conformance .....                                            | 25 |
| 4.2.3.11   | UTRA-OBTS controlled UE RF power .....                       | 25 |
| 4.2.3.11.1 | Definition.....                                              | 25 |
| 4.2.3.11.2 | Limits .....                                                 | 25 |
| 4.2.3.11.3 | Conformance .....                                            | 25 |
| 4.2.3.12   | UTRA-OBTS reference sensitivity level .....                  | 26 |
| 4.2.3.12.1 | Definition.....                                              | 26 |
| 4.2.3.12.2 | Limit .....                                                  | 26 |
| 4.2.3.12.3 | Conformance .....                                            | 26 |
| 4.2.4      | E-UTRA-OBTS performance .....                                | 26 |
| 4.2.4.1    | Conformance compliance.....                                  | 26 |
| 4.2.4.2    | E-UTRA-OBTS operating band unwanted emissions.....           | 26 |
| 4.2.4.2.1  | Definition.....                                              | 26 |
| 4.2.4.2.2  | Limits .....                                                 | 26 |
| 4.2.4.2.3  | Conformance .....                                            | 26 |
| 4.2.4.3    | E-UTRA-OBTS Adjacent Channel Leakage power Ratio (ACLR)..... | 27 |
| 4.2.4.3.1  | Definition.....                                              | 27 |
| 4.2.4.3.2  | Limits .....                                                 | 27 |
| 4.2.4.3.3  | Conformance .....                                            | 27 |
| 4.2.4.4    | E-UTRA-OBTS transmitter spurious emissions .....             | 27 |
| 4.2.4.4.1  | Definition.....                                              | 27 |
| 4.2.4.4.2  | Limits .....                                                 | 28 |
| 4.2.4.4.3  | Conformance .....                                            | 28 |
| 4.2.4.5    | E-UTRA-OBTS maximum output power .....                       | 28 |
| 4.2.4.5.1  | Definition.....                                              | 28 |
| 4.2.4.5.2  | Limits .....                                                 | 28 |
| 4.2.4.5.3  | Conformance .....                                            | 28 |
| 4.2.4.6    | E-UTRA-OBTS transmit intermodulation .....                   | 28 |
| 4.2.4.6.1  | Definition.....                                              | 28 |
| 4.2.4.6.2  | Limits .....                                                 | 28 |
| 4.2.4.6.3  | Conformance .....                                            | 29 |
| 4.2.4.7    | E-UTRA-OBTS receiver spurious emissions.....                 | 29 |
| 4.2.4.7.1  | Definition.....                                              | 29 |
| 4.2.4.7.2  | Limits .....                                                 | 29 |
| 4.2.4.7.3  | Conformance .....                                            | 29 |
| 4.2.4.8    | E-UTRA-OBTS Blocking characteristics .....                   | 29 |
| 4.2.4.8.1  | Definition.....                                              | 29 |
| 4.2.4.8.2  | Limits .....                                                 | 29 |
| 4.2.4.8.3  | Conformance .....                                            | 29 |

|            |                                                                              |    |
|------------|------------------------------------------------------------------------------|----|
| 4.2.4.9    | E-UTRA-OBTS receiver intermodulation characteristics.....                    | 29 |
| 4.2.4.9.1  | Definition.....                                                              | 29 |
| 4.2.4.9.2  | Limits .....                                                                 | 29 |
| 4.2.4.9.3  | Conformance .....                                                            | 30 |
| 4.2.4.10   | E-UTRA-OBTS Adjacent Channel Selectivity (ACS) and narrow-band blocking..... | 30 |
| 4.2.4.10.1 | Definition.....                                                              | 30 |
| 4.2.4.10.2 | Limits .....                                                                 | 30 |
| 4.2.4.10.3 | Conformance .....                                                            | 30 |
| 4.2.4.11   | E-UTRA-OBTS controlled UE RF power .....                                     | 30 |
| 4.2.4.11.1 | Definition.....                                                              | 30 |
| 4.2.4.11.2 | Limits .....                                                                 | 30 |
| 4.2.4.11.3 | Conformance .....                                                            | 30 |
| 4.2.4.12   | E-UTRA-OBTS reference sensitivity level.....                                 | 31 |
| 4.2.4.12.1 | Definition.....                                                              | 31 |
| 4.2.4.12.2 | Limits .....                                                                 | 31 |
| 4.2.4.12.3 | Conformance .....                                                            | 31 |
| 4.2.5      | NCU Transmitter Performance .....                                            | 31 |
| 4.2.5.1    | NCU maximum mean power spectral density.....                                 | 31 |
| 4.2.5.1.1  | Definition.....                                                              | 31 |
| 4.2.5.1.2  | Limits .....                                                                 | 31 |
| 4.2.5.1.3  | Conformance .....                                                            | 31 |
| 4.2.5.2    | NCU power flatness .....                                                     | 31 |
| 4.2.5.2.1  | Definition.....                                                              | 31 |
| 4.2.5.2.2  | Limits .....                                                                 | 32 |
| 4.2.5.2.3  | Conformance .....                                                            | 32 |
| 4.2.5.3    | NCU out-of-band emissions.....                                               | 32 |
| 4.2.5.3.1  | Definition.....                                                              | 32 |
| 4.2.5.3.2  | Limits .....                                                                 | 32 |
| 4.2.5.3.3  | Conformance .....                                                            | 32 |
| 4.2.5.4    | NCU spurious emissions .....                                                 | 32 |
| 4.2.5.4.1  | Definition.....                                                              | 32 |
| 4.2.5.4.2  | Limits .....                                                                 | 33 |
| 4.2.5.4.3  | Conformance .....                                                            | 33 |
| 4.2.6      | MCOBA system performance.....                                                | 33 |
| 4.2.6.1    | MCOBA Unwanted emissions in the out-of-band domain .....                     | 33 |
| 4.2.6.1.1  | Definition.....                                                              | 33 |
| 4.2.6.1.2  | Limits .....                                                                 | 33 |
| 4.2.6.1.3  | Conformance .....                                                            | 33 |
| 4.2.6.2    | MCOBA Unwanted emissions in the spurious domain.....                         | 34 |
| 4.2.6.2.1  | Definition.....                                                              | 34 |
| 4.2.6.2.2  | Limits .....                                                                 | 34 |
| 4.2.6.2.3  | Conformance .....                                                            | 34 |
| 4.2.6.3    | MCOBA Cessation of emission .....                                            | 34 |
| 4.2.6.3.1  | Definition.....                                                              | 34 |
| 4.2.6.3.2  | Specification.....                                                           | 34 |
| 4.2.6.3.3  | Conformance .....                                                            | 34 |
| 4.2.7      | NR-OBTS performance .....                                                    | 34 |
| 4.2.7.1    | Conformance compliance.....                                                  | 34 |
| 4.2.7.2    | NR-OBTS operating band unwanted emissions.....                               | 35 |
| 4.2.7.2.1  | Definition and applicability.....                                            | 35 |
| 4.2.7.2.2  | Limits .....                                                                 | 35 |
| 4.2.7.2.3  | Conformance .....                                                            | 35 |
| 4.2.7.3    | NR-OBTS Adjacent Channel Leakage power Ratio (ACLR).....                     | 35 |
| 4.2.7.3.1  | Definition.....                                                              | 35 |
| 4.2.7.3.2  | Limits .....                                                                 | 35 |
| 4.2.7.3.3  | Conformance .....                                                            | 35 |
| 4.2.7.4    | NR-OBTS transmitter spurious emissions .....                                 | 36 |
| 4.2.7.4.1  | Definition.....                                                              | 36 |
| 4.2.7.4.2  | Limits .....                                                                 | 36 |
| 4.2.7.4.3  | Conformance .....                                                            | 36 |
| 4.2.7.5    | NR-OBTS output power .....                                                   | 36 |
| 4.2.7.5.1  | Definition.....                                                              | 36 |

|            |                                                                          |    |
|------------|--------------------------------------------------------------------------|----|
| 4.2.7.5.2  | Limits .....                                                             | 36 |
| 4.2.7.5.3  | Conformance .....                                                        | 36 |
| 4.2.7.6    | NR-OBTS transmit intermodulation .....                                   | 37 |
| 4.2.7.6.1  | Definition.....                                                          | 37 |
| 4.2.7.6.2  | Limits .....                                                             | 37 |
| 4.2.7.6.3  | Conformance .....                                                        | 37 |
| 4.2.7.7    | NR-OBTS receiver spurious emissions.....                                 | 37 |
| 4.2.7.7.1  | Definition.....                                                          | 37 |
| 4.2.7.7.2  | Limits .....                                                             | 37 |
| 4.2.7.7.3  | Conformance .....                                                        | 37 |
| 4.2.7.8    | NR-OBTS blocking characteristics .....                                   | 37 |
| 4.2.7.8.1  | Definition.....                                                          | 37 |
| 4.2.7.8.2  | Limits .....                                                             | 37 |
| 4.2.7.8.3  | Conformance .....                                                        | 38 |
| 4.2.7.9    | NR-OBTS receiver intermodulation characteristics.....                    | 38 |
| 4.2.7.9.1  | Definition.....                                                          | 38 |
| 4.2.7.9.2  | Limits .....                                                             | 38 |
| 4.2.7.9.3  | Conformance .....                                                        | 38 |
| 4.2.7.10   | NR-OBTS Adjacent Channel Selectivity (ACS) and narrow-band blocking..... | 38 |
| 4.2.7.10.1 | Definition.....                                                          | 38 |
| 4.2.7.10.2 | Limits .....                                                             | 38 |
| 4.2.7.10.3 | Conformance .....                                                        | 38 |
| 4.2.7.11   | NR-OBTS controlled UE RF power .....                                     | 38 |
| 4.2.7.11.1 | Definition.....                                                          | 38 |
| 4.2.7.11.2 | Limits .....                                                             | 39 |
| 4.2.7.11.3 | Conformance .....                                                        | 39 |
| 4.2.7.12   | NR-OBTS reference sensitivity level.....                                 | 39 |
| 4.2.7.12.1 | Definition.....                                                          | 39 |
| 4.2.7.12.2 | Limits .....                                                             | 39 |
| 4.2.7.12.3 | Conformance .....                                                        | 39 |
| 5          | Testing for compliance with technical requirements.....                  | 39 |
| 5.1        | Environmental conditions for testing .....                               | 39 |
| 5.2        | Essential radio test suites.....                                         | 39 |
| 5.2.0      | Measurement options.....                                                 | 39 |
| 5.2.1      | GSM-OBTS Performance.....                                                | 40 |
| 5.2.1.1    | GSM-OBTS controlled UE/MS RF power .....                                 | 40 |
| 5.2.1.1.1  | Test purpose .....                                                       | 40 |
| 5.2.1.1.2  | Methods of measurement.....                                              | 40 |
| 5.2.2      | UTRA-OBTS Transmitter Performance .....                                  | 42 |
| 5.2.2.1    | UTRA-OBTS controlled UE RF power .....                                   | 42 |
| 5.2.2.1.1  | Test purpose .....                                                       | 42 |
| 5.2.2.1.2  | Methods of measurement.....                                              | 42 |
| 5.2.3      | E-UTRA-OBTS Transmitter Performance .....                                | 43 |
| 5.2.3.1    | E-UTRA-OBTS-controlled UE RF power.....                                  | 43 |
| 5.2.3.1.1  | Test Purpose .....                                                       | 43 |
| 5.2.3.1.2  | Test Procedure.....                                                      | 43 |
| 5.2.4      | NCU Transmitter Performance .....                                        | 44 |
| 5.2.4.1    | NCU maximum mean power spectral density.....                             | 44 |
| 5.2.4.1.1  | Test purpose .....                                                       | 44 |
| 5.2.4.1.2  | Methods of measurement.....                                              | 44 |
| 5.2.4.2    | NCU power flatness .....                                                 | 45 |
| 5.2.4.2.1  | Test purpose .....                                                       | 45 |
| 5.2.4.2.2  | Methods of measurement.....                                              | 45 |
| 5.2.5      | MCOPA Transmitter Performance.....                                       | 46 |
| 5.2.5.1    | MCOPA Unwanted emissions in the out-of-band domain .....                 | 46 |
| 5.2.5.1.1  | Test purpose .....                                                       | 46 |
| 5.2.5.1.2  | Methods of measurement.....                                              | 46 |
| 5.2.5.2    | MCOPA Unwanted emissions in the spurious domain.....                     | 48 |
| 5.2.5.2.1  | Test purpose .....                                                       | 48 |
| 5.2.5.2.2  | Methods of measurement.....                                              | 48 |
| 5.2.5.3    | MCOPA Cessation of emissions.....                                        | 49 |



|                               |                                                                                                               |           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------|-----------|
| 5.2.5.3.1                     | Test purpose .....                                                                                            | 49        |
| 5.2.5.3.2                     | Methods of measurement.....                                                                                   | 49        |
| 5.2.6                         | NR-OBTS Transmitter Performance .....                                                                         | 50        |
| 5.2.6.1                       | NR-OBTS-controlled UE RF power .....                                                                          | 50        |
| 5.2.6.1.1                     | Test Purpose .....                                                                                            | 50        |
| 5.2.6.1.2                     | Test Procedure .....                                                                                          | 50        |
| <b>Annex A (informative):</b> | <b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b> | <b>52</b> |
| <b>Annex B (normative):</b>   | <b>Environmental conditions .....</b>                                                                         | <b>55</b> |
| B.1                           | General .....                                                                                                 | 55        |
| B.2                           | Environmental conformance requirements.....                                                                   | 55        |
| B.3                           | Environmental test conditions .....                                                                           | 55        |
| <b>Annex C (informative):</b> | <b>System Description .....</b>                                                                               | <b>56</b> |
| C.1                           | High level System Description.....                                                                            | 56        |
| C.2                           | OBTS.....                                                                                                     | 57        |
| C.3                           | RF Screening.....                                                                                             | 57        |
| C.4                           | Dedicated antenna system .....                                                                                | 58        |
| C.5                           | Dedicated antenna installation.....                                                                           | 58        |
| C.6                           | MCOBA system states .....                                                                                     | 58        |
| <b>Annex D (informative):</b> | <b>Maximum measurement uncertainty .....</b>                                                                  | <b>60</b> |
| <b>Annex E (informative):</b> | <b>Selection of receiver parameters.....</b>                                                                  | <b>61</b> |
| E.0                           | Introduction .....                                                                                            | 61        |
| E.1                           | Receiver sensitivity .....                                                                                    | 61        |
| E.2                           | Receiver co-channel rejection .....                                                                           | 61        |
| E.3                           | Receiver adjacent channel selectivity.....                                                                    | 61        |
| E.4                           | Receiver spurious response rejection .....                                                                    | 61        |
| E.5                           | Receiver blocking.....                                                                                        | 61        |
| E.6                           | Receiver radio-frequency intermodulation.....                                                                 | 62        |
| E.7                           | Receiver dynamic range .....                                                                                  | 62        |
| E.8                           | Receiver unwanted emissions in the spurious domain .....                                                      | 62        |
| <b>Annex F (informative):</b> | <b>Bibliography.....</b>                                                                                      | <b>63</b> |
| <b>Annex G (informative):</b> | <b>Change history .....</b>                                                                                   | <b>64</b> |
| History .....                 |                                                                                                               | 65        |

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Mobile Standards Group (MSG).

For non-EU countries the present document may be used for regulatory (Type Approval) purposes.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.10] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A-1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

| National transposition dates                                                           |                 |
|----------------------------------------------------------------------------------------|-----------------|
| Date of adoption of this EN:                                                           | 24 April 2025   |
| Date of latest announcement of this EN (doa):                                          | 31 July 2025    |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 January 2026 |
| Date of withdrawal of any conflicting National Standard (dow):                         | 31 January 2027 |

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

The present document is part of a set of standards developed by ETSI that are designed to cover radio equipment within the scope of the Radio Equipment Directive 2014/53/EU [i.1]. The present document is produced following the guidance in ETSI EG 203 336 [i.2] as applicable.

Refer to annex C for the structure of this system and further technical explanations.

# 1 Scope

The present document specifies technical characteristics and methods of measurement for the following equipment types (which are parts of a Mobile Communication On Board Aircraft system):

- 1) The Onboard Base Transceiver Station (OBTS) supporting GSM and/or UMTS, and/or LTE, and/or NR communication protocols including specific functions for restricting the transmit power of the MSs or UEs, associated with the OBTS.
- 2) The Network Control Unit (NCU) preventing direct connection of the onboard mobile terminals with mobile networks on the ground by raising the noise floor in the cabin.

The OBTSs are capable of operating in all or any part of the frequency bands given in table 1-1.

**Table 1-1: Base Station operating bands**

| RAT    | Band | Direction of transmission | Base Station operating bands  |
|--------|------|---------------------------|-------------------------------|
| UTRA   | 1    | BS Transmit               | 2 110 MHz to 2 170 MHz (UMTS) |
|        |      | BS Receive                | 1 920 MHz to 1 980 MHz (UMTS) |
| E-UTRA | 3    | BS Transmit               | 1 805 MHz to 1 880 MHz (LTE)  |
|        |      | BS Receive                | 1 710 MHz to 1 785 MHz (LTE)  |
| GSM    | 3    | BS Transmit               | 1 805 MHz to 1 880 MHz (GSM)  |
|        |      | BS Receive                | 1 710 MHz to 1 785 MHz (GSM)  |
| NR     | n3   | BS Transmit               | 1 805 MHz to 1 880 MHz (NR)   |
|        |      | BS Receive                | 1 710 MHz to 1 785 MHz (NR)   |

The NCU is capable of operating in the frequency bands given in table 1-2.

**Table 1-2: NCU operating bands**

| NCU operating bands                                                                                        | Comment |
|------------------------------------------------------------------------------------------------------------|---------|
| 460 MHz to 470 MHz (see note)                                                                              |         |
| 791 MHz to 821 MHz (see note)                                                                              | LTE     |
| 925 MHz to 960 MHz                                                                                         | GSM     |
| 1 805 MHz to 1 880 MHz (see note)                                                                          | GSM/LTE |
| 2 110 MHz to 2 170 MHz                                                                                     | UMTS    |
| 2 570 MHz to 2 620 MHz (see note)                                                                          | LTE     |
| 2 620 MHz to 2 690 MHz (see note)                                                                          | LTE     |
| NOTE: Implementation of this operating band in an NCU is not mandatory according to the EC Decision [i.4]. |         |

The present document applies only to radio equipment using a transmitting antenna that forms part of the MCOBA system.

It applies to equipment for continuous and discontinuous transmission of data and digital speech.

Within the European Union, the Commission Decisions determine the operational requirements and applicability of the OBTS and NCU. This includes EC Decision 2013/654 [i.3], EC Decision 2016/2317/EU [i.4], which was updated for UMTS, LTE and changed NCU frequency bands, and EC Decision 2022/2324/EU [i.12], updated for 5G NR and further changes to NCU requirements.

The present document contains requirements to ensure that such Radio equipment both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

The present document does not cover equipment compliance with relevant civil aviation regulations. In this respect, a MCOBA system, for its installation and operation on board an aircraft, is subject to additional national or international civil aviation airworthiness certification requirements, for example, to EUROCAE ED-14G [i.7].

NOTE: The relationship between the present document and the essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in annex A.

---

## 2 References

### 2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI EN 301 908-14 \(V15.1.1\) \(09-2021\)](#): "IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 14: Evolved Universal Terrestrial Radio Access (E-UTRA) Base Stations (BS) Release 15".
- [2] [ETSI TS 145 005 \(V14.7.0\) \(04-2020\)](#): "Digital cellular telecommunications system (Phase 2+) (GSM); GSM/EDGE Radio transmission and reception (3GPP TS 45.005 version 14.7.0 Release 14)".
- [3] [ETSI TS 145 010 \(V14.5.0\) \(04-2020\)](#): "Digital cellular telecommunications system (Phase 2+) (GSM); GSM/EDGE Radio subsystem synchronization (3GPP TS 45.010 version 14.5.0 Release 14)".
- [4] [ETSI TS 145 008 \(V14.10.0\) \(04-2020\)](#): "Digital cellular telecommunications system (Phase 2+) (GSM); GSM/EDGE Radio subsystem link control (3GPP TS 45.008 version 14.10.0 Release 14)".
- [5] [ETSI TS 136 141 \(V14.14.00\) \(03-2022\)](#): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Base Station (BS) conformance testing (3GPP TS 36.141 version 14.14.0 Release 14)".
- [6] [ETSI TS 151 021 \(V14.8.0\) \(04-2020\)](#): "Digital cellular telecommunications system (Phase 2+) (GSM); Base Station System (BSS) equipment specification; Radio aspects (3GPP TS 51.021 version 14.8.0 Release 14)".
- [7] [ETSI EN 301 908-3 \(V13.1.1\) \(09-2019\)](#): "IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 3: CDMA Direct Spread (UTRA FDD) Base Stations (BS)".
- [8] [ETSI EN 301 908-18 \(V15.1.1\) \(09-2021\)](#): "IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 18: E-UTRA, UTRA and GSM/EDGE Multi-Standard Radio (MSR) Base Station (BS) Release 15".
- [9] [ETSI TS 125 141 \(V14.3.0\) \(10-2017\)](#): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) conformance testing (FDD) (3GPP TS 25.141 version 14.3.0 Release 14)".
- [10] [ETSI TS 125 331 \(V14.5.0\) \(01-2018\)](#): "Universal Mobile Telecommunications System (UMTS); Radio Resource Control (RRC); Protocol specification (3GPP TS 25.331 version 14.5.0 Release 14)".
- [11] [ETSI TS 136 101 \(V14.26.0\) \(10-2023\)](#): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception (3GPP TS 36.101 version 14.26.0 Release 14)".
- [12] [ETSI TS 136 331 \(V14.18.0\) \(10-2024\)](#): "LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); Radio Resource Control (RRC); Protocol specification (3GPP TS 36.331 version 14.18.0 Release 14)".

- [13] [ETSI TS 125 133 \(V14.2.0\) \(04-2018\)](#): "Universal Mobile Telecommunications System (UMTS); Requirements for support of radio resource management (FDD) (3GPP TS 25.133 version 14.2.0 Release 14)".
- [14] [ETSI EN 301 908-24 \(V15.1.1\) \(09-2023\)](#): "IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 24: New Radio (NR) Base Stations (BS) Release 15".
- [15] [ETSI TS 138 101-1 \(V16.20.0\) \(08-2024\)](#): "5G; NR; User Equipment (UE) radio transmission and reception; Part 1: Range 1 Standalone (3GPP TS 38.101-1 version 16.20.0 Release 16)".
- [16] [ETSI TS 138 331 \(V16.18.0\) \(10-2024\)](#): "5G; NR; Radio Resource Control (RRC); Protocol specification (3GPP TS 38.331 version 16.18.0 Release 16)".

## 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] [Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014](#) on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (Radio Equipment Directive).
- [i.2] ETSI EG 203 336 (V1.2.1) (05-2020): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.3] [Commission Decision 2013/654/EU](#) amending Decision 2008/294/EC to include additional access technologies and frequency bands for mobile communications services on aircraft (MCA services), 12.11.2013.
- [i.4] [Commission Decision 2016/2317/EU](#) amending Decision 2008/294/EC and Implementing Decision 2013/654/EU, in order to simplify the operation of mobile communications on board aircraft (MCA services) in the Union, 16.12.2016.
- [i.5] [CEPT/ERC/REC 74-01 \(01-2011\)](#) (equivalent to Recommendation ITU-R SM.329-12): "Unwanted emissions in the spurious domain".
- [i.6] Void.
- [i.7] [EUROCAE ED-14G \(05-2011\)](#): "Environmental Conditions and Test Procedures for Airborne Equipment".
- [i.8] 3GPP2 C.S0011-C (V2.0): "Recommended Minimum Performance Standards for cdma2000 Spread Spectrum Mobile Stations".
- [i.9] ETSI TS 125 104 (V14.2.0) (07-2017): "Universal Mobile Telecommunications System (UMTS); Base Station (BS) radio transmission and reception (FDD) (3GPP TS 25.104 version 14.2.0 Release 14)".
- [i.10] [Commission Implementing Decision C\(2015\) 5376 final of 4.8.2015](#) on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.11] ETSI EN 301 908-1 (V15.2.1) (01-2023): "IMT cellular networks; Harmonised Standard for access to radio spectrum; Part 1: Introduction and common requirements; Release 15".

- [i.12] [Commission Decision 2022/2324/EU](#) amending Decision 2008/294/EC and Implementing Decision 2013/654/EU and Implementing Decision 2016/2317/EU, to include additional access technologies and measures for the operation of mobile communications services on aircraft (MCA services) in the Union, 23.11.2023.
- 

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**