

STN	Ohybné izolačné rúrky Časť 2: Skúšobné metódy	STN EN IEC 60684-2 34 6553
------------	--	--

Flexible insulating sleeving - Part 2: Methods of test

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/25

Obsahuje: EN IEC 60684-2:2025, IEC 60684-2:2025

Oznámením tejto normy sa od 30.06.2028 ruší
STN EN 60684-2 (34 6553) z februára 2012

141072



Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2025
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii
v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60684-2

June 2025

ICS 17.220.99

Supersedes EN 60684-2:2011

English Version

**Flexible insulating sleeving - Part 2: Methods of test
(IEC 60684-2:2025)**

Gaines isolantes souples - Partie 2: Méthodes d'essai
(IEC 60684-2:2025)

Isolierschläuche - Teil 2: Prüfverfahren
(IEC 60684-2:2025)

This European Standard was approved by CENELEC on 2025-06-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 60684-2:2025 (E)**European foreword**

The text of document 15/1046/FDIS, future edition 4 of IEC 60684-2, prepared by TC 15 "Solid electrical insulating materials" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60684-2:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-06-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2028-06-30 document have to be withdrawn

This document supersedes EN 60684-2:2011 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60684-2:2025 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60068-2 (series)	NOTE	Approved as EN IEC 60068-2 (series)
IEC 60068-2-10:2005	NOTE	Approved as EN 60068-2-10:2005 (not modified)
IEC 60068-2-20:2021	NOTE	Approved as EN IEC 60068-2-20:2021 (not modified)
IEC 60216-2:2005	NOTE	Approved as EN 60216-2:2005 (not modified)
IEC 60304:1982	NOTE	Approved as HD 402 S2:1984 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60212	-	Standard conditions for use prior to and during the testing of solid electrical insulating materials	EN 60212	-
IEC 60216	series	Electrical insulating materials - Thermal endurance properties	EN 60216	series
IEC 60216-4-1	-	Electrical insulating materials - Thermal endurance properties - Part 4-1: Ageing ovens - Single-chamber ovens	EN 60216-4-1	-
IEC 60216-4-2	-	Electrical insulating materials - Thermal endurance properties - Part 4-2: Ageing ovens - Precision ovens for use up to 300 °C	EN 60216-4-2	-
IEC 60243-1	-	Electric strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	-
IEC 60426	-	Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods	EN 60426	-
IEC 60587	-	Electrical insulating materials used under severe ambient conditions - Test methods for evaluating resistance to tracking and erosion	EN IEC 60587	-
IEC 60589	-	Methods of test for the determination of ionic impurities in electrical insulating materials by extraction with liquids	HD 381 S1	-
IEC 60684-3	series	Specification for flexible insulating sleeving - - Part 3: Specification requirements for individual types of sleeving	EN 60684-3	series
IEC 60695-6-1	-	Fire hazard testing - Part 6-1: Smoke obscuration - General guidance	EN IEC 60695-6-1	-
IEC/TS 60695-11-21	-	Fire hazard testing – Part 11-21: Test flames – 500 W vertical flame test method for	-	-

EN IEC 60684-2:2025 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
		tubular polymeric materials		
IEC 60754-1	-	Test on gases evolved during combustion of materials from cables - Part 1: Determination of the halogen acid gas content	EN 60754-1	-
IEC 60754-2	-	Test on gases evolved during combustion of materials from cables - Part 2: Determination of acidity (by pH measurement) and conductivity	EN 60754-2	-
IEC 62631-2-1	-	Dielectric and resistive properties of solid insulating materials – Part 2-1: Relative permittivity and dissipation factor – Technical Frequencies (0,1 Hz – 10 MHz) – AC Methods	EN IEC 62631-2-1	-
IEC 62631-3-1	-	Dielectric and resistive properties of solid insulating materials - Part 3-1: Determination of resistive properties (DC methods) - Volume resistance and volume resistivity - General method	EN IEC 62631-3-1	-
ISO 5-1	-	Photography and graphic technology -- Density measurements -- Part 1: Geometry and functional notation	-	-
ISO 5-2	-	Photography and graphic technology - Density measurements – Part 2: Geometric conditions for transmittance density	-	-
ISO 5-3	-	Photography and graphic technology - Density measurements – Part 3: Spectral conditions	-	-
ISO 5-4	-	Photography and graphic technology -- Density measurements -- Part 4: Geometric conditions for reflection density	-	-
ISO 37	-	Rubber, vulcanized or thermoplastic - Determination of tensile stress-strain properties	-	-
ISO 62	-	Plastics- Determination of water absorption	EN ISO 62	-
ISO 105-A02	-	Textiles - Tests for colour fastness -- Part A02: Grey scale for assessing change in colour	EN 20105-A02	-
ISO 105-B01	-	Textiles – Tests for colour fastness – Part B01: Colour fastness to light: Daylight	EN ISO 105-B01	-
ISO 182-1	-	Plastics; determination of the tendency of compounds and products based on vinyl chloride homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperatures; part 1: Congo red method	-	-
ISO 182-2	-	Plastics - Determination of the tendency of compounds and products based on vinyl chloride homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperature -- Part 2: pH method	EN ISO 182-2	-

EN IEC 60684-2:2025 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 974	-	Plastics - Determination of the brittleness temperature by impact	-	-
ISO 1431-1	-	Rubber, vulcanized or thermoplastic - Resistance to ozone cracking - Part 1: Static and dynamic strain testing	-	-
ISO 13943	-	Fire safety – Vocabulary	EN ISO 13943	-
ISO 4589-2	-	Plastics – Determination of burning behaviour by oxygen index – Part 2: Ambient-temperature test	EN ISO 4589-2	-
ISO 4589-3	-	Plastics – Determination of burning behaviour by oxygen index – Part 3: Elevated-temperature test	EN ISO 4589-3	-
ISO 4892-3	-	Plastics – Methods of exposure to laboratory light sources – Part 3: Fluorescent UV lamps	EN ISO 4892-3	-
ASTM E 595-15	2021	Standard Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment	-	-



IEC 60684-2

Edition 4.0 2025-05

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Flexible insulating sleeving –
Part 2: Methods of test**

**Gaines isolantes souples –
Partie 2: Méthodes d'essai**

**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -**webstore.iec.ch/advsearchform**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -**webstore.iec.ch/advsearchform**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.**Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	12
INTRODUCTION.....	14
1 Scope.....	15
2 Normative references	15
3 Terms and definitions	17
4 Test conditions	17
4.1 Standard test conditions	17
4.2 Elevated temperature test conditions	17
4.3 Low temperature test conditions.....	17
5 Measurements of bore, wall thickness and concentricity	18
5.1 General.....	18
5.2 Bore.....	18
5.2.1 Number of test specimens	18
5.2.2 General method	18
5.2.3 Relaxed bore of expandable braided sleeving	18
5.2.4 Expanded bore of expandable braided sleeving	19
5.2.5 Result.....	19
5.3 Wall thickness for textile sleeving	19
5.3.1 Number of test specimens	19
5.3.2 Procedure.....	19
5.3.3 Result.....	19
5.4 Minimum/maximum wall thickness and concentricity for extruded sleeving	19
5.4.1 Number of test specimens	19
5.4.2 Wall thickness	19
5.4.3 Concentricity	20
5.4.4 Result.....	20
6 Density	20
6.1 Number of test specimens.....	20
6.2 Procedure	20
6.3 Result	21
7 Resistance to splitting after heating	21
7.1 Number of test specimens.....	21
7.2 Form of test specimen.....	21
7.3 Procedure	21
7.4 Result	21
8 Heat shock (resistance to heat)	21
8.1 Number of test specimens.....	21
8.2 Form of test specimens	21
8.3 Procedure	21
8.4 Result	22
9 Resistance to soldering heat.....	22
9.1 Number of test specimens.....	22
9.2 Form of test specimen.....	22
9.3 Procedure	22
9.4 Result	22
10 Loss in mass on heating of uncoated textile glass sleeving	22

10.1	Number and mass of test specimens.....	22
10.2	Procedure	23
10.3	Calculation.....	23
10.4	Result	23
11	Longitudinal change	23
11.1	Number of test specimens.....	23
11.2	Form of test specimen.....	23
11.3	Procedure	23
11.4	Calculation.....	24
11.5	Result	24
12	Deformation under load (resistance to pressure at elevated temperature).....	24
12.1	Method A	24
12.1.1	Number of test specimens	24
12.1.2	Form of test specimen	24
12.1.3	Apparatus.....	24
12.1.4	Procedure.....	24
12.1.5	Result.....	25
12.2	Method B	25
12.2.1	Number of test specimen	25
12.2.2	Form of test specimen	25
12.2.3	Apparatus.....	25
12.2.4	Procedure.....	26
12.2.5	Result.....	27
13	Thermal stability of PVC sleeving	27
13.1	Principle	27
13.2	Form of test specimen.....	27
13.2.1	ISO 182-1 method	27
13.2.2	ISO 182-2 method	27
13.3	Procedure	27
13.4	Result	27
14	Volatile content of silicone sleeving	27
14.1	Number and mass of test specimens.....	27
14.2	Procedure	27
14.3	Calculation.....	28
14.4	Result	28
15	Bending after heating	28
15.1	Number of test specimens.....	28
15.2	Form of test specimen.....	28
15.3	Procedure	28
15.4	Result	29
16	Bending at low temperature	29
16.1	Number and form of test specimens	29
16.2	Procedure	29
16.3	Result	29
17	Brittleness temperature	29
17.1	Form of test specimen.....	29
17.2	Procedure	29
17.3	Result	29

18	Dimensional stability on storage (applicable to heat-shrinkable sleeving only)	29
18.1	Number and length of test specimens	29
18.2	Procedure	30
18.3	Result	30
19	Hydrolysis of coating	30
19.1	Number of test specimens	30
19.2	Form of test specimen	30
19.3	Procedure	30
19.4	Result	30
20	Flexibility (extruded sleeving only)	31
20.1	Number and length of test specimens	31
20.2	Procedure	31
20.3	Result	31
21	Tensile strength, tensile stress at 100 % elongation, elongation at break and secant modulus at 2 % elongation	31
21.1	General	31
21.2	Tensile strength and elongation at break for full-section sleeving	31
21.2.1	Number of test specimens	31
21.2.2	Form of test specimen	31
21.2.3	Conditioning	32
21.2.4	Test temperature	32
21.2.5	Procedure	32
21.2.6	Calculations	32
21.2.7	Result	33
21.3	Tensile strength and elongation at break on dumb-bell specimens	33
21.3.1	General	33
21.3.2	Form of test specimen	33
21.3.3	Procedure	33
21.3.4	Result	33
21.4	Tensile strength of uncoated glass textile sleeving	34
21.4.1	General	34
21.4.2	Procedure	34
21.4.3	Results	34
21.5	Secant modulus at 2 % elongation	34
21.5.1	Number and form of test specimens	34
21.5.2	Procedure	34
21.5.3	Calculation	35
21.5.4	Result	35
21.6	Tensile stress at 100 % elongation	35
21.6.1	General	35
21.6.2	Calculation	35
21.6.3	Result	35
21.7	Tensile stress at 100 % elongation and at elevated temperature	35
22	Fraying resistance test	35
22.1	General	35
22.2	Number and form of test specimens	36
22.3	Procedure	36
22.4	Calculation	36

22.5	Result	36
23	Breakdown voltage	36
23.1	Principle	36
23.1.1	General	36
23.1.2	Number and form of test specimens	37
23.1.3	Conditioning	37
23.1.4	Application of voltage	37
23.1.5	Test method modification	37
23.1.6	Result	37
23.2	Straight mandrel test, 100 mm foil electrode	37
23.2.1	Test specimen	37
23.2.2	Electrodes	37
23.2.3	Procedure	37
23.2.4	Result	37
23.3	Test on cut-out specimens for large-size sleeving	37
23.3.1	Test specimen	37
23.3.2	Electrodes	38
23.3.3	Procedure	38
23.3.4	Result	38
23.4	Tests at elevated temperature	38
23.5	Tests after damp heat	38
23.6	Result	38
24	Insulation resistance	38
24.1	Conditioning	38
24.2	Form of test specimen	39
24.3	Measurement of insulation resistance	39
24.4	Test conditions	39
24.4.1	Number of test specimens	39
24.4.2	Tests at room temperature	39
24.4.3	Tests at elevated temperature	39
24.4.4	Tests after subjection to damp heat conditions	39
24.5	Result	39
25	Volume resistivity for insulating material	39
25.1	General	39
25.2	Conditioning	40
25.3	Form of test specimen	40
25.4	Measurement of volume resistivity	40
25.5	Test conditions	40
25.5.1	Number of test specimens	40
25.5.2	Tests at room temperature	40
25.5.3	Tests at elevated temperature	40
25.5.4	Tests after subjection to damp heat conditions	41
25.6	Result	41
26	Permittivity and dissipation factor	41
26.1	Number of test specimens	41
26.2	Form of test specimen	41
26.3	Electrodes	41
26.4	Procedure	41

26.5	Calculation	42
26.6	Result	42
27	Resistance to tracking	42
28	Flame propagation tests	42
28.1	Principle	42
28.2	Methods A and B	42
28.2.1	General	42
28.2.2	Number of test specimens	42
28.2.3	Method A, applicable to sleeving up to and including 10 mm bore only	42
28.2.4	Method B	43
28.2.5	Source of heat	43
28.2.6	Specimen arrangements	43
28.2.7	Result	43
28.3	Method C	44
28.3.1	Number of test specimens	44
28.3.2	Source of heat	44
28.3.3	Cabinet and arrangements within it	44
28.3.4	Procedure	44
28.3.5	Result	44
28.4	Method D	45
28.4.1	Number of test specimens	45
28.4.2	Cabinet and specimen arrangements	45
28.4.3	Source of heat	45
28.4.4	Procedure	45
28.4.5	Result	45
29	Oxygen index	46
29.1	Oxygen index at ambient temperature	46
29.2	Oxygen index at elevated temperature	46
29.3	Results	46
30	Transparency	46
30.1	Number of test specimens	46
30.2	Form of test specimen	46
30.3	Procedure	46
30.4	Result	46
31	Ionic impurities test	46
31.1	General	46
31.2	Result	47
32	Silver staining test	47
32.1	Principle	47
32.2	Number and form of test specimens	47
32.3	Stain tester	47
32.4	Procedure	47
32.5	Result	47
33	Electrolytic corrosion resistance	47
33.1	General	47
33.2	Number of test specimens	48
34	Corrosion resistance (tensile and elongation)	48
34.1	Principle	48

34.2	Number and form of test specimens	48
34.3	Procedure	48
34.4	Result	48
35	Copper corrosion (presence of corrosive volatiles)	49
35.1	Principle	49
35.2	Apparatus	49
35.3	Number and form of test specimens	49
35.4	Procedure	49
35.5	Result	50
36	Colour fastness to light	50
36.1	Principle	50
36.2	Test specimen	50
36.3	Procedure	50
36.4	Result	50
37	Resistance to ozone	50
37.1	General	50
37.2	Number and form of test specimens	50
37.3	Procedure	50
37.4	Result	50
38	Resistance to selected fluids	51
38.1	Principle	51
38.2	Choice of fluid	51
38.3	Methods of assessment	51
38.4	Number and form of test specimens	51
38.5	Procedure	51
38.6	Result	52
39	Thermal endurance	52
40	Mass per unit length	52
40.1	Number of test specimens	52
40.2	Procedure	52
40.3	Result	52
41	Heat ageing	53
41.1	Number and form of test specimens	53
41.2	Procedure	53
41.3	Report (Bend test)	53
42	Water absorption	53
42.1	General	53
42.2	Result	53
43	Restricted shrinkage (applicable to heat-shrinkable sleeving only)	53
43.1	Number of test specimens	53
43.2	Form of test specimen	53
43.3	Apparatus	53
43.4	Procedure	54
43.5	Result	54
44	Colour stability to heat	54
44.1	Number of test specimens	54
44.2	Form of test specimens	54
44.3	Procedure	54

44.4	Result	54
45	Smoke index	55
45.1	Definitions	55
45.2	Principle	55
45.3	Apparatus	55
45.4	Number and form of test specimen	55
45.5	Conditioning	55
45.6	Mounting of test pieces	55
45.7	Safety of operations	56
45.8	Procedure	56
45.9	Calculation of results	57
45.9.1	General	57
45.9.2	Correction of transmittance values	57
45.9.3	Calculation of the smoke index	58
45.10	Result	59
46	Toxicity index	59
46.1	General	59
46.2	Principle	60
46.3	Apparatus	60
46.3.1	General	60
46.3.2	Test chamber	60
46.3.3	Burner	60
46.3.4	Sample support	60
46.3.5	Timing device	61
46.3.6	Gas sampling and analytical equipment	61
46.4	Test pieces	61
46.4.1	General	61
46.4.2	Conditioning	61
46.5	Safety of operations	61
46.6	Test procedure	61
46.6.1	Determination of background correction factor	61
46.6.2	Determination of evolved gases	62
46.7	Calculation of toxicity index	63
46.8	Toxic constituents	63
46.9	Values for Cf	64
46.10	Result	64
47	Halogen content	64
47.1	Method for the determination of low levels of chlorine and/or bromine and/or iodine	64
47.1.1	Principle	64
47.1.2	Procedure	65
47.2	Determination of low levels of fluorine	65
47.2.1	Principle	65
47.2.2	Procedure	66
47.3	Result	67
48	Acid gas generation	67
48.1	Determination of the amount of halogen acid gas	67
48.2	Determination of degree of acidity of gases	67
49	Hot elongation and hot set	67

49.1	Number and form of test specimens	67
49.2	Test apparatus	67
49.3	Procedure	67
49.4	Result	67
50	Tension set (applicable to elastomeric sleeving only)	68
50.1	Number and form of test specimens	68
50.2	Conditioning	68
50.3	Procedure	68
50.4	Result	68
51	Tear propagation (applicable to elastomeric sleeving only)	68
51.1	Number and form of test specimens	68
51.2	Procedure without tear initiation	68
51.3	Procedure with tear initiation	68
51.4	Result	69
52	Long term heat ageing (3 000 h)	69
52.1	Number and form of test specimens	69
52.2	Procedure	69
52.3	Result	69
53	Dynamic shear at ambient temperature	69
53.1	Principle	69
53.2	Apparatus	69
53.3	Form and number of test specimens	70
53.4	Procedure	70
53.5	Result	70
54	Dynamic shear at elevated temperature	70
54.1	Form and number of test specimens	70
54.2	Procedure	70
54.3	Result	70
55	Dynamic shear after heat shock and heat ageing	70
55.1	Form and number of test specimens	70
55.2	Procedure	71
55.3	Result	71
56	Rolling drum peel to aluminium	71
56.1	Principle	71
56.2	Apparatus	71
56.3	Form and number of test specimens	71
56.4	Procedure (see Figure 18)	72
56.5	Result	72
57	Aluminium rod dynamic shear	73
57.1	Principle	73
57.2	Apparatus	73
57.3	Form and number of test specimens	73
57.4	Procedure	73
57.5	Result	73
58	Sealing	73
58.1	Principle	73
58.2	Apparatus	74
58.3	Form and number of test specimens	74

58.4	Procedure	74
58.5	Result	74
59	Adhesive T peel strength of two bonded heat-shrinkable substrates	74
59.1	Principle	74
59.2	Apparatus	74
59.3	Form and number of test specimens	75
59.4	Procedure	75
59.5	Result	75
60	Circumferential extension	75
60.1	Principle	75
60.2	Number and form of test specimens	75
60.3	Conditioning	76
60.4	Apparatus	76
60.5	Procedure	76
60.6	Results	76
61	Voltage proof	76
61.1	Principle	76
61.2	Number and form of test specimens	76
61.3	Conditioning	76
61.4	Procedure	76
61.5	Results	77
62	Thermal shock	77
62.1	Principle	77
62.2	Number and form of test specimens	77
62.3	Conditioning	77
62.4	Tests	77
62.4.1	Test 1	77
62.4.2	Test 2	77
62.4.3	Results	77
63	Abrasion Resistance	78
63.1	Number and form of test specimens	78
63.2	Test	78
63.3	Result	78
64	Volume resistivity for semi-conducting materials	78
64.1	Specimen preparation, tube specimens	78
64.2	Procedure	79
64.3	Calculation	79
65	Outgassing	79
66	Resistance to weathering	79
	Bibliography	99
	Figure 1 – Specimen for test resistance to soldering heat	80
	Figure 2 – Examples of sleeving after being subjected to test for resistance to soldering heat	80
	Figure 3 – Arrangement for the test for resistance to pressure at elevated temperature (Method A)	81
	Figure 4 – Arrangement for deformation under load (Method B)	82

Figure 5 – Dumb-bell specimen for tensile strength test (ISO 37 Type2)	82
Figure 6 – Dumb-bell specimen for tensile strength test (ISO 37 Type 1)	83
Figure 7 – Sketch of fray test arrangement	83
Figure 8 – Specimen for insulation resistance test	84
Figure 9 – Standard propane burner for flame propagation test (sectional view)	84
Figure 10 – Flame propagation test – Method A	85
Figure 11 – Flame propagation test – Method B	86
Figure 12 – Flame propagation test – Method C	87
Figure 13 – Mandrel for restricted shrinkage test	88
Figure 14 – Schematic details of burner for smoke index test	89
Figure 15 – Schematic front view of smoke test sample holder, showing vertically mounted sleeving samples	90
Figure 16 – Assembly and fixture for dynamic shear at ambient temperature	91
Figure 17 – Assembly for heat shock and heat ageing	92
Figure 18 – Schematic arrangement of rolling drum peel	92
Figure 19 – Assembly preparation for aluminium rod dynamic shear	93
Figure 20 – Test specimen for aluminium rod dynamic shear	93
Figure 21 – Assembly for sealing test	94
Figure 22 – Mandrel assembly	94
Figure 23 – Slab specimen	95
Figure 24 – T peel strength specimen	95
Figure 25 – Flame propagation test – Method D	96
Figure 26 – Abrasion resistance apparatus	97
Figure 27 – Volume resistivity for semi-conducting materials	98
 Table 1 – Test weight for Method B	 26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLEXIBLE INSULATING SLEEVING –**Part 2: Methods of test****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60684-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) major update of normative references;
- b) revision of Clause 5, with amendment of methods for measurements of bore and wall thickness;
- c) revision of Clause 11, to clarify that the longitudinal change test is done on expanded sleeving;

- d) revision of Clause 28, additional method D for flame propagation testing;
- e) revision of Clause 56, additional method for preparation of samples for adhesive peel test;
- f) addition of Clause 63, abrasion test method;
- g) addition of Clause 64, volume resistivity for semi-conducting materials;
- h) addition of Clause 65, outgassing;
- i) addition of Clause 66, resistance to weathering.

The text of this International Standard is based on the following documents:

Draft	Report on voting
15/1046/FDIS	15/1058/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts in the IEC 60684 series, under the general title *Flexible insulating sleeving*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This International Standard is one of a series which deals with flexible insulating sleeving. The series consists of three parts:

IEC 60684-1: *Definitions and general requirements*

IEC 60684-2: *Methods of test*

IEC 60684-3: *Specifications for individual types of sleeving*

FLEXIBLE INSULATING SLEEVING –

Part 2: Methods of test

1 Scope

This part of IEC 60684 gives methods of test for flexible insulating sleeving, including heat-shrinkable sleeving, intended primarily for insulating electrical conductors and connections of electrical apparatus, although they can be used for other purposes.

The tests specified are designed to control the quality of the sleeving but it is recognized that they do not completely establish the suitability of sleeving for impregnation or encapsulation processes or for other specialized applications. Where necessary, the test methods in this document will be supplemented by appropriate impregnation or compatibility tests to suit the individual circumstances.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60212, *Standard conditions for use prior to and during the testing of solid electrical insulating materials*

IEC 60216 (all parts), *Electrical insulating materials – Thermal endurance properties*

IEC 60216-4-1, *Electrical insulating materials – Thermal endurance properties – Part 4-1: Ageing ovens – Single-chamber ovens*

IEC 60216-4-2, *Electrical insulating materials – Thermal endurance properties – Part 4-2: Ageing ovens – Precision ovens for use up to 300 °C*

IEC 60243-1, *Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60426, *Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods*

IEC 60587, *Electrical insulating materials used under severe ambient conditions – Test methods for evaluating resistance to tracking and erosion*

IEC 60589, *Methods of test for the determination of ionic impurities in electrical insulating materials by extraction with liquids*

IEC 60684-3 (all parts), *Flexible insulating sleeving – Part 3: Specifications for individual types of sleeving*

IEC 60695-6-1, *Fire hazard testing – Part 6-1: Smoke obscuration – General Guidance*

IEC TS 60695-11-21, *Fire hazard testing – Part 11-21: Test flames – 500 W vertical flame test method for tubular polymeric materials*

IEC 60754-1, *Test on gases evolved during combustion of materials from cables – Part 1: Determination of the amount of halogen acid gas content*

IEC 60754-2, *Test on gases evolved during combustion of materials from cables – Part 2: Determination of acidity (by pH measurement) and conductivity*

IEC 62631-2-1, *Dielectric and resistive properties of solid insulating materials – Part 2-1: Relative permittivity and dissipation factor – Technical Frequencies (0,1 Hz – 10 MHz) – AC Methods*

IEC 62631-3-1, *Dielectric and resistive properties of solid insulating materials – Part 3-1: Determination of resistive properties (DC methods) – Volume resistance and volume resistivity – General method*

ISO 5-1, *Photography and graphic technology – Density measurements – Part 1: Geometry and functional notation*

ISO 5-2, *Photography and graphic technology – Density measurements – Part 2: Geometric conditions for transmittance density*

ISO 5-3, *Photography and graphic technology – Density measurements – Part 3: Spectral conditions*

ISO 5-4, *Photography and graphic technology – Density measurements – Part 4: Geometric conditions for reflection density*

ISO 37, *Rubber, vulcanized or thermoplastic – determination of tensile stress-strain properties*

ISO 62, *Plastics – Determination of water absorption*

ISO 105-A02, *Textiles – Tests for colour fastness – Part A02: Grey scale for assessing change in colour*

ISO 105-B01, *Textiles – Tests for colour fastness – Part B01: Colour fastness to light: Daylight*

ISO 182-1, *Plastics – Determination of the tendency of compounds and products based on vinyl chloride homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperatures – Part 1: Congo red method*

ISO 182-2, *Plastics – Determination of the tendency of compounds and products based on vinyl chloride homopolymers and copolymers to evolve hydrogen chloride and any other acidic products at elevated temperatures – Part 2: pH method*

ISO 974, *Plastics – Determination of the brittleness temperature by impact*

ISO 1431-1, *Rubber, vulcanized or thermoplastic – Resistance to ozone cracking – Part 1: Static and dynamic strain testing*

ISO 13943, *Fire safety – Vocabulary*

ISO 4589-2, *Plastics – Determination of burning behaviour by oxygen index – Part 2: Ambient-temperature test*

ISO 4589-3, *Plastics – Determination of burning behaviour by oxygen index – Part 3: Elevated-temperature test*

ISO 4892-3, *Plastics – Methods of exposure to laboratory light sources – Part 3: Fluorescent UV lamps*

ASTM E595 15-2021, *Standard Test Method for Total Mass Loss and Collected Volatile Condensable Materials from Outgassing in a Vacuum Environment*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN