

|            |                                                                                                                                             |                                                  |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| <b>STN</b> | <b>Priemyselné, vedecké a zdravotnícke zariadenia</b><br><b>Charakteristiky vysokofrekvenčného rušenia</b><br><b>Medze a metódy merania</b> | <b>STN</b><br><b>EN IEC 55011</b><br><br>33 4211 |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|

Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 10/25

Obsahuje: CISPR 11:2024, EN IEC 55011:2025

Oznámením tejto normy sa od 31.07.2028 ruší  
STN EN 55011 (33 4211) z augusta 2016

**141203**



Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2025

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN IEC 55011**

July 2025

ICS 33.100.10

Supersedes EN 55011:2016; EN 55011:2016/A1:2017;  
EN 55011:2016/A11:2020; EN 55011:2016/A2:2021

English Version

**Industrial, scientific and medical equipment - Radio-frequency  
disturbance characteristics - Limits and methods of  
measurement  
(CISPR 11:2024)**

Appareils industriels, scientifiques et médicaux -  
Caractéristiques de perturbations radioélectriques - Limites  
et méthodes de mesure  
(CISPR 11:2024)

Industrielle, wissenschaftliche und medizinische Geräte -  
Funkstörungen - Grenzwerte und Messverfahren  
(CISPR 11:2024)

This European Standard was approved by CENELEC on 2024-10-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 55011:2025 (E)****European foreword**

The text of document CIS/B/831/FDIS, future edition 7 of CISPR 11, prepared by SC CISPR/B "Interference relating to industrial, scientific and medical radio-frequency apparatus, to other (heavy) industrial equipment, to overhead power lines, to high voltage equipment and to electric traction" of IEC/TC CISPR "International special committee on radio interference" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 55011:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-07-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2028-07-31 document have to be withdrawn

This document supersedes EN 55011:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

**Endorsement notice**

The text of the International Standard CISPR 11:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

|                            |      |                                                      |
|----------------------------|------|------------------------------------------------------|
| CISPR 14-1                 | NOTE | Approved as EN IEC 55014-1                           |
| IEC 62920:2017             | NOTE | Approved as EN 62920:2017 (not modified) +A11:2020   |
| IEC 62920:2017/A1:2021     | NOTE | Approved as EN 62920:2017/A1:2021 (not modified)     |
| IEC 61000-6-3:2020         | NOTE | Approved as EN IEC 61000-6-3:2021 (not modified)     |
| IEC 60364-1                | NOTE | Approved as HD 60364-1                               |
| IEC 60601-1-2:2014         | NOTE | Approved as EN 60601-1-2:2015 (not modified)         |
| IEC 60601-1-2:2014/A1:2020 | NOTE | Approved as EN 60601-1-2:2015/A1:2021 (not modified) |
| IEC 61922:2002             | NOTE | Approved as EN 61922:2002 (not modified)             |
| IEC 61308:2005             | NOTE | Approved as EN 61308:2006 (not modified)             |
| IEC 60705:2010             | NOTE | Approved as EN 60705:2015 (not modified)             |
| IEC 60974-10:2020          | NOTE | Approved as EN IEC 60974-10:2021 (not modified)      |
| CISPR 12                   | NOTE | Approved as EN 55012                                 |

**EN IEC 55011:2025 (E)**

|                     |      |                                                        |
|---------------------|------|--------------------------------------------------------|
| CISPR 15:2018       | NOTE | Approved as EN IEC 55015:2019 (not modified) +A11:2020 |
| IEC 60364-5-51:2005 | NOTE | Approved as HD 60364-5-51:2009 +A11:2013               |
| IEC 61158-1:2023    | NOTE | Approved as EN IEC 61158-1:2023 (not modified)         |
| IEC 61689:2022      | NOTE | Approved as EN IEC 61689:2022 (not modified)           |
| IEC 62135-2:2020    | NOTE | Approved as EN IEC 62135-2:2021 (not modified)         |

**EN IEC 55011:2025 (E)****Annex ZA**  
(normative)**Normative references to international publications  
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cencenelec.eu](http://www.cencenelec.eu).

| <u>Publication</u> | <u>Year</u> | <u>Title</u>                                                                                                                                                                                                    | <u>EN/HD</u>     | <u>Year</u> |
|--------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------|
| CISPR 16-1-1       | 2019        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus                                           | EN IEC 55016-1-1 | 2019        |
| CISPR 16-1-2       | 2014        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements       | EN 55016-1-2     | 2014        |
| + A1               | 2017        |                                                                                                                                                                                                                 | + A1             | 2018        |
| CISPR 16-1-4       | 2019        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements | EN IEC 55016-1-4 | 2019        |
| + A1               | 2020        |                                                                                                                                                                                                                 | + A1             | 2020        |
| + A2               | 2023        |                                                                                                                                                                                                                 | + A2             | 2023        |
| CISPR 16-2-1       | 2014        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements                           | EN 55016-2-1     | 2014        |
| + A1               | 2017        |                                                                                                                                                                                                                 | + A1             | 2017        |

**EN IEC 55011:2025 (E)**

| <u>Publication</u>    | <u>Year</u> | <u>Title</u>                                                                                                                                                                                 | <u>EN/HD</u>     | <u>Year</u> |
|-----------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------|
| CISPR 16-2-3          | 2016        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements         | EN 55016-2-3     | 2017        |
| + A1                  | 2019        |                                                                                                                                                                                              | + A1             | 2019        |
| + A2                  | 2023        |                                                                                                                                                                                              | + A2             | 2023        |
| CISPR 16-4-2          | 2011        | Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement instrumentation uncertainty         | EN 55016-4-2     | 2011        |
| + A1                  | 2014        |                                                                                                                                                                                              | + A1             | 2014        |
| + A2                  | 2018        |                                                                                                                                                                                              | + A2             | 2018        |
| CISPR 32              | 2015        | Electromagnetic compatibility of multimedia equipment - Emission requirements                                                                                                                | EN 55032         | 2015        |
| + A1                  | 2019        |                                                                                                                                                                                              | + A1             | 2020        |
| IEC 60050-161         | 1990        | International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility                                                                                                        | -                | -           |
| IEC 60601-2-2         | 2017        | Medical electrical equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories | EN IEC 60601-2-2 | 2018        |
| IEC 61000-4-6         | 2023        | Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields                                   | EN IEC 61000-4-6 | 2023        |
| IEC 61307             | 2011        | Industrial microwave heating installations - Test methods for the determination of power output                                                                                              | EN 61307         | 2011        |
| ITU Radio Regulations | 2020        | Radio Regulations                                                                                                                                                                            | -                | -           |



CISPR 11

Edition 7.0 2024-02

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE  
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

PRODUCT FAMILY EMC STANDARD  
NORME DE FAMILLE DE PRODUITS EN CEM

**Industrial, scientific and medical equipment – Radio-frequency disturbance  
characteristics – Limits and methods of measurement**

**Appareils industriels, scientifiques et médicaux – Caractéristiques de  
perturbations radioélectriques – Limites et méthodes de mesure**

**THIS PUBLICATION IS COPYRIGHT PROTECTED****Copyright © 2024 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**A propos de l'IEC**

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

**A propos des publications IEC**

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

**Recherche de publications IEC -****[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

**Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



CISPR 11

Edition 7.0 2024-02

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE  
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

PRODUCT FAMILY EMC STANDARD  
NORME DE FAMILLE DE PRODUITS EN CEM

**Industrial, scientific and medical equipment – Radio-frequency disturbance  
characteristics – Limits and methods of measurement**

**Appareils industriels, scientifiques et médicaux – Caractéristiques de  
perturbations radioélectriques – Limites et méthodes de mesure**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.100.10

ISBN 978-2-8322-8166-6

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|                                                                         |    |
|-------------------------------------------------------------------------|----|
| FOREWORD.....                                                           | 7  |
| INTRODUCTION.....                                                       | 10 |
| 1 Scope.....                                                            | 11 |
| 2 Normative references .....                                            | 11 |
| 3 Terms, definitions and abbreviated terms .....                        | 13 |
| 3.1 Terms and definitions.....                                          | 13 |
| 3.2 Abbreviated terms.....                                              | 18 |
| 4 Frequencies designated for ISM use.....                               | 19 |
| 5 Classification of equipment.....                                      | 20 |
| 5.1 Separation into groups.....                                         | 20 |
| 5.2 Division into classes .....                                         | 20 |
| 5.3 Documentation for the user .....                                    | 20 |
| 6 Limits of electromagnetic disturbances .....                          | 21 |
| 6.1 General.....                                                        | 21 |
| 6.2 Group 1 equipment measured on a test site .....                     | 21 |
| 6.2.1 Limits for conducted disturbances.....                            | 21 |
| 6.2.2 Limits of electromagnetic radiation disturbance.....              | 26 |
| 6.3 Group 2 equipment measured on a test site .....                     | 29 |
| 6.3.1 Limits for conducted disturbances.....                            | 29 |
| 6.3.2 Limits of electromagnetic radiation disturbance.....              | 30 |
| 6.4 Group 1 and group 2 class A equipment measured in situ .....        | 36 |
| 6.4.1 Limits for conducted disturbances.....                            | 36 |
| 6.4.2 Limits of electromagnetic radiation disturbance.....              | 36 |
| 7 Measurement requirements .....                                        | 39 |
| 7.1 General.....                                                        | 39 |
| 7.2 Ambient noise .....                                                 | 39 |
| 7.3 Measuring equipment.....                                            | 40 |
| 7.3.1 Measuring instruments.....                                        | 40 |
| 7.3.2 Artificial network (AN) .....                                     | 40 |
| 7.3.3 Voltage probe .....                                               | 41 |
| 7.3.4 Antennas .....                                                    | 41 |
| 7.3.5 Artificial hand .....                                             | 42 |
| 7.4 Frequency measurement.....                                          | 42 |
| 7.5 Configuration of equipment under test.....                          | 42 |
| 7.5.1 General .....                                                     | 42 |
| 7.5.2 EUT cables and components .....                                   | 45 |
| 7.5.3 Connection to the electricity supply network on a test site ..... | 46 |
| 7.5.4 Measurements of robots .....                                      | 49 |
| 7.6 Load conditions of the EUT .....                                    | 53 |
| 7.6.1 General .....                                                     | 53 |
| 7.6.2 Medical equipment.....                                            | 53 |
| 7.6.3 Industrial equipment .....                                        | 55 |
| 7.6.4 Scientific, laboratory and measuring equipment.....               | 55 |
| 7.6.5 Microwave cooking appliances.....                                 | 55 |
| 7.6.6 Other equipment in the frequency range 1 GHz to 18 GHz.....       | 55 |
| 7.6.7 Electric welding equipment .....                                  | 56 |

|         |                                                                                                                          |    |
|---------|--------------------------------------------------------------------------------------------------------------------------|----|
| 7.6.8   | ISM RF lighting equipment.....                                                                                           | 56 |
| 7.6.9   | Medium voltage (MV) and high voltage (HV) switchgear .....                                                               | 56 |
| 7.6.10  | Grid connected power converters .....                                                                                    | 56 |
| 7.6.11  | Robots.....                                                                                                              | 57 |
| 7.7     | Recording of test-site measurement results .....                                                                         | 57 |
| 7.7.1   | General .....                                                                                                            | 57 |
| 7.7.2   | Conducted emissions.....                                                                                                 | 58 |
| 7.7.3   | Radiated emissions .....                                                                                                 | 58 |
| 8       | Special provisions for test site measurements (9 kHz to 1 GHz) .....                                                     | 58 |
| 8.1     | Ground planes .....                                                                                                      | 58 |
| 8.2     | Measurement of conducted disturbances .....                                                                              | 58 |
| 8.2.1   | General .....                                                                                                            | 58 |
| 8.2.2   | Measurements on grid connected power converters.....                                                                     | 59 |
| 8.2.3   | Handheld equipment which is normally operated without an earth connection .....                                          | 63 |
| 8.3     | OATS and SAC for measurements in the range 9 kHz to 1 GHz .....                                                          | 63 |
| 8.3.1   | General .....                                                                                                            | 63 |
| 8.3.2   | Validation of the radiation test site (9 kHz to 1 GHz).....                                                              | 64 |
| 8.3.3   | Disposition of equipment under test (9 kHz to 1 GHz).....                                                                | 64 |
| 8.3.4   | Radiation measurements (9 kHz to 1 GHz) .....                                                                            | 65 |
| 8.4     | Alternative radiation test sites for the frequency range 30 MHz to 1 GHz .....                                           | 65 |
| 8.5     | FAR for measurements in the range 30 MHz to 1 GHz .....                                                                  | 65 |
| 9       | Radiation measurements: 1 GHz to 18 GHz.....                                                                             | 65 |
| 9.1     | Test arrangement.....                                                                                                    | 65 |
| 9.2     | Receiving antenna .....                                                                                                  | 66 |
| 9.3     | Validation of test site .....                                                                                            | 66 |
| 9.4     | Measuring procedure .....                                                                                                | 66 |
| 9.4.1   | General .....                                                                                                            | 66 |
| 9.4.2   | Operating conditions of the EUT (group 2 equipment only) .....                                                           | 67 |
| 9.4.3   | Peak measurements (group 2 equipment only) .....                                                                         | 67 |
| 9.4.4   | Weighted measurements (group 2 equipment only).....                                                                      | 68 |
| 10      | Measurement <i>in situ</i> .....                                                                                         | 69 |
| 11      | Safety precautions for emission measurements on ISM RF equipment .....                                                   | 70 |
| 12      | Measurement uncertainty .....                                                                                            | 70 |
| Annex A | (informative) Examples of equipment classification .....                                                                 | 71 |
| A.1     | General.....                                                                                                             | 71 |
| A.2     | Group 1 equipment .....                                                                                                  | 71 |
| A.2.1   | General Group 1 equipment.....                                                                                           | 71 |
| A.2.2   | Detailed Group 1 equipment .....                                                                                         | 71 |
| A.3     | Group 2 equipment .....                                                                                                  | 72 |
| A.3.1   | General Group 2 equipment.....                                                                                           | 72 |
| A.3.2   | Detailed Group 2 equipment .....                                                                                         | 72 |
| Annex B | (normative) Measurement of electromagnetic radiation disturbance in the presence of signals from radio transmitters..... | 73 |
| Annex C | (informative) Recommendations of CISPR for protection of certain radio services in particular areas .....                | 74 |
| C.1     | General.....                                                                                                             | 74 |
| C.2     | Recommendations for protection of safety-related radio services .....                                                    | 74 |

|                                                                                                                                                    |                                                                                                                                                                                                    |    |
|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| C.3                                                                                                                                                | Recommendations for protection of specific sensitive radio services .....                                                                                                                          | 76 |
| Annex D (informative) Measurements on Grid Connected Power Converters (GCPC) –                                                                     |                                                                                                                                                                                                    |    |
|                                                                                                                                                    | Setups for an effective test site configuration .....                                                                                                                                              | 79 |
| D.1                                                                                                                                                | General information and purpose .....                                                                                                                                                              | 79 |
| D.2                                                                                                                                                | Setup of the test site .....                                                                                                                                                                       | 79 |
| D.2.1                                                                                                                                              | Block diagram of test site .....                                                                                                                                                                   | 79 |
| D.2.2                                                                                                                                              | DC power supply .....                                                                                                                                                                              | 80 |
| D.2.3                                                                                                                                              | AC power source .....                                                                                                                                                                              | 80 |
| D.2.4                                                                                                                                              | Other components .....                                                                                                                                                                             | 81 |
| D.3                                                                                                                                                | Other test setups .....                                                                                                                                                                            | 81 |
| D.3.1                                                                                                                                              | Configuration comprising laboratory AC power source and resistive load .....                                                                                                                       | 81 |
| D.3.2                                                                                                                                              | Configuration with reverse power flow into the AC mains .....                                                                                                                                      | 82 |
| Annex E (informative) Guidance on prevention of saturation effects in mitigation filters                                                           |                                                                                                                                                                                                    |    |
|                                                                                                                                                    | of transformer-less power converters during tests .....                                                                                                                                            | 84 |
| E.1                                                                                                                                                | General information and purpose .....                                                                                                                                                              | 84 |
| E.2                                                                                                                                                | Recommendations for avoidance of saturation effects in the range 9 kHz to<br>150 kHz .....                                                                                                         | 85 |
| E.3                                                                                                                                                | Detailed advice .....                                                                                                                                                                              | 85 |
| E.3.1                                                                                                                                              | General .....                                                                                                                                                                                      | 85 |
| E.3.2                                                                                                                                              | Insert of series inductors (or common mode chokes) in the laboratory's<br>DC power supply chain .....                                                                                              | 86 |
| E.3.3                                                                                                                                              | Employment of additional common mode decoupling capacitors at the<br>interface between the AE port of the DC-AN and the laboratory DC<br>power supply port allocated in the test environment ..... | 87 |
| E.4                                                                                                                                                | Background information .....                                                                                                                                                                       | 87 |
| Annex F (normative) Additional requirements for equipment with radio functionality .....                                                           |                                                                                                                                                                                                    |    |
| F.1                                                                                                                                                | Configuration of the EUT during emission tests .....                                                                                                                                               | 90 |
| F.2                                                                                                                                                | Radiated emissions .....                                                                                                                                                                           | 90 |
| F.3                                                                                                                                                | Conducted emissions .....                                                                                                                                                                          | 90 |
| Bibliography .....                                                                                                                                 |                                                                                                                                                                                                    |    |
| 92                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 1 – Circuit for disturbance voltage measurements on mains supply .....                                                                      |                                                                                                                                                                                                    |    |
| 41                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 2 – Artificial hand, RC element .....                                                                                                       |                                                                                                                                                                                                    |    |
| 42                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 3 – Example for a typical cable arrangement for measurements of radiated<br>disturbances in 3 m separation distance, Table-top EUT .....    |                                                                                                                                                                                                    |    |
| 44                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 4 – Example for a typical test set up for measurement of conducted and/or<br>radiated disturbances from a floor standing EUT, 3D view ..... |                                                                                                                                                                                                    |    |
| 45                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 5 – EUT boundary determination for radiated disturbance measurements of<br>robots with extendable/moving arm .....                          |                                                                                                                                                                                                    |    |
| 49                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 6 – Example of a typical test setup for conducted disturbance measurement on<br>a floor-standing robot system .....                         |                                                                                                                                                                                                    |    |
| 50                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 7 – Example of a typical test setup for radiated disturbance measurement on a<br>floor-standing robot system .....                          |                                                                                                                                                                                                    |    |
| 51                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 8 – Example of a typical test setup for conducted disturbance measurement on<br>a combination robot system .....                            |                                                                                                                                                                                                    |    |
| 52                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 9 – Example of a typical test setup for radiated disturbance measurement on a<br>combination robot system .....                             |                                                                                                                                                                                                    |    |
| 53                                                                                                                                                 |                                                                                                                                                                                                    |    |
| Figure 10 – Disposition of medical equipment (capacitive type) and dummy load .....                                                                |                                                                                                                                                                                                    |    |
| 54                                                                                                                                                 |                                                                                                                                                                                                    |    |

|                                                                                                                                                                                               |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Figure 11 – Typical arrangement for measurement of conducted disturbances at LV DC power ports with the DC-AN used as termination and decoupling unit to the laboratory DC power source ..... | 60 |
| Figure 12 – Typical arrangement for measurement of conducted disturbances at LV DC power ports with the DC-AN used as termination and voltage probe .....                                     | 61 |
| Figure 13 – Typical arrangement for measurement of conducted disturbances at LV DC power ports with the DC-AN used as voltage probe and with a current probe – 2D diagram .....               | 62 |
| Figure 14 – Typical arrangement for measurement of conducted disturbances at LV DC power ports with a DC-AN used as voltage probe and with a current probe – 3D diagram .....                 | 62 |
| Figure 15 – Radiation test site .....                                                                                                                                                         | 64 |
| Figure 16 – Minimum size of metal ground plane .....                                                                                                                                          | 64 |
| Figure 17 – Decision tree for the measurement of emissions from 1 GHz to 18 GHz of group 2 equipment operating at frequencies above 400 MHz .....                                             | 67 |
| Figure D.1 – Test setup for Case 1 (schematic) .....                                                                                                                                          | 79 |
| Figure D.2 – Test setup for Case 1 (3D view).....                                                                                                                                             | 80 |
| Figure D.3 – Test setup for Case 2 (schematic) .....                                                                                                                                          | 81 |
| Figure D.4 – Test setup for Case 2 (3D view).....                                                                                                                                             | 82 |
| Figure D.5 – Test setup for Case 3 (schematic) .....                                                                                                                                          | 83 |
| Figure D.6 – Test setup for Case 3 (3D view).....                                                                                                                                             | 83 |
| Figure E.1 – Flow of the common mode RF current at test site configuration level .....                                                                                                        | 86 |
| Figure E.2 – Blocking of flow of common mode RF current by insert of series inductors.....                                                                                                    | 86 |
| Figure E.3 – Blocking of flow of common mode RF current by employment of additional CM decoupling capacitors .....                                                                            | 87 |
| Figure E.4 – CM termination impedance at the EUT port of a DC-AN – Magnitude-versus-frequency characteristic in the range 3 kHz to 30 MHz, Example .....                                      | 88 |
| Figure E.5 – Prevention of saturation of mitigation filters by use of additional decoupling capacitors .....                                                                                  | 88 |
| Figure E.6 – Change in the resonant frequency caused by the increase and decrease in the decoupling capacitor's capacitance .....                                                             | 89 |
| Figure E.7 – DC-AN circuit example where capacitance of blocking capacitors of the LC decoupling circuit can be increased or decreased.....                                                   | 89 |
| Table 1 – Frequencies in the radio-frequency (RF) range designated by ITU for use as fundamental ISM frequencies.....                                                                         | 19 |
| Table 2 – Disturbance voltage limits for class A group 1 equipment measured on a test site (AC mains power port).....                                                                         | 23 |
| Table 3 – Limits for conducted disturbances of class A group 1 equipment measured on a test site (DC power port) .....                                                                        | 24 |
| Table 4 – Disturbance voltage limits for class B group 1 equipment measured on a test site (AC mains power port).....                                                                         | 24 |
| Table 5 – Disturbance voltage limits for class B group 1 equipment measured on a test site (DC power port).....                                                                               | 25 |
| Table 6 – Applicability of measurements at DC power ports .....                                                                                                                               | 25 |
| Table 7 – Limits for conducted disturbances measured on a test site (wired network port).....                                                                                                 | 26 |
| Table 8 – Electromagnetic radiation disturbance limits for class A group 1 equipment measured on a test site.....                                                                             | 27 |

|                                                                                                                                                                          |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Table 9 – Electromagnetic radiation disturbance limits for class B group 1 equipment measured on a test site.....                                                        | 27 |
| Table 10 – Required highest frequency for radiated measurements .....                                                                                                    | 28 |
| Table 11 – Electromagnetic radiation disturbance limits for group 1 equipment measured on a test site.....                                                               | 28 |
| Table 12 – Disturbance voltage limits for class A group 2 equipment measured on a test site (AC mains power port).....                                                   | 30 |
| Table 13 – Disturbance voltage limits for class B group 2 equipment measured on a test site (AC mains power port).....                                                   | 30 |
| Table 14 – Electromagnetic radiation disturbance limits for class A group 2 equipment measured on a test site.....                                                       | 32 |
| Table 15 – Electromagnetic radiation disturbance limits for class A EDM and arc welding equipment measured on a test site.....                                           | 33 |
| Table 16 – Electromagnetic radiation disturbance limits for class B group 2 equipment measured on a test site.....                                                       | 33 |
| Table 17 – Electromagnetic radiation disturbance peak limits for group 2 equipment operating at frequencies above 400 MHz .....                                          | 34 |
| Table 18 – Electromagnetic radiation disturbance weighted limits for group 2 equipment operating at frequencies above 400 MHz .....                                      | 35 |
| Table 19 – Electromagnetic radiation disturbance APD level corresponding to $10^{-1}$ limits for class B group 2 equipment operating at frequencies above 400 MHz.....   | 36 |
| Table 20 – Electromagnetic radiation disturbance limits for class A group 1 equipment measured <i>in situ</i> .....                                                      | 37 |
| Table 21 – Electromagnetic radiation disturbance limits for class A group 2 equipment measured <i>in situ</i> .....                                                      | 38 |
| Table 22 – Operation modes for fixed robots.....                                                                                                                         | 57 |
| Table 23 – Operation modes for mobile robots.....                                                                                                                        | 57 |
| Table 24 – Frequency subranges to be used for weighted measurements.....                                                                                                 | 68 |
| Table C.1 – Limits for electromagnetic radiation disturbances for <i>in situ</i> measurements to protect specific safety-related radio services in particular areas..... | 74 |
| Table C.2 – Frequency bands allocated for safety-related radio services .....                                                                                            | 75 |
| Table C.3 – Frequency bands allocated for sensitive radio services.....                                                                                                  | 77 |
| Table F.1 – Disturbance voltage and current limits for group 1 and group 2 equipment measured on a test site (antenna port).....                                         | 91 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION  
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

---

**INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT –  
RADIO-FREQUENCY DISTURBANCE CHARACTERISTICS –  
LIMITS AND METHODS OF MEASUREMENT**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 11 has been prepared by CISPR Subcommittee B: Interference relating to industrial, scientific and medical radio-frequency apparatus, to other (heavy) industrial equipment, to overhead power lines, to high voltage equipment and to electric traction.

This seventh edition cancels and replaces the sixth edition published in 2015, Amendment 1:2016 and Amendment 2:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) introduction of limits for radiated disturbances in the frequency range above 1 GHz for group 1 equipment in line with the requirements given in the generic emission standards;
- b) introduction of limits for conducted disturbances on the wired network port in line with the requirements given in the generic emission standards;

- c) introduction of requirements for equipment which incorporates radio transmit/receive functions;
- d) introduction of definitions for various types of robots;
- e) consideration of some particular conditions when measuring robots, such as measurement setups and operating modes of robots.

The text of this document is based on the following documents:

|                |                  |
|----------------|------------------|
| Draft          | Report on voting |
| CIS/B/831/FDIS | CIS/B/837/RVD    |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

This document has the status of a Product Family EMC standard in accordance with IEC Guide 107, *Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications* (2014).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

The main content of this document is based on CISPR Recommendation No. 39/2 given below:

RECOMMENDATION No. 39/2

**Limits and methods of measurement of electromagnetic disturbance characteristics  
of industrial, scientific and medical (ISM) radio-frequency equipment**

The CISPR

CONSIDERING

- a) that ISM RF equipment is an important source of disturbance;
- b) that methods of measuring such disturbances have been prescribed by the CISPR;
- c) that certain frequencies are designated by the International Telecommunication Union (ITU) for unrestricted radiation from ISM equipment,

RECOMMENDS

that the latest edition of CISPR 11 be used for the application of limits and methods of measurement of ISM equipment.

## INTRODUCTION

This CISPR publication contains, amongst common requirements for the control of RF disturbances from equipment intended for use in industrial, scientific, and medical electrical applications, specific requirements for the control of RF disturbances caused by ISM RF applications in the meaning of the definition of the International Telecommunication Union (ITU), see also Definition 3.1.18 in this document. CISPR and ITU share their responsibilities for the protection of radio services in respect of the use of ISM RF applications.

The CISPR is concerned with the control of RF disturbances from ISM RF applications by means of an assessment of these disturbances either at a standardised test site or, for an individual ISM RF application which cannot be tested at such a site, at its place of operation. Consequently, this CISPR Publication covers requirements for both, equipment assessed by means of tests at standardised test sites or of individual equipment under *in situ* conditions.

The ITU is concerned with the control of RF disturbances from ISM RF applications during normal operation and use of the respective equipment at its place of operation (see Definition 1.15 in the ITU Radio Regulations(2020)). There, use of radio-frequency energy decoupled from the ISM RF application by radiation, induction or capacitive coupling is restricted to the location of that individual application.

This CISPR publication contains, in 6.3, the essential emission requirements for an assessment of RF disturbances from ISM RF applications at standardised test sites. These requirements allow for testing of ISM RF applications operated at frequencies up to 18 GHz. It further contains, in 6.4, the essential emission requirements for an *in situ* assessment of RF disturbances from individual ISM RF applications in the frequency range up to 1 GHz. All requirements were established in close collaboration with the ITU and enjoy approval of the ITU.

However, for operation and use of several types of ISM RF applications the manufacturer, installer and/or customer should be aware of additional national provisions regarding possible licensing and particular protection needs of local radio services and applications. Depending on the country concerned, such additional provisions can apply to individual ISM RF applications operated at frequencies outside designated ISM bands (see Table 1). They also can apply to ISM RF applications operated at frequencies above 18 GHz.

Recommendations of CISPR for the protection of radio services in particular areas are found in Annex C of this document.

# **INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT – RADIO-FREQUENCY DISTURBANCE CHARACTERISTICS – LIMITS AND METHODS OF MEASUREMENT**

## **1 Scope**

This document applies to industrial, scientific and medical electrical equipment operating in the frequency range 0 Hz to 400 GHz and to domestic and similar appliances designed to generate and/or use locally radio-frequency energy.

This document covers emission requirements related to radio-frequency (RF) disturbances in the frequency range of 9 kHz to 400 GHz.

For ISM RF applications in the meaning of the definition found in the ITU Radio Regulations (2020) (see Definition 3.1.18), this document covers emission requirements related to radio-frequency disturbances in the frequency range of 9 kHz to 18 GHz.

ISM equipment which incorporates radio transmit/receive functions (host equipment with radio functionality) is included in the scope of this document, see Annex F. However, the emission requirements in this document are not intended to be applicable to the intentional transmissions from a radio transmitter as defined by the ITU including their spurious emissions.

NOTE 1 This exclusion only applies to emissions from the intentional radio transmitter. However, combination emissions, for example emissions resulting from intermodulation between the radio and the non-radio subassemblies of the ISM equipment, are not subject to this exclusion.

NOTE 2 Emission requirements for induction cooking appliances are specified in CISPR 14-1 [1]<sup>1</sup>.

Requirements for ISM RF lighting equipment and UV irradiators operating at frequencies within the ISM frequency bands defined by the ITU Radio Regulations are contained in this document.

Robots used for industrial, scientific and medical applications are in the scope of this document.

EXAMPLE Welding robots, spraying robots, handling robots, processing robots, assembly robots, medical robots, education and experimental robots. A comprehensive list of robots in the scope of this document is given on the IEC EMC zone.

NOTE 3 Flying robots, domestic helper robots, toy robots and entertainment robots are examples of robots in the scope of other CISPR standards.

Equipment covered by other CISPR product and product family emission standards are excluded from the scope of this document.

## **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 16-1-1:2019, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

---

<sup>1</sup> Figures in square brackets refer to the Bibliography.

CISPR 16-1-2:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements*  
CISPR 16-1-2:2014/AMD1:2017

CISPR 16-1-4:2019, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements*  
CISPR 16-1-4:2019/AMD1:2020  
CISPR 16-1-4:2019/AMD2:2023

CISPR 16-2-1:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements*  
CISPR 16-2-1:2014/AMD1:2017

CISPR 16-2-3:2016, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements*  
CISPR 16-2-3:2016/AMD1:2019  
CISPR 16-2-3:2016/AMD2:2023

CISPR 16-4-2:2011, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Measuring instrumentation uncertainty*  
CISPR 16-4-2:2011/AMD1:2014  
CISPR 16-4-2:2011/AMD2:2018

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission requirements*  
CISPR 32:2015/AMD1:2019

IEC 60050-161:1990, *International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility*

IEC 60601-2-2:2017, *Medical electrical equipment – Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories*

IEC 61000-4-6:2023, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61307:2011<sup>2</sup>, *Industrial microwave heating installations – Test methods for the determination of power output*

ITU Radio Regulations (2020), *Radio regulations* (available at <http://www.itu.int/en/myitu/Publications/2020/09/02/14/23/Radio-Regulations-2020>)

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**

---

<sup>2</sup> This publication was withdrawn.