

STN	Radiačná ochrana Postupy monitorovania dávky do očných šošoviek, kože a končatín (ISO 15382: 2025)	STN EN ISO 15382 40 1408
------------	---	--

Radiological protection - Procedures for monitoring the dose to the lens of the eye, the skin and the extremities (ISO 15382:2025)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/26

Obsahuje: EN ISO 15382:2025, ISO 15382:2025

Oznámením tejto normy sa ruší
STN EN ISO 15382 (40 1408) z marca 2018

141383



EUROPEAN STANDARD

EN ISO 15382

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2025

ICS 13.280

Supersedes EN ISO 15382:2017

English Version

**Radiological protection - Procedures for monitoring the dose to the lens of the eye, the skin and the extremities
(ISO 15382:2025)**

Radioprotection - Procédures pour la surveillance des doses au cristallin, à la peau et aux extrémités (ISO 15382:2025)

Strahlenschutz - Verfahren für die Überwachung der Dosis von Augenlinse, Haut und Extremitäten (ISO 15382:2025)

This European Standard was approved by CEN on 22 August 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 15382:2025 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 15382:2025) has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" in collaboration with Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2026, and conflicting national standards shall be withdrawn at the latest by March 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15382:2017.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 15382:2025 has been approved by CEN as EN ISO 15382:2025 without any modification.



International Standard

ISO 15382

Radiological protection — Procedures for monitoring the dose to the lens of the eye, the skin and the extremities

Radioprotection — Procédures pour la surveillance des doses au cristallin, à la peau et aux extrémités

**Third edition
2025-08**

ISO 15382:2025(en)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO 15382:2025(en)**Contents**

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Individual monitoring	2
4.1 Quantities.....	2
4.2 Dose limits and monitoring levels.....	3
4.3 Monitoring period.....	3
4.4 Extremity, skin and lens of the eye monitoring.....	4
4.5 Uncertainties.....	4
4.6 Characteristics of radiation fields.....	4
5 Assessment of dose levels prior to routine monitoring	5
5.1 General.....	5
5.2 Indications from workplace measurements.....	5
5.3 Indications from whole body dosimetry.....	6
5.4 Indications from literature data.....	6
5.5 Indications from simulations.....	7
5.6 Indications from confirmatory measurements.....	7
6 Personal dosimetry	7
6.1 Extremity and skin dosimetry.....	7
6.1.1 Locations to monitor.....	7
6.1.2 Types of dosimeters.....	8
6.1.3 Technical specifications of dosimeters.....	8
6.1.4 Application of correction factors.....	8
6.2 Monitoring of the lens of the eye.....	9
6.2.1 Locations to monitor.....	9
6.2.2 Types of dosimeters.....	10
6.2.3 Technical specifications of dosimeters.....	11
6.2.4 Application of correction factors.....	11
7 Interpretation and management of the results	12
7.1 Analyses of results.....	12
7.2 Optimization.....	12
7.3 Registration and documentation.....	13
8 Special cases	13
8.1 Contamination.....	13
8.1.1 General.....	13
8.1.2 Estimation of dose to the skin or the lens of the eye from contamination.....	13
8.1.3 Estimation of dose to the skin or to the eye lens from discrete particles.....	14
8.1.4 Estimation of dose to the skin or to the lens of the eye from contamination on protective clothing.....	14
8.2 Estimation of dose from exposure to radioactivity in the air.....	15
8.3 Need to correct estimated doses due to contamination of dosimeters.....	15
Annex A (informative) Technical specifications of dosimeters	16
Annex B (informative) Monitoring the dose to the lens of the eye	17
Annex C (informative) Special considerations in the medical sector	20
Annex D (informative) Special considerations in nuclear power plants and associated fuel cycle facilities	21
Bibliography	30

ISO 15382:2025(en)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 85, *Nuclear energy, nuclear technologies, and radiological protection*, Subcommittee SC 2, *Radiological protection*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 430, *Nuclear energy, nuclear technologies, and radiological protection*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 15382:2015), which has been technically revised.

The main changes are as follows:

- addition of neutron radiation;
- reference to up-to-date standards on reference radiation fields;
- clarification and extension of several procedures;
- extension of dosimetry procedures at nuclear power plants including indirect eye lens dosimetry.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 15382:2025(en)**Introduction**

The human body shall be protected from harmful effects of exposure to ionizing radiation, internally and externally. Effective dose limits keep the occurrence of stochastic effects to an “acceptable” level, while protection from tissue reactions (i.e. deterministic effects) is provided by dose limits for specific organs. The human skin shall be protected from external tissue reactions, such as erythema and ulceration. For the lens of the eye, there is the risk of radiation induced cataract at elevated exposures. To protect the skin of the whole body, the extremities, and the lens of the eye, separate dose limits are recommended by the International Commission on Radiological Protection (ICRP). These separate dose limits are needed because, in case of localized exposures, the equivalent doses to the skin and the lens of the eye could exceed these limits even if the effective doses were lower than the limit. Specific dosimetry is needed to monitor these doses and to assess compliance with applicable limits.

There are some situations where the correct assessment of the exposure of the skin, extremities, and lens of the eye can be challenging. In the nuclear sector, there can be exposure due to weakly penetrating radiation caused by unshielded unsealed radioactive sources, or by working in glove boxes. These types of exposure can occur, in particular in connection with contamination. Exposure to weakly penetrating radiation from radioactive noble gases in room air also shall be considered. In the medical field, doses to extremities and doses to the lens of the eye could occur during interventional procedures and in nuclear medicine.

Monitoring the extremities and the lens of the eye is not always straightforward, and many practical problems can arise for the application of monitoring in the workplace, due to issues such as geometry, resulting in an unsuitable monitoring situation. This document provides guidance on how and when this monitoring should be done, for all the different types of workplace fields. This document is directed to all who are involved in the dosimetry of the skin, extremities, and the lens of the eye; for example: radiation protection officers, regulators, workers, dosimetry services, etc.

Radiological protection — Procedures for monitoring the dose to the lens of the eye, the skin and the extremities

1 Scope

This document provides procedures for monitoring the dose to the skin, the extremities, and the lens of the eye. It gives guidance on how to decide if such dosimeters are needed and to ensure that individual monitoring is appropriate to the nature of the exposure, taking practical considerations into account.

This document specifies procedures for individual monitoring of radiation exposure of the skin of the body, extremities (skin of the hands, fingers, wrists, forearms including elbow, lower leg including patella, feet and ankles), and lens of the eye in planned exposure situations. It covers practices which involve a risk of exposure to photons in the range of 8 keV to 10 MeV, electrons and positrons in the range of 0,07 MeV to 1,2 MeV mean beta energies being equivalent to 0,22 MeV and 3,6 MeV beta maximum energy - in accordance to the ISO 6980 series, and neutrons in the range of thermal to 20 MeV.

This document gives guidance for the design of a monitoring programme to ensure compliance with legal individual dose limits. It refers to the appropriate operational dose quantities, and it gives guidance on the type and frequency of individual monitoring and the type and positioning of the dosimeter. Finally, different approaches to assess and analyse skin, extremity, and lens of the eye doses are given.

It is not in the scope of this document to consider exposure due to alpha radiation fields.

NOTE 1 The requirements for the monitoring of the occupational exposure may be given in national regulations.

NOTE 2 Dose to the lens of the eye due to intake of tritium is not in the scope of this document. Moreover, the situation of the workers that work in contaminated atmosphere and can have alpha and/or radon eye lens dose is also not in the scope.

2 Normative references

The following documents are referred to in the text in such a way that some or all their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 18090-1, *Radiological protection — Characteristics of reference pulsed radiation — Part 1: Photon radiation*

IEC 62387, *Radiation protection instrumentation — Dosimetry systems with integrating passive detectors for individual, workplace and environmental monitoring of photon and beta radiation*

IEC 60846-1, *Radiation protection instrumentation — Ambient and/or directional dose equivalent (rate) meters and/or monitors for beta, X and gamma radiation — Part 1: Portable workplace and environmental meters and monitors*

IEC 61526, *Radiation protection instrumentation - Measurement of personal dose equivalents for X, gamma, neutron and beta radiations - Active personal dosimeters*

ISO 14146, *Radiological protection — Criteria and performance limits for the periodic evaluation of dosimetry services for external radiation*

IEC 61331-3, *Protective devices against diagnostic medical X-radiation — Part 3: Protective clothing, eyewear and protective patient shields*

ISO 15382:2025(en)

ISO 4037-1, *Radiological protection — X and gamma reference radiation for calibrating dosimeters and dose rate meters and for determining their response as a function of photon energy — Part 1: Radiation characteristics and production methods*

ISO 4037-2, *Radiological protection — X and gamma reference radiation for calibrating dosimeters and dose rate meters and for determining their response as a function of photon energy — Part 2: Dosimetry for radiation protection over the energy ranges from 8 keV to 1,3 MeV and 4 MeV to 9 MeV*

ISO 4037-3, *Radiological protection — X and gamma reference radiation for calibrating dosimeters and dose rate meters and for determining their response as a function of photon energy — Part 3: Calibration of area and personal dosimeters and the measurement of their response as a function of energy and angle of incidence*

ISO 4037-4, *Radiological protection — X and gamma reference radiation for calibrating dosimeters and dose rate meters and for determining their response as a function of photon energy — Part 4: Calibration of area and personal dosimeters in low energy X reference radiation fields*

ISO 6980-1, *Nuclear energy — Reference beta-particle radiation — Part 1: Methods of production*

ISO 6980-2, *Nuclear energy — Reference beta-particle radiation — Part 2: Calibration fundamentals related to basic quantities characterizing the radiation field*

ISO 6980-3, *Nuclear energy — Reference beta-particle radiation — Part 3: Calibration of area and personal dosimeters and the determination of their response as a function of beta radiation energy and angle of incidence*

ISO 8529-1, *Neutron reference radiation fields — Part 1: Characteristics and methods of production*

ISO 8529-2, *Reference neutron radiations — Part 2: Calibration fundamentals of radiation protection devices related to the basic quantities characterizing the radiation field*

ISO 8529-3, *Neutron reference radiation fields — Part 3: Calibration of area and personal dosimeters and determination of their response as a function of neutron energy and angle of incidence*

IEC 61005, *Radiation protection instrumentation — Neutron ambient dose equivalent (rate) meters*

ISO 21909-1, *Passive neutron dosimetry systems — Part 1: Performance and test requirements for personal dosimetry*

ISO 21909-2, *Passive neutron dosimetry systems — Part 2: Methodology and criteria for the qualification of personal dosimetry systems in workplaces*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN