

Normalizované rozhranie na pripojenie nabíjacích staníc k systémom lokálneho energetického manažmentu Časť 2: Mapovanie špecifického dátového modelu

STN EN IEC 63380-2

34 1593

Standard interface for connecting charging stations to local energy management systems - Part 2: Specific data model mapping

Táto norma obsahuje anglickú verziu európskej normy. This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 11/25

Obsahuje: EN IEC 63380-2:2025, IEC 63380-2:2025



STN EN IEC 63380-2: 2025

EUROPEAN STANDARD NORME EUROPÉENNE FUROPÄISCHE NORM

EN IEC 63380-2

September 2025

ICS 29.240.99; 43.120

English Version

Standard interface for connecting charging stations to local energy management systems - Part 2: Specific data model mapping (IEC 63380-2:2025)

Interface normale pour la connexion de bornes de charge aux systèmes locaux de gestion de l'énergie - Partie 2:
Mise en correspondance avec des modèles de données spécifiques
(IEC 63380-2:2025)

Standardschnittstelle für das Verbinden von Ladestationen an lokale Energiemanagementsysteme - Teil 2: Spezifische Datenmodellzuordnung (IEC 63380-2:2025)

This European Standard was approved by CENELEC on 2025-08-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 63380-2:2025 (E)

European foreword

The text of document 69/1057/FDIS, future edition 1 of IEC 63380-2, prepared by TC 69 "Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63380-2:2025.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2026-09-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2028-09-30 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request addressed to CENELEC by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 63380-2:2025 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 63402-1:2025 NOTE Approved as EN IEC 63402-1:2025 (not modified)

ISO 15118-2 NOTE Approved as EN ISO 15118-2

ISO 15118-20 NOTE Approved as EN ISO 15118-20

EN IEC 63380-2:2025 (E)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 63380-1	-	Standard interface for connecting charging stations to local energy management systems - Part 1: General requirements, use cases and abstract messages	EN IEC 63380-1	-
IEC 63380-3	-	Standard interface for connecting charging stations to local energy management systems - Part 3 Communication protocol and cybersecurity specific aspects	EN IEC 63380-3	-



IEC 63380-2

Edition 1.0 2025-07

INTERNATIONAL STANDARD

Standard interface for connecting charging stations to local energy management systems -

Part 2: Specific data model mapping

EC 63380-2:2025-07(er

ICS 29.240.99; 43.120 ISBN 978-2-8327-0581-0



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IÉC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Customer Service Centre - webstore.iec.ch/csc

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

CONTENTS

FC	REWO	RD	12
IN	TRODU	CTION	14
1	Scope	e	16
2	Norm	ative references	16
3	Terms	s, definitions and abbreviated terms	16
		Terms and definitions	
		Abbreviated terms	
4		view	
	4.1	General	19
		Reading the graphics	
	4.2.1	General	
	4.2.2	Hierarchy diagram	20
	4.2.3	Sequence diagram	21
	4.3	Finding the right information	22
5	Use o	case function (UCF) details	22
	5.1	General	22
	5.2	Mapping to SPINE	22
	5.2.1	Concepts	22
	5.2.2	UCF_AC_Measurement	39
	5.2.3	UCF_Characteristics	68
	5.2.4	UCF_Charging_Power_Limits	77
	5.2.5	UCF_Consumption_Curve	81
	5.2.6	UCF_Device_Configuration	
	5.2.7	UCF_Device_State	
	5.2.8	UCF_EV_Connected	
	5.2.9	UCF_Heartbeat	
	5.2.10		
	5.2.1		
	5.2.12		
	5.2.13	- -	
	5.2.14		
	5.2.1	-	
	5.2.16		
	5.2.17 5.2.18	,	
		8 UCF_Setpoint	
	5.3.1	Concepts	
	5.3.1	UCF_Device_State	
	5.3.3	UCF_EV_Connected	
	5.3.4	UCF Load Control	
	5.3.5		
	5.3.6	-	
	5.3.7	- · ·	
Bil		hy	
	J P		
Fig	gure 1 –	Overview of resources within IEC 63380-2	20

Figure 2 – Actor overview example	21
Figure 3 – Example communication sequence diagram	21
Figure 4 – Actor overview example	34
Figure 5 – Pre-scenario communication – Detailed discovery sequence diagram	37
Figure 6 – Pre-scenario communication – Binding sequence diagram	38
Figure 7 – Pre-scenario communication – Subscription sequence diagram	39
Figure 8 – Messaging sequence for UCF_AC_Measurement	40
Figure 9 – UCF_AC_Measurement: Request Measurement/ Measurement communication sequence diagram	41
Figure 10 – UCF_AC_Measurement: Request Electrical Connection Data (Electrical Connection Data communication sequence diagram)	59
Figure 11 – Actor "Device " overview	67
Figure 12 – Actor "EMS" overview	68
Figure 13 – Messaging sequence for UCF_Characteristics	68
Figure 14 – UCF_Characteristics: Request Characteristics/Characteristics communication sequence diagram	69
Figure 15 – Actor "Device" overview	76
Figure 16 – Actor "EMS" overview	76
Figure 17 – Messaging sequence for UCF_Charging_Power_Limits	77
Figure 18 – UCF_Charging_Power_Limits: Request Power Limits (Power Limits communication sequence diagram)	77
Figure 19 – Actor "Device" overview	80
Figure 20 – Actor "EMS" overview	81
Figure 21 – Messaging sequence for UCF_Consumption_Curve	82
Figure 22 – SPINE sequence diagram for Request Consumption Curve and Consumption Curve	83
Figure 23 – Actor "Device" overview	90
Figure 24 – Actor "EMS" overview	91
Figure 25 – Messaging sequence for UCF_Device_Configuration	91
Figure 26 – UCF_Device Configuration: Request Device Configuration (Device Configuration Data communication sequence diagram)	92
Figure 27 – UCF_Device Configuration: Notify Device Configuration Data communication sequence diagram	97
Figure 28 – UCF_Device Configuration: Write Device Configuration communication sequence diagram	98
Figure 29 – Actor "Device" overview	100
Figure 30 – Actor "EMS" overview	101
Figure 31 – Messaging sequence for UCF_Device_State	101
Figure 32 – SPINE sequence diagram for Device State	102
Figure 33 – Actor "Device" overview	105
Figure 34 – Actor "EMS" overview	105
Figure 35 – Actor "Device" overview	106
Figure 36 – Actor "EMS" overview	107
Figure 37 – Messaging sequence for UCF_Heartbeat	107
Figure 38 – UCF_Heartbeat communication sequence diagram	108
Figure 39 – Actor "Device" overview	111

Figure 40 – Actor "EMS" overview	112
Figure 41 – Messaging sequence for UCF_Identification	113
Figure 42 – UCF_Identification communication sequence diagram	113
Figure 43 – Actor "Device" overview	115
Figure 44 – Actor "EMS" overview	116
Figure 45 – Messaging sequence for UCF_Incentive_Table	116
Figure 46 – SPINE sequence diagram for Read Incentive Table and Incentive Table	117
Figure 47 – SPINE sequence diagram for Write Incentive Table	123
Figure 48 – Actor "Device" overview	128
Figure 49 – Actor "EMS" overview	129
Figure 50 – Messaging sequence for UCF_Load_Control	129
Figure 51 – SPINE sequence diagram for Request Load Constraints and Load Constraints	130
Figure 52 – SPINE sequence diagram for Load Constraints	136
Figure 53 – SPINE sequence diagram for Load Control	137
Figure 54 – UCF_Load_Control Actor "Device" overview	138
Figure 55 – UCF_Load_Control Actor "EMS" overview	138
Figure 56 – Messaging sequence for UCF_ Manufacturer_Information	139
Figure 57 – SPINE sequence diagram for Request Manufacturer Data and Manufacturer Data	139
Figure 58 – Actor "Device" overview	142
Figure 59 – Actor "EMS" overview	143
Figure 60 – Messaging sequence for UCF_ Maximum_Power_Limitation_Curve	143
Figure 61 – SPINE sequence diagram for Request Max Power Limitation Curve and Max Power Limitation Curve	144
Figure 62 – SPINE sequence diagram for Update Max Power Limitation Curve	149
Figure 63 – Actor "Device" overview	151
Figure 64 – Actor "EMS" overview	152
Figure 65 – Messaging sequence for UCF_Measurement	152
Figure 66 – SPINE sequence diagram for Request Measurement and Measurement	153
Figure 67 – Actor "Device" overview	157
Figure 68 – Actor "EMS" overview	157
Figure 69 – Messaging sequence for UCF_Power_Limit	158
Figure 70 – UCF_Power_Limit: Read Active Power Limit (Current Active Power Limit communication sequence diagram)	158
Figure 71 – UCF_Power_Limit: Notify Current Active Power Limit communication sequence diagram	161
Figure 72 – Actor "Device" overview	163
Figure 73 – Actor "EMS" overview	163
Figure 74 – Messaging sequence for UCF_Session_Summary	165
Figure 75 – SPINE sequence diagram for Request Session Summary and Session Summary	165
Figure 76 – SPINE sequence diagram for Write Session Summary	170
Figure 77 – Actor "Device" overview	173
Figure 78 – Actor "EMS" overview	173

Figure 79 – Messaging sequence for UCF_Setpoint	174
Figure 80 – SPINE sequence diagram for Request Setpoint and Setpoint	174
Figure 81 – SPINE sequence diagram for Change Setpoint	180
Figure 82 – Actor "Device" overview	181
Figure 83 – Actor "EMS" overview	181
Figure 84 – ECHONET Lite frame format	182
Figure 85 – ECHONET Lite sequence diagram for Request Device State and Device State	183
Figure 86 – ECHONET Lite sequence diagram for EV Connected	186
Figure 87 – ECHONET Lite sequence diagram for Load Control	187
Figure 88 – ECHONET Lite sequence diagram for Request Measurement and Measurement	190
Figure 89 – Messaging sequence for UCF_Operation_Mode	191
Figure 90 – ECHONET Lite sequence diagram for Request Device State and Device State	192
Figure 91 – ECHONET Lite sequence diagram for Power Limit	195
Table 1 – Presence indication description	27
Table 2 – Example table for cardinality indications on elements and list items	29
Table 3 – Content of an example table	33
Table 4 – Content of measurementDescriptionListData read at actor EMS – Use case "Monitoring of Power Consumption", "EV Charging Electricity Measurement"	41
Table 5 - Content of measurementConstraintListData read at actor EMS	42
Table 6 – Content of measurementListData read at actor EMS	42
Table 7 – Content of measurementDescriptionListData reply or notify at actor device – Power, non-phase specific – Use case "Monitoring of Power Consumption"	42
Table 8 – Content of measurementDescriptionListData reply or notify at actor device – Power, non-phase specific – Use case "EV Charging Electricity Measurement"	43
Table 9 – Content of measurementDescriptionListData reply or notify at actor device – Power, phase-specific – Use case "Monitoring of Power Consumption"	43
Table 10 – Content of measurementConstraintsListData reply or notify at actor device – Power, non-phase specific – Use case "Monitoring of Power Consumption"	44
Table 11 – Content of measurementConstraintsListData reply or notify at actor device – Power, non-phase specific – Use case "EV Charging Electricity Measurement"	44
Table 12 – Content of measurementConstraintsListData reply or notify at actor device – Power, phase specific – Use case "Monitoring of Power Consumption"	45
Table 13 – Content of measurementConstraintsListData reply or notify at actor device – Power, phase specific – Use case "Monitoring of Power Consumption"	46
Table 14 – Content of measurementListData reply or notify at actor device – Power, non-phase specific – Use case "Monitoring of Power Consumption"	46
Table 15 – Content of measurementListData reply or notify at actor device – Power, non-phase-specific – Use case "EV Charging Electricity Measurement"	47
Table 16 – Content of measurementDescriptionListData reply or notify at actor device – Energy consumed – Use case "Monitoring of Power Consumption"	47
Table 17 – Content of measurementDescriptionListData reply or notify at actor device – Energy produced – Use case "Monitoring of Power Consumption"	
Table 18 – Content of measurementDescriptionListData reply or notify at actor device – Use case "EV Charging Electricity Measurement"	

Table 19 – Content of measurementConstraintsListData reply or notify at actor device – Energy consumed – Use case "Monitoring of Power Consumption"	49
Table 20 – Content of measurementConstraintsListData reply or notify at actor device – Energy produced – Use case "Monitoring of Power Consumption"	49
Table 21 – Content of measurementConstraintsListData reply or notify at actor device – Use case "EV Charging Electricity Measurement"	50
Table 22 – Content of measurementListData reply or notify at actor device – Energy consumed – Use case "Monitoring of Power Consumption"	50
Table 23 – Content of measurementListData reply or notify at actor device – Energy produced – Use case "Monitoring of Power Consumption"	51
Table 24 – Content of measurementListData reply or notify at actor device – Use case "EV Charging Electricity Measurement"	51
Table 25 – Content of measurementDescriptionListData reply or notify at actor device – Current – Use case "Monitoring of Power Consumption"	52
Table 26 – Content of measurementDescriptionListData reply or notify at actor device – Current – Use case "EV Charging Electricity Measurement"	52
Table 27 – Content of measurementConstraintsListData reply or notify at actor device – Current – Use case "Monitoring of Power Consumption"	53
Table 28 – Content of measurementConstraintsListData reply or notify at actor device – Current – Use case "EV Charging Electricity Measurement"	54
Table 29 – Content of measurementListData reply or notify at actor device – Current – Use case "Monitoring of Power Consumption"	55
Table 30 – Content of measurementListData reply or notify at actor device – Current – Use case "EV Charging Electricity Measurement"	55
Table 31 – Content of measurementDescriptionListData reply or notify at actor device – Voltage – Use case "Monitoring of Power Consumption"	56
Table 32 – Content of measurementConstraintsListData reply or notify at actor device – Voltage – Use case "Monitoring of Power Consumption"	56
Table 33 – Content of measurementListData reply or notify at actor device – Voltage – Use case "Monitoring of Power Consumption"	57
Table 34 – Content of measurementDescriptionListData reply or notify at actor device – Frequency – Use case "Monitoring of Power Consumption"	57
Table 35 – Content of measurementConstraintsListData reply or notify at actor device – Frequency – Use case "Monitoring of Power Consumption"	58
Table 36 – Content of measurementListData reply or notify at actor device – Frequency – Use case "Monitoring of Power Consumption"	58
Table 37 - Content of electricalConnectionParameterListData read at actor EMS	59
Table 38 - Content of electricalConnectionDescriptionListData read at actor EMS	59
Table 39 – Content of electricalConnectionDescriptionListData reply or notify at actor device – Use case "Monitoring of Power Consumption"	60
Table 40 – Content of electricalConnectionDescriptionListData reply or notify at actor device – Use case "EV Charging Electricity Measurement"	60
Table 41 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Power, non-phase specific	61
Table 42 - Content of electricalConnectionParameterDescriptionListData reply or	
notify at actor device – Power, non-phase specific – Use case "EV Charging Electricity Measurement"	61
Table 43 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Power, phase-specific	62

Table 44 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Energy consumed – Use case "Monitoring of Power	
Consumption"	2
Table 45 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Energy produced – Use case "Monitoring of Power Consumption"	3
Table 46 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Use case "EV Charging Electricity Measurement"	3
Table 47 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Current – Use case "Monitoring of Power Consumption"6	
Table 48 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Current – Use case "EV Charging Electricity Measurement"6	4
Table 49 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Voltage – Use case "Monitoring of Power Consumption"6	5
Table 50 – Content of electricalConnectionParameterDescriptionListData reply or notify at actor device – Frequency – Use case "Monitoring of Power Consumption"6	6
Table 51 – Actor naming for "Device"6	6
Table 52 – Actor naming for "EMS"6	7
Table 53 – Content of electricalConnectionCharacteristicListData read at actor EMS – use cases "Limitation of Active Power Consumption", "Dynamic Bidirectional EV Charging, scenario 3"	9
Table 54 – Content of electricalConnectionCharacteristicListData reply or notify at actor device – Use case "Limitation of Power Consumption"	0
Table 55 – Content of electricalConnectionCharacteristicListData reply or notify at actor device – Use case "Dynamic Bidirectional EV Charging"7	3
Table 56 – Actor naming for "Device"7	5
Table 57 – Actor naming for "EMS"7	6
Table 58 – Information content for electricalConnectionParameterDescriptionListData read at actor EMS7	8'
Table 59 – Information content for electricalConnectionPermittedValueSetListData read at actor EMS7	8'
Table 60 – Information content for electricalConnectionParameterDescriptionListData reply at actor device – Use case "EV Commissioning and Configuration"	9
Table 61 – Information content for electricalConnectionPermittedValueSetListData reply at actor device – Use case "EV Commissioning and Configuration"	9
Table 62 – Information content for timeSeriesDescriptionListData read at actor EMS – Use case "Coordinated EV Charging", scenario 18	3
Table 63 – Information content for timeSeriesDescriptionListData read at actor EMS – Use case "Coordinated EV Charging", scenario 48	3
Table 64 – Information content for timeSeriesDescriptionListData read at actor EMS – Use case "Dynamic Bidirectional EV Charging", scenario 28	4
Table 65 – Information content for timeSeriesListData read at actor EMS (all cases)8	4
Table 66 – Information content for timeSeriesDescriptionListData reply at actor device – Use case "Coordinated EV Charging"8	4
Table 67 – Information content for timeSeriesDescriptionListData reply at actor device – Use case "Dynamic Bidirectional EV Charging"8	5
Table 68 – Information content for timeSeriesListData reply at actor device – Use case "Coordinated EV Charging"8	5
Table 69 – Information content for timeSeriesListData reply at actor device – Use case "Dynamic Bidirectional EV Charging"	8

Table 70 – Actor naming for "Device"	90
Table 71 – Content of deviceConfigurationKeyValueDescriptionListData read at actor EMS	92
Table 72 - Content of deviceConfigurationKeyValueListData read at actor EMS	92
Table 73 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at actor device – failsafeConsumptionActivePowerLimit – Use case "Limitation of Power Consumption"	93
Table 74 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at actor device – failsafeDurationMinimum – Use case "Limitation of Power Consumption"	93
Table 75 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at actor device – Use case "EV Commissioning and Configuration"	94
Table 76 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at actor device – Use case "Dynamic Bidirectional EV Charging"	94
Table 77 – Content of deviceConfigurationKeyValueListData reply or notify at actor device – Use case "Limitation of Power Consumption"	95
Table 78 – Content of deviceConfigurationKeyValueListData reply or notify at actor device – Use case "EV Commissioning and Configuration"	96
Table 79 – Content of deviceConfigurationKeyValueListData reply or notify at actor device – Use case "Dynamic Bidirectional EV Charging"	96
Table 80 – Content of deviceConfigurationKeyValueListData write at actor EMS – Use case "Limitation of Power Consumption" for Failsafe Duration Minimum	97
Table 81 – Content of deviceConfigurationKeyValueListData write at actor EMS – Use case "Limitation of Power Consumption" for Failsafe Duration Minimum	98
Table 82 – Actor naming for "Device"	99
Table 83 – Actor naming for "EMS"	100
Table 84 – Information content for deviceDiagnosisStateData reply at actor EMS – use cases "Overload Protection by EV Charging Current Curtailment", "Optimization of Self-Consumption during EV Charging"	102
Table 85 – Information content for deviceDiagnosisStateData reply at actor device – Use case "EV Commissioning and Configuration"	102
Table 86 – Information content for deviceDiagnosisStateData reply at actor device – Use case "Coordinated EV Charging"	103
Table 87 – Information content for deviceDiagnosisStateData reply at actor EMS – Use case "Coordinated EV Charging"	103
Table 88 – Information content for deviceDiagnosisStateData reply at actor device – Use case "Charging station Commissioning and Configuration"	103
Table 89 - Resource Names for UCF_Device_State, Actor "Device"	104
Table 90 – Content of deviceDiagnosisHeartbeatData read at actor device or EMS	108
Table 91 – Content of deviceDiagnosisHeartbeatData reply or notify at actor device or EMS – Use case "Limitation of Power consumption"	109
Table 92 – Content of deviceDiagnosisHeartbeatData reply or notify at actor EMS – Use case "Coordinated EV Charging"	109
Table 93 – Content of deviceDiagnosisHeartbeatData reply or notify at actor EMS – Use case "Overload Protection by EV Charging Current Curtailment", at actor device – Use case "Optimization of Self-Consumption During EV Charging"	110
Table 94 – Actor naming for "Device"	111
Table 95 – Actor naming for "EMS"	112
Table 96 – Information content for identificationListData read at actor EMS	113

Table 97 – Information content for identificationListData reply or notify at actor device – Use case "EV Commissioning and Configuration"	114
Table 98 – Information content for incentiveTableDescriptionData read at actor EMS	117
Table 99 – Information content for incentiveTableConstraintsData read at actor EMS	118
Table 100 – Information content for incentiveTableData read at actor EMS	118
Table 101 – Information content for incentiveTableDescriptionData reply at actor device Use case "Coordinated EV Charging"	118
Table 102 – Information content for incentiveTableConstraintsData reply at actor device – Use case "Coordinated EV Charging"	121
Table 103 – Information content for incentiveTableData reply at actor device use case "Coordinated EV Charging"	121
Table 104 – Information content for incentiveTableDescriptionData write at actor EMS –Use case "Coordinated EV Charging"	124
Table 105 – Information content for incentiveTableData write at actor EMS use case – "Coordinated EV Charging"	126
Table 106 – Resource Names for UCF_Incentive_Table actor "Device"	128
Table 107 – Information content for loadControlLimitDescriptionListData read at actor EMS	130
Table 108 – Information content for loadControlLimitListData read at actor EMS	131
Table 109 – Information content for electricalConnectionParameterDescriptionListData read at actor EMS	131
Table 110 – Information content for electricalConnectionPermittedValueSetListData read at actor EMS	131
Table 111 – Information content for loadControlLimitDescriptionListData reply at actor device – Use case "Overload Protection by EV Charging Current Curtailment", and "Optimization of Self-Consumption during EV Charging"	132
Table 112 – Information content for loadControlLimitDescriptionListData reply at actor device – Use case "Overload Protection by EV Charging Current Curtailment", and "Optimization of Self-Consumption during EV Charging"	133
Table 113 – Information content for electricalConnectionParameterDescriptionListData reply at actor device – Use case "Overload Protection by EV Charging Current Curtailment", and "Optimization of Self-Consumption during EV Charging"	133
Table 114 – Information content for electricalConnectionPermittedValueSetListData reply at actor device – Use case "Optimization of Self-Consumption during EV	
Charging"	
Table 116 – Information content for loadControlLimitListData write at actor EMS – Use case "Overload Protection by EV Charging Current Curtailment", and "Optimization of Self-Consumption during EV Charging"	
Table 117 – Resource Names for UCF_Load_Control actor "Device"	137
Table 118 – Information content for deviceClassificationManufacturerData read at actor EMS	
Table 119 – Information content for deviceClassificationManufacturerData reply at actor device – Use case "EV Commissioning and Configuration"	140
Table 120 – Information content for deviceClassificationManufacturerData reply at actor device – Use case "Charging station Commissioning and Configuration"	141
Table 121 – Resource Names for UCF_Manufacturer_Information actor "Device"	142
Table 122 – Information content for timeSeriesDescriptionListData read at actor EMS	144

Table 123 – Information content for timeSeriesConstraintsListData read at actor EMS	145
Table 124 – Information content for timeSeriesListData read at actor EMS	145
Table 125 – Information content for timeSeriesDescriptionListData reply at actor device – Use case "Coordinated EV Charging"	146
Table 126 – Information content for timeSeriesConstraintsListData reply at actor device– Use case "Coordinated EV Charging"	147
Table 127 – Information content for timeSeriesListData reply at actor device – Use case "Coordinated EV Charging"	148
Table 128 – Information content for timeSeriesListData write at actor EMS – Use case "Coordinated EV Charging"	149
Table 129 – Resource Names for UCF_Maximum_Power_Limitation_Curve actor "Device"	151
Table 130 – Information content for measurementDescriptionListData read at actor EMS	153
Table 131 – Information content for measurementConstraintListData read at actor EMS	153
Table 132 – Information content for measurementListData read at actor EMS	154
Table 133 – Information content for measurementDescriptionListData reply at actor device – Use case "EV State of Charge"	154
Table 134 – Information content for measurementConstraintsListData reply at actor device – Use case "EV State of Charge"	155
Table 135 – Information content for measurementListData reply at actor device – Use case "EV State of Charge"	155
Table 136 – Resource Names for UCF_AC_Measurement actor "Device"	156
Table 137 – Resource Names for UCF_Measurement actor "EMS"	157
Table 138 – Content of loadControlLimitDescriptionListData read at actor EMS use cases – "Limitation of Active Power Consumption"	159
Table 139 – Content of loadControlLimitListData read at actor EMS – Use cases "Limitation of Active Power Consumption"	159
Table 140 – Content of loadControlLimitDescriptionListData reply or notify at actor device – Use case "Limitation of Power Consumption"	160
Table 141 – Content of loadControlLimitListData reply or notify at actor device – Use cases "Limitation of Power Consumption"	161
Table 142 – Content of loadControlLimitListData write at actor EMS– Use case "Limitation of Power Consumption"	162
Table 143 – Information content for billDescriptionListData read at actor device	166
Table 144 – Information content for billConstraintsListData read at actor device	166
Table 145 – Information content for billListData read at actor device	166
Table 146 – Information content for billDescriptionListData reply at actor device – Use cases "EV Charging Summary"	167
Table 147 – Information content for billConstraintsListData reply at actor EMS – Use cases "EV Charging Summary"	167
Table 148 – Information content for billListData reply at actor EMS – use cases "EV Charging Summary"	168
Table 149 – Information content for billListData write at actor EMS – Use cases "EV Charging Summary"	170
Table 150 – Information content for setpointDescriptionListData read	175
Table 151 – Information content for setpointConstraintsListData read at actor EMS	175
Table 152 - Information content for setpointListData read at actor EMS	175

Table 153 – Information content for setpointDescriptionListData reply at actor device – Use cases "Dynamic Bidirectional EV Charging"	176
Table 154 – Information content for setpointConstraintsListData reply at actor device – use cases "Dynamic Bidirectional EV Charging"	177
Table 155 – Information content for setpointListData reply at actor device – use cases "Dynamic Bidirectional EV Charging"	178
Table 156 – Information content for setpointListData write at actor EMS – Use cases "Dynamic Bidirectional EV Charging"	179
Table 157 – Resource Names for UCF_Setpoint actor "Device"	180
Table 158 – Information content for "read" message – Use case "Basic EV Charging/Discharging"	183
Table 159 – Content for "write" message – Use case "Basic EV Charging/Discharging"	184
Table 160 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	184
Table 161 – Information content for "notification" message – Use case "Basic EV Charging/Discharging"	185
Table 162 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	185
Table 163 – Information content for "notification" message – Use case " EV Commissioning and Configuration"	186
Table 164 – Information content for "write" message – Use case "Basic EV Charging/Discharging"	188
Table 165 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	188
Table 166 – Information content for "read" message – Use case "Basic EV Charging/Discharging"	188
Table 167 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	189
Table 168 – Information content for "notification" message – Use case "Basic EV Charging/Discharging"	189
Table 169 – Information content for "read" message – Use case " EV State of Charge"	190
Table 170 – Information content for "response" message – Use case " EV State of Charge"	191
Table 171 – Information content for "read" message – Use case "Basic EV Charging/Discharging"	192
Table 172 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	193
Table 173 – Information content for "notification" message – Use case "Basic EV Charging/Discharging"	193
Table 174 – Information content for "write" message – Use case "Basic EV Charging/Discharging"	194
Table 175 – Information content for "response" message – Use case "Basic EV Charging/Discharging"	194
Table 176 – Information content for "read" message – Use case "Basic EV Charging/Discharging"	196
Table 177 – content for "response" message – Use case "Basic EV Charging/Discharging"	196
Table 178 – Information content for "write" message – Use case "Basic EV Charging/Discharging"	197

Table 179 – Informatio	n content for	"response"	message – Us	se case "E	Basic EV	
Charging/Discharging"						197

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Standard interface for connecting charging stations to local energy management systems - Part 2: Specific data model mapping

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63380 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1057/FDIS	69/1066/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63380 series, published under the general title *Standard interface* for connecting charging stations to local energy management systems, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

The expansion of renewable energy and the simultaneous reduction in conventional generation of electricity result in new power flows and loads on the equipment in the grid and at the house connection point. At the same time, electrical consumers with high power consumption are increasingly being installed in low-voltage systems in private customer systems. These include charging systems for electric vehicles and heat pumps. These two developments can temporarily lead to peak loads and bottlenecks in the network. An expansion of the distribution grids for the comparatively few hours of high simultaneous power consumption is not considered economically sensible. The legislator of energy efficiency has therefore introduced the concept of "network-friendly control of controllable consumer devices".

It is crucial to define a standardized interface for the connected consumers and generating facilities, which also includes the charging infrastructure for electric vehicles. When developing a local, standardized interface, it is important to make a fundamental distinction between the terms power and energy management.

In order to avoid an overload and the associated emergency shutdown due to specified power limits in the property while all consumers are drawing electricity at the same time – especially heating and air conditioning technology as well as charging infrastructure – power management is of great urgency. The maximum load at the grid connection point can therefore be reduced. Accordingly, it is important to give priority to local power management over, for example, optimization of operations and tariffs or desired charging plans.

Furthermore, the tariff-optimized operation can be pursued within the limits specified by the grid infrastructure – controlled by the energy management system. As a consequence, a charging infrastructure will be able to transmit information about procurement and tariff-optimized operation from the local energy management of the property to the electric vehicle so that it can coordinate its charging plan according to local demands. Effective coordination becomes essential if generating systems are used within the property in order to achieve the highest possible self-consumption of electricity.

The long-term goal is to buffer power and energy bottlenecks within a property using the energy stored in the vehicle, which also brings the topic of energy recovery into focus and this aspect needs to be considered during the development of a standardized interface for local power and energy management.

The aim of the IEC 63380 series is to define a standard interface for connecting charging stations to local energy management systems and the information exchange.

The IEC 63380 series specifies use cases, the sequences of information exchange, the data models as well as the communication protocols to be used and includes all aspects of local energy management of charging stations.

The IEC 63380 series covers scenarios where the charging infrastructure is managed by the entity that operates the private electrical network, and local energy management systems are used for local load management.

The IEC 63380 series addresses the energy management in installations with forward and bidirectional charging whereby the overall energy management is ensured by the customer energy manager.

The IEC 63380 series does not cover the secure information exchange between the charging station and the IT backend system(s), such as the management of energy transfer of the charge session, contractual and billing data, provided by the IT backend.

The IEC 63380 series consists of the following structure, describing the interface between charging stations and local energy management systems.

- IEC 63380-1: General requirements, use cases and abstract messages
- IEC 63380-2: Specific data model mapping
- IEC 63380-3: Communication protocol and cybersecurity specific aspects

1 Scope

This part of IEC 63380 defines the secure information exchange between local energy management systems and electric vehicle charging stations. The local energy management systems communicate to the charging station controllers via the resource manager.

This document maps the generic use case functions defined in IEC 63380-1 to specific data model. This edition of this document defines specifically SPINE Resources and ECHONET Lite Resources mapped from the high-level use case functions defined in IEC 63380-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63380-1, Standard interface for connecting charging stations to local energy management systems - Part 1: General requirements, use cases and abstract messages

IEC 63380-3¹, Standard interface for connecting charging stations to local energy management systems - Part 3: Communication protocol and cybersecurity specific aspects

koniec náhľadu – text ďalej pokračuje v platenej verzii STN