

<b>STN</b>	<b>Potrubné systémy z plastov na zásobovanie plynnými palivami Polyetylén (PE) Časť 3: Tvarovky</b>	<b>STN EN 1555-3</b>
		64 3042

Plastics piping systems for the supply of gaseous fuels - Polyethylene (PE) - Part 3: Fittings

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/25

Obsahuje: EN 1555-3:2025

Oznámením tejto normy sa ruší  
STN EN 1555-3 (64 3042) z októbra 2021

**141600**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN 1555-3

October 2025

ICS 23.040.45

Supersedes EN 1555-3:2021

English Version

Plastics piping systems for the supply of gaseous fuels -  
Polyethylene (PE) - Part 3: Fittings

Systèmes de canalisations en plastique pour la  
distribution de combustibles gazeux - Polyéthylène  
(PE) - Partie 3 : Raccords

Kunststoff-Rohrleitungssysteme für die Gasversorgung  
- Polyethylen (PE) - Teil 3: Formstücke

This European Standard was approved by CEN on 11 August 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

	Page
<b>European foreword .....</b>	<b>4</b>
<b>Introduction .....</b>	<b>6</b>
<b>1 Scope.....</b>	<b>7</b>
<b>2 Normative references.....</b>	<b>7</b>
<b>3 Terms and definitions .....</b>	<b>9</b>
<b>4 Symbols and abbreviated terms.....</b>	<b>10</b>
<b>5 Material .....</b>	<b>11</b>
<b>5.1 PE compound for fittings.....</b>	<b>11</b>
<b>5.2 Material for non-polyethylene parts.....</b>	<b>11</b>
<b>5.2.1 General.....</b>	<b>11</b>
<b>5.2.2 Metal parts.....</b>	<b>11</b>
<b>5.2.3 Sealing materials.....</b>	<b>11</b>
<b>5.2.4 Greases and lubricants.....</b>	<b>11</b>
<b>5.2.5 Other materials.....</b>	<b>11</b>
<b>6 General characteristics.....</b>	<b>12</b>
<b>6.1 Appearance .....</b>	<b>12</b>
<b>6.2 Colour .....</b>	<b>12</b>
<b>6.3 Design.....</b>	<b>12</b>
<b>6.4 Appearance of factory-made joints .....</b>	<b>12</b>
<b>6.5 Electrical characteristics for electrofusion fittings .....</b>	<b>12</b>
<b>7 Geometrical characteristics .....</b>	<b>13</b>
<b>7.1 Measurement of dimensions.....</b>	<b>13</b>
<b>7.2 Dimensions of electrofusion socket fittings.....</b>	<b>13</b>
<b>7.2.1 Diameters and lengths of electrofusion sockets.....</b>	<b>13</b>
<b>7.2.2 Wall thicknesses.....</b>	<b>15</b>
<b>7.2.3 Out-of-roundness of the bore of a fitting (at any point).....</b>	<b>16</b>
<b>7.2.4 Spigots.....</b>	<b>16</b>
<b>7.2.5 Other dimensions.....</b>	<b>16</b>
<b>7.3 Dimensions of electrofusion saddle fittings.....</b>	<b>16</b>
<b>7.4 Dimensions of spigot end fittings.....</b>	<b>17</b>
<b>7.4.1 Diameters and lengths .....</b>	<b>17</b>
<b>7.4.2 Wall thickness of the fusion end.....</b>	<b>20</b>
<b>7.4.3 Wall thickness of the fitting body.....</b>	<b>20</b>
<b>7.4.4 Other dimensions.....</b>	<b>20</b>
<b>7.5 Design and dimensions of mechanical fittings .....</b>	<b>20</b>
<b>7.5.1 General.....</b>	<b>20</b>
<b>7.5.2 Mechanical fittings with polyethylene spigot ends .....</b>	<b>21</b>
<b>7.5.3 Mechanical fittings with polyethylene electrofusion sockets.....</b>	<b>21</b>
<b>7.5.4 Threads.....</b>	<b>21</b>
<b>8 Mechanical characteristics .....</b>	<b>21</b>
<b>8.1 General.....</b>	<b>21</b>
<b>8.2 Requirements.....</b>	<b>21</b>
<b>8.3 Performance requirements.....</b>	<b>25</b>
<b>9 Physical characteristics .....</b>	<b>26</b>
<b>9.1 Conditioning .....</b>	<b>26</b>
<b>9.2 Requirements.....</b>	<b>26</b>

<b>10</b>	<b>Performance requirements .....</b>	<b>27</b>
<b>11</b>	<b>Technical information .....</b>	<b>28</b>
<b>12</b>	<b>Marking .....</b>	<b>28</b>
<b>12.1</b>	<b>General .....</b>	<b>28</b>
<b>12.2</b>	<b>Minimum required marking of fittings.....</b>	<b>29</b>
<b>12.3</b>	<b>Additional marking.....</b>	<b>29</b>
<b>12.4</b>	<b>Fusion system recognition .....</b>	<b>29</b>
<b>13</b>	<b>Delivery conditions.....</b>	<b>30</b>
<b>Annex A (informative) Examples of typical terminal connections for electrofusion fittings.....</b>		<b>31</b>
<b>Annex B (normative) Short-term pressure test method .....</b>		<b>34</b>
<b>Annex C (normative) Tensile test for fitting/pipe assemblies.....</b>		<b>36</b>
<b>Bibliography .....</b>		<b>38</b>

**EN 1555-3:2025 (E)****European foreword**

This document (EN 1555-3:2025) has been prepared by Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2026, and conflicting national standards shall be withdrawn at the latest by April 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1555-3:2021.

The main changes are as follows:

- reference to information related to the suitability of PE pipe systems for 100 % hydrogen and its admixtures with natural gas has been made;
- terms and definitions have been distributed over EN 1555-1, EN 1555-2 and EN 1555-3;
- symbols and their definitions for geometrical characteristics on electrofusion socket fittings, spigot end fittings and tapping tees have been harmonized with other standards in ISO;
- Clause 5 has been restructured;
- the minimum bore for electrofusion socket fittings have been harmonized with the minimum bore for spigot end fittings;
- test speeds have been added for testing the decohesive resistance;
- the performance requirements for joints have been mentioned more explicitly by adding Table 8;
- the technical file has been changed to technical information and fully revised.

System Standards are based on the results of the work being undertaken in ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids", which is a Technical Committee of the International Organization for Standardization (ISO).

They are supported by separate standards on test methods to which references are made throughout the System Standard.

The System Standards are consistent with general standards on functional requirements and on recommended practice for installation.

EN 1555 consists of the following parts:

- EN 1555-1, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 1: General*;
- EN 1555-2, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 2: Pipes*;
- EN 1555-3, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 3: Fittings* (this document);
- EN 1555-4, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 4: Valves*;

- EN 1555-5, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 5: Fitness for purpose of the system.*

In addition, the following document provides guidance on the assessment of conformity:

- CEN/TS 1555-7, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 7: Guidance for assessment of conformity.*

NOTE EN 12007-2 prepared by CEN/TC 234 "Gas infrastructure", deals with the recommended practice for installation of plastics pipes system in accordance with EN 1555 (all parts).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

**EN 1555-3:2025 (E)**

## Introduction

The EN 1555 series specifies the requirements for a piping system and its components made from polyethylene (PE) compounds, which is intended to be used for the supply of gaseous fuels.

This document covers the characteristics of fittings.

Requirements and test methods for materials and components, other than fittings, are specified in EN 1555-1, EN 1555-2 and EN 1555-4.

Characteristics for fitness for purpose of the system are covered in EN 1555-5. CEN/TS 1555-7 gives guidance for assessment of conformity.

Recommended practice for design, handling and installation is given in EN 12007-2.

## 1 Scope

This document specifies the characteristics of fusion fittings made from polyethylene (PE) as well as of mechanical fittings for piping systems in the field of the supply of gaseous fuels.

NOTE 1 Additional information related to the installation of PE 100-RC systems is given in EN 1555-1:2025, Annex A.

NOTE 2 Additional information about the suitability of PE pipe systems for hydrogen and its admixtures is given in EN 1555-1:2025, Annex B.

It also specifies the test parameters for the test methods referred to in this document.

In conjunction with EN 1555-1, EN 1555-2, EN 1555-4 and EN 1555-5, this document is applicable to PE pipes, fittings and valves, their joints, and joints with components of PE and other materials intended to be used under the following conditions:

- a) a maximum operating pressure, MOP, up to and including 10 bar<sup>1</sup>, at a design reference temperature of 20 °C;
- b) an operating temperature between –20 °C and 40 °C.

For operating temperatures between 20 °C and 40 °C, derating coefficients are specified in EN 1555-5.

The EN 1555 series covers a range of MOPs and gives requirements concerning colours.

This document is applicable for fittings of the following types:

- a) electrofusion socket fittings;
- b) electrofusion saddle fittings;
- c) spigot end fittings (for butt fusion using heated tools and electrofusion);
- d) mechanical fittings.

It is the responsibility of the purchaser or specifier to make the appropriate selections from these aspects, taking into account their particular requirements and any relevant national guidance or regulations and installation practices or codes.

NOTE 3 The fittings can be, for example, in the form of couplers, saddles, equal and reduced tees, reducers, elbows, bends or end caps.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 682, *Elastomeric Seals — Materials requirements for seals used in pipes and fittings carrying gas and hydrocarbon fluids*

EN 1555-1:2025, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 1: General*

EN 1555-2:2025, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 2: Pipes*

---

<sup>1</sup> 1 bar = 0,1 MPa = 10<sup>5</sup> Pa; 1 MPa = 1 N/mm<sup>2</sup>.

**EN 1555-3:2025 (E)**

EN 1555-5, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 5: Fitness for purpose of the system*

EN 10226-1, *Pipe threads where pressure tight joints are made on the threads — Part 1: Taper external threads and parallel internal threads — Dimensions, tolerances and designation*

EN 10226-2, *Pipe threads where pressure tight joints are made on the threads — Part 2: Taper external threads and taper internal threads — Dimensions, tolerances and designation*

EN ISO 228-1, *Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1)*

EN ISO 1133-1, *Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 1: Standard method (ISO 1133-1)*

EN ISO 1167-1:2006, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 1: General method (ISO 1167-1:2006)*

EN ISO 1167-4, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 4: Preparation of assemblies (ISO 1167-4)*

EN ISO 3126, *Plastics piping systems — Plastics components — Determination of dimensions (ISO 3126)*

EN ISO 11357-6, *Plastics — Differential scanning calorimetry (DSC) — Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) (ISO 11357-6)*

EN ISO 17778, *Plastics piping systems — Fittings, valves and ancillaries — Determination of gaseous flow rate/pressure drop relationships (ISO 17778)*

ISO 12176-5, *Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems — Part 5: Two-dimensional data coding of components and data exchange format for PE piping systems*

ISO 13950, *Plastics pipes and fittings — Automatic recognition systems for electrofusion joints*

ISO 13951, *Plastics piping systems — Test method for the resistance of plastic pipe/pipe or pipe/fitting assemblies to tensile loading*

ISO 13953, *Polyethylene (PE) pipes and fittings — Determination of the tensile strength and failure mode of test pieces from a butt-fused joint*

ISO 13954, *Plastics pipes and fittings — Peel decohesion test for polyethylene (PE) electrofusion assemblies of nominal outside diameter greater than or equal to 90 mm*

ISO 13955, *Plastics pipes and fittings — Crushing decohesion test for polyethylene (PE) electrofusion assemblies*

ISO 13956, *Plastics pipes and fittings — Decohesion test of polyethylene (PE) saddle fusion joints — Evaluation of ductility of fusion joint interface by tear test*

ISO 13957, *Plastics pipes and fittings — Polyethylene (PE) tapping tees — Test method for impact resistance*

ISO 17885:2021, *Plastics piping systems — Mechanical fittings for pressure piping systems — Specifications*

ISO 18488, *Polyethylene (PE) materials for piping systems — Determination of Strain Hardening Modulus in relation to slow crack growth — Test method*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN