

STN	Výbušniny na civilné použitie Rozbušky a bleskovicové oneskorovače Časť 17: Overenie bezpečného prúdu elektrických rozbušiek	STN EN 13763-17 66 8083
------------	---	---

Explosives for civil uses - Detonators and detonating cord relays - Part 17: Verification of the no-fire current of electric detonators

Táto norma obsahuje anglickú verziu európskej normy.

This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/26

Obsahuje: EN 13763-17:2025

Oznámením tejto normy sa ruší

STN EN 13763-17 (66 8083) z mája 2005

141738

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2026

Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 13763-17

October 2025

ICS 71.100.30

Supersedes EN 13763-17:2003

English Version

**Explosives for civil uses - Detonators and detonating cord
relays - Part 17: Verification of the no-fire current of
electric detonators**

Explosifs à usage civil - Détonateurs et relais pour
cordeau détonant - Partie 17: Vérification du courant
maximal de non-feu des détonateurs électriques

Explosivstoffe für zivile Zwecke - Zünder und
Sprengschnurverzögerer - Teil 17: Überprüfung der
Nichtansprechstromstärke elektrischer Zünder

This European Standard was approved by CEN on 29 September 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 13763-17:2025 (E)

Contents	Page
European foreword	3
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Principle	5
5 Apparatus	5
6 Preparation of test samples)	6
7 Procedure	6
7.1 General.....	6
7.2 Determination of the current level for 50 % firing	6
7.3 Determination of the no-fire current level.....	6
8 Expression of results	7
9 Test report.....	7
Annex A (normative) Determination of the current level for 50 %-firing using the Bruceton method.....	8
A.1 General.....	8
A.2 Determination of the initial current value	8
A.3 Procedure	9
A.4 Calculation of results	9
A.5 Alternative calculation procedure.....	10
Annex B (normative) Determination of the current level for 50 %-firing using the Langlie method	12
B.1 General.....	12
B.2 Determination of the initial current level.....	12
B.3 Procedure	12
B.4 Calculation of stimulus levels.....	13
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/28/EU relating to the making available on the market and supervision of explosives for civil uses aimed to be covered	14
Bibliography	15

European foreword

This document (EN 13763-17:2025) has been prepared by Technical Committee CEN/TC 321 “Explosives for civil uses”, the secretariat of which is held by UNE.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2026, and conflicting national standards shall be withdrawn at the latest by April 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13763-17:2003.

EN 13763-17:2025 includes the following significant technical changes with respect to EN 13763-17:2003:

- a) the document title has been changed from “Detonators and relays — Part 17: Determination of no-fire current of electric detonators” to “Detonators and detonating cord relays — Part 17: Verification of no-fire current of electric detonators”;
- b) the Scope has been revised to clarify the covered and not covered explosives;
- c) the normative references have been updated;
- d) the terminology entry 3.1 has been removed;
- e) Clause 4 “Principle” has been added;
- f) the clause “Apparatus” has been updated;
- g) the clause “Test pieces” is now called “Preparation of test sample”, has been revised to clarify the number and kind of test pieces and the conditioning step has been moved there from the Clause “Procedure”;
- h) the clause “Procedure” has been restructured, revised and further detailed to adjust and clarify the statistical procedure and electrical parameters and the former Clause 7 “Calculation of test results” has been integrated;
- i) Clause 8 “Expression of results” has been added;
- j) the clause “Test report” does no longer require conformity with EN ISO/IEC 17025 and the information to be provided has been revised;
- k) the former Annex A “Range of applicability of the test method” has been removed;
- l) a new Annex A “Determination of the current level for 50 %-firing using the Bruceton method” and a new Annex B “Determination of the current level for 50 %-firing using the Langlie method” have been added;
- m) Annex ZA has been updated;
- n) the Bibliography has been added and lists EN ISO/IEC 17025:2017.

EN 13763-17:2025 (E)

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

A list of all parts in the EN 13763 series, published under the general title *Explosives for civil uses — Detonators and detonating cord relays*, can be found on the CEN website.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

1 Scope

This document specifies a test method for the verification of the no-fire current of electric detonators.

This document does not apply to non-electric detonators, electronic detonators, plain detonators, and semi-finished detonators.

This document does not apply to surface connectors, detonating cord relays and electronic initiation systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13763-1:2025, *Explosives for civil uses — Detonators and detonating cord relays — Part 1: Requirements*

EN 13857-1:2025, *Explosives for civil uses — Part 1: Vocabulary*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN

1) The PROBIT test is a statistical method used to characterise the sensitivity to a physical stimulus. A detailed description of the test is given in FprEN 13763-1:2025, Annex C.