

STN	Kvalita pôdy Odhad početnosti vybraných mikrobiálnych génových sekvencií pomocou kvantitatívnej polymerázovej reťazovej reakcie (qPCR) z DNA extrahovanej priamo z pôdy (ISO 17601: 2025)	STN EN ISO 17601 46 5273
------------	--	--

Soil quality - Estimation of abundance of selected microbial gene sequences by quantitative polymerase chain reaction (qPCR) from DNA directly extracted from soil (ISO 17601:2025)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 02/26

Obsahuje: EN ISO 17601:2025, ISO 17601:2025

Oznámením tejto normy sa ruší
STN EN ISO 17601 (46 5273) z augusta 2018

141797

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2026
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii v znení neskorších predpisov.

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 17601

November 2025

ICS 13.080.30

Supersedes EN ISO 17601:2018

English Version

**Soil quality - Estimation of abundance of selected
microbial gene sequences by quantitative polymerase
chain reaction (qPCR) from DNA directly extracted from
soil (ISO 17601:2025)**

Qualité du sol - Estimation de l'abondance de
séquences de gènes microbiens par amplification par
réaction de polymérisation en chaîne quantitative
(qPCR) à partir d'ADN directement extrait du sol (ISO
17601:2025)

Bodenbeschaffenheit - Ermittlung der Häufigkeit
ausgewählter mikrobieller Gensequenzen durch
quantitative PCR aus DNA-Boden-Extrakten (ISO
17601:2025)

This European Standard was approved by CEN on 3 November 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 17601:2025 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 17601:2025) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2026, and conflicting national standards shall be withdrawn at the latest by May 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 17601:2018.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 17601:2025 has been approved by CEN as EN ISO 17601:2025 without any modification.



International Standard

ISO 17601

Soil quality — Estimation of abundance of selected microbial gene sequences by quantitative polymerase chain reaction (qPCR) from DNA directly extracted from soil

*Qualité du sol — Estimation de l'abondance de séquences
de gènes microbiens par amplification par réaction de
polymérisation en chaîne quantitative (qPCR) à partir d'ADN
directement extrait du sol*

**Second edition
2025-10**

ISO 17601:2025(en)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO 17601:2025(en)**Contents**

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Test materials	4
5.1 DNA	4
5.2 Bacteria	4
5.3 Plasmid	4
5.4 Enzymes	4
5.5 Chemicals	4
5.6 Products for bacterial culture medium	5
5.7 Buffers and reagents	5
6 Apparatus	6
7 Procedure	6
7.1 qPCR standard preparation and calibration of qPCR assay (task 1)	6
7.1.1 General	6
7.1.2 Amplicon design (task 1, step 1)	6
7.1.3 qPCR standard preparation (task 1, step 2)	7
7.1.4 Bacterial isolate DNA, environmental DNA, artificial DNA	7
7.1.5 Calibration of the qPCR (task 1, step 3)	9
7.2 Preparation of soil DNA template and inhibition test (task 2)	10
7.2.1 General	10
7.2.2 Soil DNA preparation (task 2, step 4)	10
7.2.3 Inhibition test (task 2, step 5)	10
7.3 qPCR assay (task 3)	12
7.3.1 General	12
7.3.2 qPCR (task 3, step 6)	12
7.4 Validation and analysis of qPCR assay (task 4)	12
7.4.1 General	12
7.4.2 Validation of the qPCR assay (task 4, step 7)	12
7.4.3 Calculation of the copy number of the gene of interest in the soil DNA extract (task 4, step 8)	13
8 Examination of the critical steps of the qPCR assay	13
9 Expression of the results of the qPCR assay	14
10 International ring test	14
11 Test report	14
Annex A (informative) Description of principal steps of TaqMan® qPCR assay	15
Annex B (informative) International ring test for evaluating qPCR to quantify the abundance of selected microbial gene sequences from DNA directly extracted from soil	17
Annex C (informative) Examples of well-established primer systems for a qPCR-based quantification of marker genes in soil samples	30
Bibliography	33

ISO 17601:2025(en)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological characterization*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 444, *Environmental characterization of solid matrices*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 17601:2016), which has been technically revised.

The main changes are as follows:

- [Annex C](#) has been expanded by adding examples of well-established qPCR systems to quantify certain microbial groups or their function.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 17601:2025(en)

Introduction

DNA (DNAs) is a major component of any living organism, coding for enzymes responsible for their biological activities. The study of DNA sequences from DNA sources extracted from different environmental matrices, by means of numerous molecular approaches, provides molecular markers that can be used to sharply distinguish and identify different organisms (bacteria, archaea, and eukaryotes).

Up to now, most of the studies aiming to develop microbial quality indicators applicable to complex environment such as soil were biased by the poor culturability of many microorganisms under laboratory conditions and the lack of sensitivity of traditional microbiological methods. The recent development of a large set of molecular biology methods based on amplification of soil-extracted nucleic acids have provided a pertinent alternative to classical culture-based microbiological methods providing unique insight into the composition, richness, and structure of microbial communities.^{[2][3][4][5][6]} DNA-based approaches are now well established in soil ecology and serve as genotypic markers for determining microbial diversity. The results of molecular analyses of soil microbial communities and populations rely on two main parameters: a) the extraction of DNA representative of the indigenous bacterial community composition, and b) PCR bias such as the choice of primers, the concentration of amplified DNA, errors in the PCR, or even the method chosen for the analysis.^{[7][4][8][9]}

Numerous studies have investigated new methods to improve extraction, purification, amplification, and quantification of DNA from soils.^[10] Recently, ISO 11063 reported “a method to extract nucleic acids directly from soil samples” derived from Reference ^[10], opening a new window for developing standardized molecular approaches to estimate soil quality.^[11]

The aim of this document is to describe the procedure used to set up and perform quantitative PCR to quantify the abundance of soil microbial phyla, as well as functional groups, from DNA directly extracted from soil samples. The quantification of soil microbial phyla and functional groups by qPCR assays can contribute to the development of routine tools to monitor soil quality. The repeatability and the reproducibility of the qPCR procedure were assessed in an international ring test study (see [Annex B](#)). The repeatability of this procedure was successfully evaluated for 16S rRNA genes and for genes coding a functional marker of denitrifiers (the nitrite reductase gene *nirK*). The reproducibility of this procedure revealed a laboratory effect which can be overcome by interpreting the results of the quantification of the abundance of the microbial groups by comparison, either by using an external reference (DNA extracted from a control strain) in the assay or by calculating a percentage of variations between treatments to normalize the data. It is noteworthy that the number of genes is not necessarily directly linked to the number of organisms that are measured. For example, the number of ribosomal operon is ranging from one copy to 20 copies in different bacterial phyla. Therefore, the number of 16S rRNA sequences quantified from soil DNA extracts does not give an exact estimate of the number of soil bacteria. Furthermore, the number of sequences is not necessarily linked to living microorganisms and can comprise sequences amplified from dead microorganisms.

A list of currently well-established qPCR assays to assess selected functional traits of the soil microbiome is listed in [Annex C](#).

Soil quality — Estimation of abundance of selected microbial gene sequences by quantitative polymerase chain reaction (qPCR) from DNA directly extracted from soil

1 Scope

This document specifies the crucial steps of a quantitative polymerase chain reaction (qPCR) method to measure the abundance of selected microbial gene sequences from soil DNA extract. The number of microbial gene sequences quantified by qPCR provides an estimation of the abundance of selected microbial groups in soil.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 18400-206, *Soil quality — Sampling — Part 206: Collection, handling and storage of soil under aerobic conditions for the assessment of microbiological processes, biomass and diversity in the laboratory*

ISO 11063, *Soil quality — Direct extraction of soil DNA*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN