

STN	Stanovenie bodu vzplanutia Metóda v uzavretom tégliku podľa Penského-Martensa (ISO 2719: 2025)	STN EN ISO 2719 65 6064
------------	---	---

Determination of flash point - Pensky-Martens closed cup method (ISO 2719:2025)

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 03/26

Obsahuje: EN ISO 2719:2025, ISO 2719:2025

Oznámením tejto normy sa ruší
STN EN ISO 2719 (65 6064) z októbra 2017

142046

Úrad pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky, 2026
Slovenská technická norma a technická normalizačná informácia je chránená zákonom č. 60/2018 Z. z. o technickej normalizácii
v znení neskorších predpisov.

EUROPEAN STANDARD

EN ISO 2719

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2025

ICS 75.080

Supersedes EN ISO 2719:2016, EN ISO
2719:2016/A1:2021

English Version

**Determination of flash point - Pensky-Martens closed cup
method (ISO 2719:2025)**Détermination du point d'éclair - Méthode Pensky-
Martens en vase clos (ISO 1719:2025)Bestimmung des Flammpunktes - Verfahren nach
Pensky-Martens mit geschlossenem Tiegel (ISO
2719:2025)

This European Standard was approved by CEN on 23 November 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

EN ISO 2719:2025 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 2719:2025) has been prepared by Technical Committee ISO/TC 28 "Petroleum and related products, fuels and lubricants from natural or synthetic sources" in collaboration with Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2026, and conflicting national standards shall be withdrawn at the latest by June 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 2719:2016.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 2719:2025 has been approved by CEN as EN ISO 2719:2025 without any modification.



International Standard

ISO 2719

Determination of flash point — Pensky-Martens closed cup method

Détermination du point d'éclair — Méthode Pensky-Martens en vase clos

**Fifth edition
2025-11**

ISO 2719:2025(en)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO 2719:2025(en)**Contents**

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Chemicals and materials	2
6 Apparatus	2
7 Apparatus preparation	3
7.1 General.....	3
7.2 Location of the apparatus.....	3
7.3 Cleaning the test cup.....	3
7.4 Apparatus assembly.....	3
7.5 Apparatus verification.....	3
8 Sampling	4
9 Sample handling	5
9.1 Petroleum products.....	5
9.1.1 Sub-sampling.....	5
9.1.2 Samples containing undissolved water.....	5
9.1.3 Samples that are liquid at ambient temperature.....	5
9.1.4 Samples that are very viscous, semi-solid or solid at ambient temperature.....	5
9.2 Paints and varnishes.....	5
10 Procedure	6
10.1 General.....	6
10.2 Procedure A.....	6
10.3 Procedure B.....	7
10.4 Procedure C.....	8
11 Calculation	9
11.1 Conversion of barometric pressure reading.....	9
11.2 Correction of detected flash point.....	9
12 Expression of results	9
13 Precision	9
13.1 General.....	9
13.2 Repeatability, <i>r</i>	9
13.3 Reproducibility, <i>R</i>	10
14 Test report	11
Annex A (normative) Apparatus verification using reference materials	12
Annex B (normative) Pensky-Martens closed cup test apparatus	15
Annex C (normative) Temperature measuring device specification	23
Annex D (normative) Requirements for hot wire ignitors and flash point detectors	25
Bibliography	27

ISO 2719:2025(en)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 28, *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, in collaboration with Technical Committee ISO/TC 35 *Paints and varnishes* and the European Committee for Standardization (CEN) Technical Committee CEN/TC 19, *Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fifth edition cancels and replaces the fourth edition (ISO 2719:2016), which has been technically revised. It also incorporates the Amendment ISO 2719:2016/Amd 1:2021.

The main changes are as follows:

- revisions to [3.1](#), [5.2](#), [6.1](#), [7.1](#), [7.2](#), [7.5](#), [10.1.1](#), [11.2](#), [14](#), [C.2](#) and [Table A.1](#);
- revision of [Annex A](#) and status changed to normative;
- new normative [Annex D](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 2719:2025(en)**Introduction**

Flash point values are used in shipping, storage, handling and safety regulations, as a classification property to define “flammable” and “combustible” materials. Precise definitions of the classes are given in each regulation.

A flash point value can indicate the presence of highly volatile material(s) in a relatively non-volatile or non-flammable material and flash point testing can be a preliminary step to other investigations into the composition of unknown materials.

It is not appropriate for flash point determinations to be carried out on potentially unstable, decomposable or explosive materials, unless it has been previously established that heating the specified quantity of such materials in contact with the metallic components of the flash point apparatus, within the temperature range required for the method, does not induce decomposition, explosion or other adverse effects.

Flash point values are not a constant physical-chemical property of materials tested. They are a function of the apparatus design, the condition of the apparatus used, and the operational procedure carried out. Flash point can therefore be defined only in terms of a standard test method and no general valid correlation can be guaranteed between results obtained by different test methods or with test apparatus different from that specified.

ISO/TR 29662^[6] gives useful advice in carrying out flash point tests and interpreting their results.

Determination of flash point — Pensky-Martens closed cup method

WARNING — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of users of this document to take appropriate measures to ensure the safety and health of personnel prior to the application of the standard, and to determine the applicability of any other restrictions for this purpose.

1 Scope

This document specifies three procedures, A, B and C, using the Pensky-Martens closed cup tester, for determining the flash point of combustible liquids, liquids with suspended solids, liquids that tend to form a surface film under the test conditions, biodiesel and other liquids in the temperature range of 40 °C to 370 °C.

NOTE 1 Although, technically, kerosene with a flash point above 40 °C can be tested using this document, it is standard practice to test kerosene according to ISO 13736.^[5] Similarly, lubricating oils are normally tested according to ISO 2592.^[2]

Procedure A is applicable to distillate fuels (diesel, biodiesel blends, heating oil and turbine fuels), new and in-use lubricating oils, paints and varnishes, and other homogeneous liquids not included in the scope of procedures B or C.

Procedure B is applicable to residual fuel oils, cutback residuals, used lubricating oils, mixtures of liquids with solids, and liquids that tend to form a surface film under test conditions or are of such kinematic viscosity that they are not uniformly heated under the stirring and heating conditions of procedure A.

Procedure C is applicable to fatty acid methyl esters (FAME) as specified in specifications such as EN 14214^[11] or ASTM D6751.^[13]

This document is not applicable to water-borne paints and varnishes.

NOTE 2 Water-borne paints and varnishes can be tested using ISO 3679.^[3] Liquids containing traces of highly volatile materials can be tested using ISO 1523^[1] or ISO 3679.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1513, *Paints and varnishes — Examination and preparation of test samples*

ISO 3170, *Hydrocarbon Liquids — Manual sampling*

ISO 3171, *Petroleum liquids — Automatic pipeline sampling*

ISO 15528, *Paints, varnishes and raw materials for paints and varnishes — Sampling*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN