

STN P	Verejná doprava Sieť a výmena cestovných poriadkov (NeTEx) Časť 1: Formát výmeny topológie siete verejnej dopravy	STN P CEN/TS 16614-1 01 8563
------------------	--	--

Public transport - Network and Timetable Exchange (NeTEx) - Part 1: Public transport network topology exchange format

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/26

Táto predbežná slovenská technická norma je určená na overenie. Prípadné pripomienky pošlite do februára 2028 Úradu pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky.

Obsahuje: CEN/TS 16614-1:2026

Oznámením tejto normy sa ruší
STN P CEN/TS 16614-1 (01 8563) zo septembra 2020

142374



TECHNICAL SPECIFICATION

CEN/TS 16614-1

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

February 2026

ICS 35.240.60

Supersedes CEN/TS 16614-1:2020

English Version

Public transport - Network and Timetable Exchange (NeTEx) - Part 1: Public transport network topology exchange format

Transport Public - Échanges des informations
planifiées (NeTEx) - Partie 1: Topologie du réseau

Öffentlicher Verkehr - Netzwerk- und Fahrplan-
Austausch (NeTEx) - Teil 1: Austauschformat für
Netzwerk-Topologie im öffentlichen Verkehr

This Technical Specification (CEN/TS) was approved by CEN on 9 February 2026 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CEN/TS 16614-1:2026 (E)**Contents**

Page

European foreword	7
1 Scope	9
1.1 General	9
1.2 Transport modes	9
1.3 Compatibility with existing standards and recommendations	9
2 Normative references	10
3 Terms and definitions	10
4 Symbols and abbreviations	73
5 Use Cases for Network Topology Exchange	75
5.1 Purpose	75
5.2 Actors and Use Case Types	75
5.2.1 Actors	75
5.2.2 Delivery Use Cases	76
5.2.3 Content Use Cases	77
5.2.4 Object Lifecycle Support Use Cases	79
5.2.5 Security Use Cases	79
5.2.6 Excluded Use Cases	79
5.3 Use Cases	80
5.3.1 Requirements Table	80
5.3.2 Collection of Use Cases	87
6 Generic Physical Model and XSD mapping rules	120
6.1 Introduction	120
6.2 Model Driven Design	120
6.3 Models – levels of abstraction	121
6.4 Open Implementation and technology use	122
6.5 Models versus Protocols	123
6.6 Modularisation	123
6.7 Summary of Modelling Approach	124
6.7.1 General	124
6.7.2 Use of packages in NeTEx models	125
6.8 Model transforms and Traceability	126
6.8.1 General	126
6.8.2 Conceptual Model UML Package	126
6.8.3 Physical Model UML Container Packages and Mapping from Conceptual model	126
6.8.4 XSD Model subschemas and Mapping from Physical model	127
6.8.5 Summary of Basic Mapping	127
6.9 Physical model to XSD schema mapping notes	128
6.10 Uniqueness of reference and Namespaces	129
6.11 Handling of inheritance	129
6.12 NeTEx Notation, presentation and naming conventions	129
6.12.1 General	129
6.12.2 Presentation of Element Names	129
6.12.3 Presentation of Data Type Names	130
6.12.4 Naming conventions	130

6.12.5	Presentation of UML Diagrams	131
6.12.6	Use of Stereotypes	132
6.12.7	Use of Colour	132
6.13	Mapping between models in NeTeX	132
6.13.1	Common Design Patterns in NeTeX	132
6.13.2	Mapping Example - Thing Model	132
6.13.3	Mapping Example - Handling Inheritance the SubThing Model	140
7	NeTeX Framework - Conceptual and Physical data model	145
7.1	Introduction	145
7.2	Implementing Transmodel framework features in NeTeX	149
7.3	Versions & Validity	149
7.3.1	Introduction	149
7.3.2	Version & Validity - Model Dependencies	150
7.3.3	Generic Entity	150
7.3.4	Generic Version	159
7.3.5	Implementing relationships in NeTeX	171
7.3.6	Generic Version Frame	177
7.3.7	Generic Validity	198
7.4	Responsibility	206
7.4.1	Introduction	206
7.4.2	Responsibility - Model Dependencies	207
7.4.3	Generic ResponsibilityGeneric RESPONSIBILITY - Conceptual MODEL	207
7.4.4	Responsibility Role	221
7.4.5	AlternativeText	231
7.5	Data Source	234
7.5.1	DATA SOURCE - Physical Model	234
7.5.2	Data Source - Attributes and XSD	235
7.5.3	Alternative Name	236
7.6	Generic Organisation	240
7.6.2	Generic ORGANISATION - Conceptual MODEL	240
7.6.3	Generic Organisation - Physical Model	241
7.6.4	Organisation - Attributes and XSD	245
7.7	Generic Frames	263
7.7.1	Composite Frame	263
7.7.2	General Frame	265
7.8	Generic Framework Model	268
7.8.1	Generic Framework - Model Dependencies	268
7.8.2	Unit & Utility Base Types	269
7.8.3	Location	284
7.8.4	Generic Grouping	288
7.8.5	Generic Point & Link	296
7.8.6	Generic Section	306
7.8.7	Generic Point & Link Sequence	312
7.8.8	Generic Zone and Feature	318
7.8.9	Generic Path & Navigation	328
7.8.10	Generic Layer	337
7.8.11	Generic Projection	340
7.8.12	Generic Place	358
7.8.13	Generic Assignment	365
7.8.14	Generic Loggable	367
7.8.15	Generic Security List	370
8	Reusable Component Models	376

CEN/TS 16614-1:2026 (E)

8.1.1	Reusable Components – Model Dependencies	376
8.1.2	Resource Frame	378
8.2	Reusable Time Element Models	383
8.2.1	Service Calendar	383
8.2.2	Availability Condition	404
8.3	Reusable Mode Models	409
8.3.1	Transport Mode	409
8.3.2	Transport Submode	415
8.3.3	Modes and Modes of Operation	420
8.4	Reusable Place and Organisation Models	431
8.4.1	Topographic Place	431
8.4.2	Transport Organisation	447
8.4.3	Additional Organisations	460
8.5	Reusable Vehicle Type Models	466
8.5.1	Vehicle Type	466
8.5.2	Vehicle Type Classifications	485
8.5.3	Service Requirements	489
8.5.4	Fleet Equipment Profile	494
8.5.5	Recharging Equipment Profile	500
8.5.6	Train Type	504
8.5.7	Train Element Type	517
8.5.8	Deck Plan	523
8.5.9	Deck Path	552
8.5.10	Seating Plan	564
8.5.11	Seat Affinity	574
8.6	Reusable Vehicle Models	577
8.6.1	Vehicle	577
8.6.2	Fleet	585
8.6.3	Train Composition	589
8.7	Reusable Equipment Models	590
8.7.1	Facility	590
8.7.2	Generic Equipment	627
8.7.3	Actual Vehicle Equipment	643
8.7.4	Vehicle Passenger Equipment	645
8.7.5	Energy Equipment	651
8.7.6	Spot Equipment	658
8.7.7	DeckSensor Equipment	664
8.8	Reusable Message Models	668
8.8.1	Notice	668
8.8.2	Notice Assignment	675
8.9	Reusable General Element Models	680
8.9.1	Service Restrictions	680
8.9.2	Booking Arrangements	687
8.9.3	Environmental Properties	693
8.9.4	Accessibility	705
8.9.5	Schematic Map	723
8.9.6	Check Constraint	730
9	Part 1 – The Network Topology	739
9.1	Network Description – Model dependencies	740
9.2	Network Description – Version Frames	742
9.2.1	Infrastructure Frame	742
9.2.2	Service Frame	746

9.3	Network Description – Subsystem.....	750
9.3.1	Network Infrastructure.....	750
9.3.2	Activation.....	770
9.3.3	Vehicle & Crew Point.....	776
9.3.4	Lines and Routes.....	782
9.3.5	Line Network.....	816
9.3.6	Timing Pattern.....	823
9.3.7	Flexible Network.....	833
9.4	Fixed Objects – Subsystem.....	846
9.4.1	Fixed Objects – Model Dependencies.....	846
9.4.2	Site Frame.....	847
9.4.3	Site.....	852
9.4.4	Site Paths.....	877
9.4.5	Navigation Path.....	889
9.4.6	Stop Place.....	910
9.4.7	Flexible Stop Place.....	944
9.4.8	Taxi Place.....	951
9.4.9	Point Of Interest.....	956
9.4.10	Parking.....	969
9.4.11	Vehicle Stopping.....	993
9.4.12	Associating Equipment with Places.....	1001
9.4.13	Equipment Description.....	1002
9.4.14	Accessibility Coverage.....	1101
9.4.15	Accessibility Coverage of Paths.....	1102
9.4.16	Recharging Point Assignment.....	1103
9.5	Tactical Planning Components – Subsystem.....	1106
9.5.1	Tactical Planning – Model Dependencies.....	1106
9.5.2	Connections & Transfer times.....	1107
9.5.3	Journey Pattern.....	1121
9.5.4	Service Pattern.....	1135
9.5.5	Common Section.....	1160
9.5.6	Routing Constraints.....	1163
9.5.7	Time Demand Type.....	1169
9.5.8	Passenger Stop Assignment.....	1176
9.5.9	Path Assignment.....	1189
9.5.10	Passenger Information Equipment.....	1192
10	NeTEx Service Interface.....	1201
10.1	Introduction.....	1201
10.2	Protocols versus payload.....	1201
10.3	NeTEx Publication XSD schema.....	1202
10.3.1	NeTEx Publication Delivery – Physical Model.....	1202
10.3.2	Publication Delivery – Attributes and XSD.....	1207
10.3.3	XML Examples of Publications.....	1213
10.4	NeTEx SIRI-NX services XSD schema.....	1214
10.4.1	Brief overview of SIRI communication layer.....	1215
10.4.2	SIRI ServiceRequest wrapper.....	1217
10.4.3	SIRI ServiceDelivery.....	1219
10.4.4	Data Object Service [SIRI-NX].....	1222
10.5	Use of NeTEx with SOAP / WSDL.....	1228
10.5.1	Web Services.....	1228
10.5.2	SOAP (Simple Object Access Protocol).....	1228
10.5.3	WSDL (Web Services Definition Language).....	1228

CEN/TS 16614-1:2026 (E)

10.5.4 NeTEx WSDL.....	1229
Annex A (informative) Mapping with existing standards.....	1231
A.1 Introduction	1231
A.2 VDV 452 Mapping.....	1235
A.3 NOPTIS Mapping.....	1235
A.4 NEPTUNE (Trident /Chouette profile).....	1236
A.4.1 Foreword.....	1236
A.4.2 NEPTUNE	1236
A.4.3 NEPTUNE to NeTEx mapping information	1237
A.5 ERA mapping.....	1238
A.5.1 Foreword.....	1238
A.5.2 Explanation of the mapping	1239
A.5.2.1 Structure of mapping excel-file.....	1239
A.5.2.2 Hierarchy of EDIFACT	1239
A.5.2.2.1 Explanation of the mapping	1239
A.5.3 Limitations.....	1240
A.6 TransXChange, NaPTAN & NPTG mappings.....	1241
A.6.1 Foreword.....	1241
A.6.2 TransXChange to NeTEx mapping information.....	1241
Annex B (informative) Advisory	1242
B.1 Introduction	1242
B.2 Train Composition	1242
B.2.1 TRAIN COMPOSITION – Conceptual MODEL	1242
B.2.2 TrainComposition – Physical Model.....	1243
B.2.3 TrainComposition – Attributes and XSD.....	1244
B.2.3.1 TrainComposition – Model Element.....	1244
B.2.3.2 TrainCompositionComponent – Model Element.....	1245
B.2.3.3 TrainCompositionCoupling – Model Element.....	1245
B.2.3.4 CompoundTrainComposition – Model Element.....	1245
B.2.3.5 CompositionInCompoundTrainComposition – Model Element.....	1246
Annex C (informative) Summary of Changes.....	1247
C.1.1 Introduction	1247
C.2 General Changes.....	1247
C.2.1 Part1 – Changes to Reusable Components	1248
C.2.2 Part1 – Changes to Network Description.....	1248
C.2.3 Part1 – Changes to Fixed Objects.....	1249
C.1 Changes for NeTEx 2.0	1250
Bibliography.....	1257

European foreword

This document (CEN/TS 16614-1:2026) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 16614-1:2019.

This document presents Part 1 of the Technical Specification known as “NeTEx”. NeTEx provides a framework for specifying communications and data exchange protocols for organisations wishing to exchange scheduled Information relating to public transport operations. As defined by Transmodel, 'Public transport' has to be understood as services advertised and available for use by the general public carried out by any means of transport.

This Technical Specification is made up of six parts defining a single European Standard series, which provides a complete exchange format for public transport networks, timetable description and fare information.

- Part 1 is the description of the public transport network topology exchange format. It also contains use cases shared with part 2, and modelling rules and the description of a framework shared by all parts.
- Part 2 is the description of the scheduled timetables exchange format.
- Part 3 is the description of the fare information exchange format.
- Part 4 is the European profile for exchanging timetables with the netex data exchange format.
- Part 5 is the description of the alternative transport modes data exchange format.
- Part 6 is the description of the European passenger information accessibility profile.

Part 1 is fully standalone, and Parts 2, 3, 4, 5 and 6 rely on Part 1 and possibly any other previous part.

The XML schema can be downloaded from <https://github.com/NeTEx-CEN/NeTEx> and additional information are available from <http://netex-cen.eu>, along with available guidance on its use, example XML files, and case studies of national and local deployments.

This document is highly technical, and a special care has been taken to keep the text readable. In particular a set of formatting conventions is followed that enhances the usual CEN writing rules in order to distinguish references to elements of the formal models within text:

- Transmodel terms and NeTEx conceptual model elements are in capital letters (JOURNEY PATTERN for example).
- NeTEx physical model names are in bold italic font and use CamelCase style with no spaces (JourneyPattern, for example).
- NeTEx physical model attribute types are in italic font and use CamelCase style with no spaces (TypeOfEntity, for example).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

CEN/TS 16614-1:2026 (E)**Introduction**

Public transport services rely increasingly on information systems to ensure reliable, efficient operation and widely accessible, accurate passenger information. These systems are used for a range of specific purposes: setting schedules and timetables; managing vehicle fleets; issuing tickets and receipts; providing real-time information on service running, and so on.

This document specifies a Network and Timetable Exchange (NeTEx) standard for Public Transport (PT). It is intended to be used to exchange data relating to scheduled public transport between the systems of PT organisations. It can also be seen as complementary to the SIRI (Service Interface for Real-time Information) standard, as SIRI needs a prior exchange of reference data from NeTEx's scope to provide the necessary context for the subsequent exchange of real-time data.

Well-defined and open interfaces have a crucial role in improving the economic and technical viability of Public Transport Information Systems of all kinds. Using standardized interfaces, systems can be implemented as discrete pluggable modules that can be chosen from a wide variety of suppliers in a competitive market, rather than as monolithic proprietary systems from a single supplier. Interfaces also allow the systematic automated testing of each functional module, vital for managing the complexity of increasing large and dynamic systems. Furthermore, individual functional modules can be replaced or evolved, without unexpected breakages of obscurely dependent function.

This document will improve a number of features of public transport information and service management: Interoperability – the Technical Specification will facilitate interoperability between information processing systems of the transport operators by: (i) introducing common architectures for message exchange; (ii) introducing a modular set of compatible information services for real-time vehicle information; (iii) using common data models and schemas for the messages exchanged for each service; and (iv) introducing a consistent approach to data management.

Technical advantages include the following: a modular reusing of a common communication layer shared with SIRI for all the various technical services enables cost-effective implementations, and makes the standard readily extensible in future.

1 Scope

1.1 General

NeTEx is dedicated to the exchange of scheduled data (network, timetable and fare information). It is based on Transmodel V6.2 (EN 12896 series) and SIRI (CEN/TS 15531-4/-5 and EN 15531-1/-2/-3) and supports the exchange of information of relevance for passenger information about public transport services and also for running Automated Vehicle Monitoring Systems (AVMS).

NOTE Many NeTEx concepts are taken directly from Transmodel. The definitions and explanation of these concepts are extracted directly from the respective standard and reused in NeTEx, sometimes with adaptations in order to fit the NeTEx context.

Although the data exchanges targeted by NeTEx are predominantly oriented towards provisioning passenger information systems and AVMS with data from public transport scheduling systems, it is not restricted to this purpose. NeTEx can also provide an effective solution to many other use cases for transport data exchange.

1.2 Transport modes

All mass public transport modes are taken into account by NeTEx, including train, bus, coach, metro, tramway, ferry, and their submodes. It is possible to describe airports and air journeys, but there has not been any specific consideration of any additional requirements that apply specifically to air transport.

Such modes may be operated, conventionally according to a fixed timetable, or flexibly as demand responsive services.

Additionally, NeTEx v2.0 takes into account the alternative modes of operation such as cycle hire, taxis, car-pooling, ride sharing. They have both network (i.e., places where services may be accessed), service (i.e., the available services and how to book them), and fare aspects (i.e., the costs of different services).

Transmodel v6.2 distinguishes the following types of 'mode of operation':

- conventional mode of operation: the legacy method of operation which is provided as a scheduled and/or flexible publicly advertised flexible transport offer. This method of operation is either following a fixed schedule and fixed routes or linked to a fixed network/schedule but offering flexibility, in order for instance, to optimise the service or to satisfy passenger demand;
- alternative mode of operation: any publicly advertised mode of operation different from the conventional mode of operation, in particular vehicle sharing, vehicle rental and vehicle pooling; and
- personal mode of operation: a private mode of transport excluding any publicly advertised use.

1.3 Compatibility with existing standards and recommendations

Concepts covered in NeTEx that relate in particular to long-distance train travel include: rail operators and related organisations; stations and related equipment; journey coupling and journey parts; train composition and facilities; planned passing times; timetable versions and validity conditions.

In the case of long distance train the NeTEx takes into account the requirements formulated by the ERA (European Rail Agency) – TAP/TSI (Telematics Applications for Passenger/ Technical Specification for Interoperability, entered into force on 13 May 2011 as the Commission Regulation (EU) No 454/2011), based on UIC directives.

CEN/TS 16614-1:2026 (E)

As regards the other exchange protocols, a formal compatibility is ensured with TransXChange (UK), VDV 452 (Germany), NEPTUNE (France), UIC Leaflet, BISON (Netherlands) and NOPTIS (Nordic Public Transport Interface Standard).

The data exchange is possible either through dedicated web services, through data file exchanges, or using the SIRI exchange protocol as described in part 2 of the SIRI documentation.

2 Normative references

There are no normative references in this document.

koniec náhľadu – text ďalej pokračuje v platenej verzii STN