

STN P	Verejná doprava Sieť a výmena cestovných poriadkov (NeTEx) Časť 2: Formát výmeny plánovaných cestovných poriadkov verejnej dopravy	STN P CEN/TS 16614-2 01 8563
------------------	---	--

Public transport - Network and Timetable Exchange (NeTEx) - Part 2: Public transport scheduled timetables exchange format

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 04/26

Táto predbežná slovenská technická norma je určená na overenie. Prípadné pripomienky pošlite do februára 2028 Úradu pre normalizáciu, metrológiu a skúšobníctvo Slovenskej republiky.

Obsahuje: CEN/TS 16614-2:2026

Oznámením tejto normy sa ruší
STN P CEN/TS 16614-2 (01 8563) zo septembra 2020

142375



TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 16614-2

February 2026

ICS 35.240.60

English Version

**Public transport - Network and Timetable Exchange
(NeTEx) - Part 2: Public transport scheduled timetables
exchange format**

Transport Public - Échanges des informations
planifiées (NeTEx) - Partie 2: Description de l'offre de
transport

Öffentlicher Verkehr - Netzwerk- und Fahrplan-
Austausch (NeTEx) - Teil 2: Austauschformat für
Fahrpläne im öffentlichen Verkehr

This Technical Specification (CEN/TS) was approved by CEN on 9 February 2026 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CEN/TS 16614-2:2026 (E)

Contents

Page

European foreword.....	5
0 Introduction	6
0.1 General.....	6
0.2 Transport modes.....	6
0.3 Compatibility with existing standards and recommendations	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Symbols and abbreviations	9
5 Use Cases for Journey & Journey Time Exchange	9
6 Generic Physical Model and XSD mapping rules.....	9
7 Timing Information – Conceptual and physical data model.....	9
7.1 Introduction	9
8 The Journey and Journey Times model.....	9
8.1 General.....	9
8.2 Journey and Journey Times – Model dependencies.....	10
9 VEHICLE JOURNEY.....	10
10 SERVICE JOURNEY	10
11 TIME DEMAND TIMES	10
12 PASSING TIMES.....	10
13 JOURNEY TIMINGs.....	10
14 JOURNEY PATTERN TIMES	10
15 VEHICLE JOURNEY TIMES	10
16 INTERCHANGE	11
17 COUPLED JOURNEY	11
18 JOURNEY ACCOUNTING	11
18.1 General.....	Error! Bookmark not defined.
18.2 Explicit Frames	11
18.2.1 Timetable Frame	11
18.3 Journey and Journey Times	21
18.3.1 Vehicle Journey	21
19 A SERVICE JOURNEY is a VEHICLE JOURNEY on which passengers will be allowed to board or alight from vehicles at stops. These journeys are usually published and known by passengers.....	21
19.1.2 Service Journey	43
20 As the service between an origin and a destination, as advertised to the public...43	
21 As the longest service during which a passenger is allowed to stay on the same vehicle.	43
21.1.2 Time Demand Times	68
21.1.3 Journey Timing	78

22	JOURNEY LAYOVER;	78
23	JOURNEY WAIT TIME;	78
24	JOURNEY HEADWAY;	78
25	JOURNEY RUN TIME;	78
26	TURNAROUND TIME LIMIT;	78
27	DEFAULT DEAD RUN TIME;	78
28	DEFAULT SERVICE JOURNEY RUN TIME.	78
28.1.2	Journey Pattern Times	87
28.1.3	Vehicle Journey Times	94
28.1.4	Vehicle Journey Frequency	101
28.1.5	Interchange	111
29	Interchange with another service, of which only the arrival or departure time is known.	114
30	More generally, service scheduled according to the time fixed for an external event, which will feed, or be fed by, this service (school, spectacle, etc.).	114
31	Organisation of a meeting (hub) between several services, during a defined time band; this is a simplified specification of several interchanges. If needed this could be described in detail using several INTERCHANGE RULEs or SERVICE JOURNEY INTERCHANGES.	114
32	Specification of a rendez-vous (time and place) for any journey that can meet the appointment.	115
32.1.2	Interchange Rule	133
32.1.3	Coupled Journey	144
32.1.4	Flexible Service	165
33	BOOKING ARRANGEMENT describing, for on demand service, the type of booking (online, CallOffice, CallDriver, etc.), how long in advance of departure day or time a service may be ordered, etc.....	167
34	CONTACT DETAILS providing URL, phone number, mail, etc. in order to book the service or to get information.....	167
34.1.2	Dated Journey	174
34.1.3	Passing Times	182
34.1.4	Passenger at Stop Times	191
34.1.5	Call	195
35	PASSING TIMEs , grouped by arrival and departure;.....	195
36	Stop usage information (passthrough, no boarding, etc.);	195
37	DESTINATION DISPLAY and VIA information;	195
38	STOP ASSIGNMENTs to specific QUAYs i.e. platforms;.....	195
39	Visit number (order within the VEHICLE JOURNEY , including repeated visits); .	195
40	Referenced entities and their derived properties, such as SCHEDULED STOP POINT, JOURNEY PARTs, SERVICE JOURNEY INTERCHANGES, SERVICE LINKs, etc;	196
41	Onward SERVICE LINKs for the route that is being followed.....	196
42	NOTICEs relating to the stop.....	196
42.1.2	Dated Call	217

CEN/TS 16614-2:2026 (E)

43	NOTICES relating to the CALL	217
43.2	Journey Assignment	219
43.2.1	Journey Accounting	219
43.2.2	Deck Plan Assignment	224
43.2.3	Deck Entrance Assignment	228
43.2.4	Stopping Position Assignment	232
43.2.5	Train Component Label Assignment	234
43.2.6	Vehicle Journey Stop Assignment	237
43.2.7	RestrictedServiceFacilitySet	240
44	Vehicle Scheduling	242
44.1	Vehicle Scheduling – Model dependencies	242
44.2	Vehicle Scheduling	244
44.2.1	Vehicle Schedule Frame	244
44.2.2	Vehicle Service	246
44.2.3	Train Service	260
44.2.4	Recharging Plan	263
Annex A	(informative) Monitoring & Control (Transmodel Part4)	270
A.1	Introduction	270
A.2	Monitoring & Control	270
A.2.1	Monitored Vehicle Journey	270
A.2.2	Dated Passing Times – Physical Model	277
A.3	Occupancy	283
A.3.1	Vehicle Occupancy	283
A.3.2	Deck Occupancy	290
A.3.3	Occupancy View	295
Annex B	(informative) Driver Scheduling (Transmodel Part7)	304
B.1	Introduction	304
B.2	Driver Scheduling	304
B.2.1	Driver Schedule Frame	304
B.2.2	Time Allowance	309
B.2.3	Duty	311
B.2.4	Duty Stretch	316
B.2.5	Driver Trip	318
Annex C	(informative) Changes in NeTEx Version 2.0	323
C.1	Introduction	323
C.2	General Changes	323
C.3	List of changes	323
C.4	Github pull Requests	324
	Bibliography	326

European foreword

This document (CEN/TS 16614-2:2026) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede CEN/TS 16614-2:2019.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

CEN/TS 16614-2:2026 (E)**0 Introduction****0.1 General**

Public transport services rely increasingly on information systems to ensure reliable, efficient operation and widely accessible, accurate passenger information. These systems are used for a range of specific purposes: setting schedules and timetables; managing vehicle fleets; issuing tickets and receipts; providing real-time information on service running, and so on.

This document specifies a Network and Timetable Exchange (NeTEx) about public transport. It is intended to be used to exchange static data relating to public transport between the systems of PT organisations. It can also be seen as a complement to the SIRI (Service Interface for Real-time Information) standard, as SIRI needs a prior exchange of reference data from NeTEx's scope to provide the necessary context for the subsequent exchange of a real-time data.

Well-defined, open interfaces have a crucial role in improving the economic and technical viability of public transport Information Systems of all kinds. Using standardised interfaces, systems can be implemented as discrete pluggable modules that can be chosen from a wide variety of suppliers in a competitive market, rather than as monolithic proprietary systems from a single supplier. Interfaces also allow the systematic automated testing of each functional module, vital for managing the complexity of increasing large and dynamic systems. Furthermore, individual functional modules can be replaced or evolved, without unexpected breakages of obscurely dependent function.

This standard will improve a number of features of public transport information and service management: Interoperability – the standard will facilitate interoperability between information processing systems of the transport operators by: (i) introducing common architectures for message exchange; (ii) introducing a modular set of compatible information services for real-time vehicle information; (iii) using common data models and schemas for the messages exchanged for each service; and (iv) introducing a consistent approach to data management.

Technical advantages include the following: reusing a common communication layer shared with SIRI for all the various technical services enables cost-effective implementations, and makes the standard readily extensible in future.

NeTEx is dedicated to the exchange of scheduled data (network, timetable and fare information) based on Transmodel V6.2 (EN 12986), and SIRI (CEN/TS 15531-4/5 and EN 15531-1/2/3) and supports information exchange of relevance to public transport services for passenger information and Automated Vehicle Monitoring Systems (AVMS).

NOTE Many NeTEx concepts are taken directly from Transmodel. The definitions and explanation of these concepts are extracted directly from the respective standards and reused in NeTEx, sometimes with further adaptations in order to fit the NeTEx context.

The data exchanges targeted by NeTEx are predominantly oriented towards passenger information and also for data exchange between public transport scheduling systems and AVMS. However it is not restricted to these purposes, and NeTEx can provide an effective solution to many other use cases for transport data exchange.

0.2 Transport modes

All mass public transport modes are taken into account by NeTEx, including train, bus, coach, metro, tramway, ferry, and their submodes. It is possible to describe airports and air journeys, but there has not been any specific consideration of any additional requirements that apply specifically to air transport.

such modes may be operated, conventionally according to a fixed timetable, or flexibly as demand responsive services.

Additionally, NeTEx v2.0 takes into account the alternative modes of operation such as cycle hire, taxis, car-pooling, ride sharing. They have both network (i.e., places where services may be accessed), service (i.e., the available services and how to book them), and fare aspects (i.e., the costs of different services).

NeTEx v2.0 distinguishes the following types of 'mode of operation':

- conventional mode of operation: the legacy method of operation which is provided as a scheduled and/or flexible publicly advertised flexible transport offer. This method of operation is either following a fixed schedule and fixed routes or linked to a fixed network/schedule but offering flexibility, in order for instance, to optimise the service or to satisfy passenger demand;
- alternative mode of operation: any publicly advertised mode of operation different from the conventional mode of operation, in particular vehicle sharing, vehicle rental and vehicle pooling; and
- personal mode of operation: a private mode of transport excluding any publicly advertised use.

0.3 Compatibility with existing standards and recommendations

The concepts covered in NeTEx that relate in particular to long-distance train travel include; rail operators and related organisations; stations and related equipment; journey coupling and journey parts; train composition and facilities; planned passing times; timetable versions and validity conditions.

In the case of long distance train the NeTEx takes into account the requirements formulated by the ERA (European Rail Agency) – TAP/TSI (Telematics Applications for Passenger/ Technical Specification for Interoperability, entered into force on 13 May 2011 as the Commission Regulation (EU) No 454/2011), based on UIC directives.

As regards the other exchange protocols, a formal compatibility is ensured with TransXChange (UK), VDV 452 (Germany), NEPTUNE (France), UIC Leaflet, BISON (Netherland) and NOPTIS (Nordic Public Transport Interface Standard).

The data exchange is possible either through dedicated web services, through data file exchanges, or using the SIRI exchange protocol as described in part 2 of the SIRI documentation.

CEN/TS 16614-2:2026 (E)**1 Scope**

This document presents Part 2 of the European Technical Specification known as “NeTEx”. NeTEx provides a framework for specifying communications and data exchange protocols for organisations wishing to exchange scheduled Information relating to public transport operations. As defined by Transmodel, 'Public transport' has to be understood as services advertised and available for use by the general public carried out by any means of transport.

This Technical Specification is made up of six parts defining a single European Standard, which provides a complete exchange format for public transport networks, timetable description and fare information.

Part 1 is the description of the public transport network topology exchange format. It also contains use case shared with part 2, and modelling rules and the description of a framework shared by all parts.

Part 2 is the description of the scheduled timetables exchange format.

Part 3 is the description of the fare information exchange format.

Part 4 is the description of the European passenger information profile.

Part 5 is the description of the alternative modes exchange format.

Part 6 is the description of the European passenger information accessibility profile.

Part 1 is fully standalone, and parts 2, 3, 4, 5 and 6 rely on Part 1 and possibly any previous part..

The XML schema can be downloaded from <http://netex-cen.eu> (or directly from <https://github.com/NeTEx-CEN/NeTEx>), along with available guidance on its use, example XML files, and case studies of national and local deployments.

This document is highly technical, and a special care has been taken to keep the text readable. In particular a set of formatting conventions is followed that enhances the usual CEN writing rules in order to distinguish references to elements of the formal models within text:

Transmodel terms and NeTEx conceptual model elements are in capital letters (JOURNEY PATTERN for example).

NeTEx physical model names are in bold italic font and use CamelCase style with no spaces (JourneyPattern, for example).

NeTEx physical model attribute types are in italic font and use CamelCase style with no spaces (TypeOfEntity, for example).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TS 16614-1, *Public transport — Network and Timetable Exchange (NeTEx) — Part 1: Public transport network topology exchange format*

koniec náhľadu – text ďalej pokračuje v platenej verzii STN