

	Používání SPD v spojení so zariadením triedy ochrany II.	TNI CLC/TR 50656 34 1397
--	---	--

SPD application in conjunction with Class II equipment

Táto technická normalizačná informácia obsahuje anglickú verziu CLC/TR 50656:2016.
This Technical standard information includes the English version of CLC/TR 50656:2016.

Táto technická normalizačná informácia bola oznámená vo Vestníku ÚNMS SR č. 09/16

123460

TECHNICAL REPORT

CLC/TR 50656

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

March 2016

ICS 29.120.50

English Version

SPD application in conjunction with Class II equipment

Parafoudres destinés à être utilisés avec des équipements
classe II

SPD Anwendungen in Verbindung mit Schutzklasse II

This Technical Report was approved by CENELEC on 2015-12-14.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
3.1 SPD assembly one SPD or a set of SPDs, in both case including all SPD disconnectors required by the SPD manufacturer, providing the required overvoltage protection for a type of system earthing	5
3.2 extraneous conductive part conductive part not forming part of the electrical installation and liable to introduce an electric potential, generally the electric potential of a local earth	5
3.3 functional earth	5
3.4 class II SPD	6
3.5 protective earthing	6
3.6 protective conductor	6
3.7 protective earthing conductor	6
4 SPDs connected to PE for the protection of Class II equipments	6
4.1 General	6
4.2 TN System	8
4.3 TT System	9
4.4 IT System	10
4.5 Example of lighting pole surge protection connected to PE	11
5 SPDs not connected to PE for the protection of Class II equipments	11
5.1 General	11
5.2 Examples	12
6 Additional requirements for SPDs to comply with equipment class II design rules (Double or reinforced insulation)	14
6.1 General	14
6.2 Requirements for basic protection (protection against direct contact) and fault protection (protection against indirect contact)	15
6.2.1 Class II SPD	15
6.2.2 Enclosures	16
Annex A (normative) Test to establish whether a conductive part may cause an electric shock	18

European foreword

This document (CLC/TR 50656:2016) has been prepared by CLC/TC 37A “Low voltage surge protective devices”.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Introduction

Based on questions and requests from the field it was felt necessary to provide some guidance and instructions how and in which applications currently available SPDs according to EN 61643-11 can be correctly and safely applied in conjunction with class II equipment and in installations, where the protective measure double or reinforced insulation is applied (see HD 60364-4-41 and EN 61140).

In general current SPDs according EN 61643-11 are designed to properly protect wherever:

- basic insulation is required e.g. between active parts and the protective equipotential bonding system (PE) (the SPD bridges basic insulation in such applications);
- basic or functional insulation is required e.g. between active parts of different potential (the SPD bridges basic or functional insulation in such applications).

The requirements currently contained in EN 61643-11 do not cover requirements for SPD applications, where the SPD bridges double or reinforced insulation, like e.g. between primary and secondary side of an isolating transformer (protective separation) or between active parts and touchable conductive surfaces of class II equipment.

There are attempts to develop requirements for such SPDs, but for the time being there is no defined solution.

This document refers to HD 60364-4-41 for topics related to installation rules and to EN 62368-1 for some equipments related topics.

This document specially addresses installation issues related to street lighting.

1 Scope

In addition to CLC/TS 61643-12, this Technical Report describes the principle of erecting SPDs to be connected to 50 Hz a.c. power circuits, rated up to 1 000 V r.m.s. in conjunction with Class II equipments.

In addition to EN 61643-11, this Technical Report gives specific guidance for SPDs intended to be installed in class II equipments.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50539-11:2013, *Low-voltage surge protective devices - Surge protective devices for specific application including d.c. - Part 11: Requirements and tests for SPDs in photovoltaic applications*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*¹

EN 60664-1, *Insulation coordination for equipment within low-voltage systems — Part 1: Principles, requirements and tests (IEC 60664-1)*²

EN 60950-1, *Information technology equipment — Safety — Part 1: General requirements (IEC 60950-1)*³

EN 61643-11:2012, *Low-voltage surge protective devices — Part 11: Surge protective devices connected to low-voltage power systems — Requirements and test methods (IEC 61643-11:2011)*⁴

EN 62368-1:2014, *Audio/video, information and communication technology equipment — Part 1: Safety requirements (IEC 62368-1:2014, modified)*⁵

HD 60364 (all parts), *Low-voltage electrical installations (IEC 60364, all parts)*⁶

1

http://www.cenelec.eu/dyn/www/f?p=104:110:695920932773601:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1258025,43747,25

2

http://www.cenelec.eu/dyn/www/f?p=104:110:379108178804401:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1258497,50513,25

3

http://www.cenelec.eu/dyn/www/f?p=104:110:1457986987015001:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1257189,53711,25

4

http://www.cenelec.eu/dyn/www/f?p=104:110:592568428155801:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1258617,43963,25

5

http://www.cenelec.eu/dyn/www/f?p=104:110:785888442943801:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1257189,60205,25

6

http://www.cenelec.eu/dyn/www/f?p=104:110:437816408653901:::FSP_ORG_ID,FSP_PROJECT,FSP_LANG_ID:1257163,57623,25

koniec náhľadu – text ďalej pokračuje v platenej verzii STN