

<b>STN</b>	<b>Elektrické prístroje na detekciu horľavých plynov v domácnostiach Časť 1: Skúšobné metódy a požiadavky na prevádzkové vlastnosti</b>	<b>STN EN 50194-1</b>
		37 8370

Electrical apparatus for the detection of flammable gases in household premises - Part 1: Test methods and performance requirements

Táto norma obsahuje anglickú verziu európskej normy.  
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 12/23

Obsahuje: EN 50194-1:2023

Oznámením tejto normy sa od 14.08.2026 ruší  
STN EN 50194-1 (37 8370) z júna 2009

**137838**

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 50194-1**

October 2023

ICS 13.320

Supersedes EN 50194-1:2009

English Version

**Electrical apparatus for the detection of flammable gases in  
household premises - Part 1: Test methods and performance  
requirements**

Matériaux électriques pour la détection des gaz  
inflammables dans les locaux à usage domestique -  
Partie 1: Méthodes d'essai et exigences d'aptitude à la  
fonction

Elektrische Geräte für die Detektion von brennbaren Gasen  
in Wohnhäusern - Teil 1: Prüfverfahren und Anforderungen  
an das Betriebsverhalten

This European Standard was approved by CENELEC on 2023-08-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

	Page
<b>European foreword .....</b>	<b>5</b>
<b>Introduction .....</b>	<b>6</b>
<b>1 Scope .....</b>	<b>7</b>
<b>2 Normative references .....</b>	<b>8</b>
<b>3 Terms and definitions .....</b>	<b>8</b>
<b>4 Symbols and abbreviations .....</b>	<b>10</b>
<b>5 Design requirements .....</b>	<b>11</b>
<b>5.1 General requirements .....</b>	<b>11</b>
<b>5.2 Construction .....</b>	<b>11</b>
<b>5.3 Visual indicators .....</b>	<b>11</b>
<b>5.4 Alarms .....</b>	<b>12</b>
<b>5.5 End-of-life .....</b>	<b>12</b>
<b>5.5.1 General .....</b>	<b>12</b>
<b>5.5.2 Prediction of end-of-life .....</b>	<b>12</b>
<b>5.5.3 Inbuilt testing of end-of-life .....</b>	<b>12</b>
<b>5.5.4 End-of-life fault warnings .....</b>	<b>12</b>
<b>5.6 Fault warnings .....</b>	<b>13</b>
<b>5.7 Transmittable output signal (applicable for type A and type C apparatus only) .....</b>	<b>13</b>
<b>5.8 Software-controlled apparatus .....</b>	<b>13</b>
<b>5.9 Labelling .....</b>	<b>13</b>
<b>5.10 Requirements for the use of batteries .....</b>	<b>14</b>
<b>5.10.1 Battery low voltage warning .....</b>	<b>14</b>
<b>5.10.2 Battery capacity .....</b>	<b>14</b>
<b>5.10.3 Battery reversal .....</b>	<b>14</b>
<b>5.10.4 Battery connections .....</b>	<b>14</b>
<b>5.10.5 Battery removal feature .....</b>	<b>15</b>
<b>5.11 Inter-connectable apparatus .....</b>	<b>15</b>
<b>5.12 Back-up power source .....</b>	<b>15</b>
<b>5.12.1 General .....</b>	<b>15</b>
<b>5.12.2 Monitoring of back-up power source .....</b>	<b>16</b>
<b>6 Test and performance requirements .....</b>	<b>16</b>
<b>6.1 General requirements for tests .....</b>	<b>16</b>
<b>6.1.1 Test samples for type testing .....</b>	<b>16</b>
<b>6.1.2 Preparation of samples .....</b>	<b>17</b>
<b>6.1.3 Use of mask for testing .....</b>	<b>17</b>
<b>6.1.4 Test chamber .....</b>	<b>17</b>
<b>6.1.5 Unpowered storage .....</b>	<b>17</b>
<b>6.2 Normal conditions for tests .....</b>	<b>17</b>
<b>6.2.1 General .....</b>	<b>17</b>
<b>6.2.2 Test gases for alarm testing .....</b>	<b>18</b>
<b>6.2.3 Speed of air and test gas .....</b>	<b>18</b>
<b>6.2.4 Power supply .....</b>	<b>18</b>
<b>6.2.5 Temperature .....</b>	<b>18</b>
<b>6.2.6 Humidity .....</b>	<b>18</b>
<b>6.2.7 Pressure .....</b>	<b>18</b>
<b>6.3 Test methods and performance requirements .....</b>	<b>18</b>
<b>6.3.1 General .....</b>	<b>18</b>
<b>6.3.2 Transmittable output signal .....</b>	<b>19</b>

6.3.3	Alarm set point .....	19
6.3.4	Alarm during warm-up time.....	19
6.3.5	Response time .....	19
6.3.6	Temperature effects .....	20
6.3.7	Humidity effects.....	20
6.3.8	Air velocity test.....	20
6.3.9	Supply voltage variations (mains powered apparatus only) .....	20
6.3.10	Electromagnetic compatibility .....	21
6.3.11	Slow increase of gas volume ratio .....	21
6.3.12	Effects of other gases .....	21
6.3.13	Long term stability .....	22
6.3.14	Ignition test .....	22
6.3.15	Refrigerant poisoning and oil spray test (for Type C apparatus only) .....	23
6.3.16	Alarm sound level.....	23
6.3.17	Degree of protection .....	24
6.3.18	Mechanical strength.....	24
6.3.19	Stability in high humidity test (for type C apparatus).....	24
6.3.20	Stability to low humidity test (for type C apparatus) .....	25
7	Apparatus using radio links .....	25
7.1	General .....	25
7.1.1	General .....	25
7.1.2	RF range and reproducibility tests .....	25
7.1.3	Failure of radio link .....	25
7.1.4	Identification codes .....	25
7.1.5	Environmental requirements.....	25
7.2	Radio link tests .....	26
7.2.1	RF Range .....	26
7.2.2	Failure of radio link tests .....	26
7.2.3	Identification codes verification tests .....	26
7.2.4	Environmental tests .....	27
8	Self-contained battery powered apparatus.....	27
8.1	Battery low voltage warning.....	27
8.1.1	General .....	27
8.1.2	Test .....	27
8.1.3	Performance requirements.....	28
8.2	Battery capacity .....	28
8.2.1	General .....	28
8.2.2	Assessment .....	28
8.2.3	Performance requirements.....	28
8.3	Battery reversal .....	28
8.3.1	General .....	28
8.3.2	Test .....	28
8.3.3	Performance requirements.....	28
8.4	Battery connections with flexible leads only.....	29
8.4.1	General .....	29
8.4.2	Test .....	29
8.4.3	Performance requirements.....	29
8.5	Back-up power source .....	29
8.5.1	Objective.....	29
8.5.2	Test .....	29
8.5.3	Performance requirements.....	29
9	User instructions .....	30
9.1	General .....	30
9.2	Instructions for apparatus with replaceable sensor .....	31
9.3	Instructions on location of the gas detection apparatus .....	31

**EN 50194-1:2023 (E)**

<b>9.4</b>	<b>Instructions on emergency actions .....</b>	<b>31</b>
<b>10</b>	<b>Packaging .....</b>	<b>32</b>
<b>Annex A (informative) Test arrangement schematics for sound level test .....</b>		<b>33</b>
<b>Annex B (informative) Calculation of the expected battery service life.....</b>		<b>34</b>
<b>B.1</b>	<b>General requirements.....</b>	<b>34</b>
<b>B.2</b>	<b>Example .....</b>	<b>34</b>
<b>Annex C (informative) Clarification of the Type A, Type B, Type C and Type D apparatus.....</b>		<b>36</b>
<b>Bibliography .....</b>		<b>37</b>

## European foreword

This document (EN 50194-1:2023) has been prepared by CLC/TC 216 "Gas detectors", the secretariat of which is held by BSI.

The following dates are fixed:

- latest date by which this document has to be (dop) 2024-08-14 implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards (dow) 2026-08-14 conflicting with this document have to be withdrawn

This document supersedes EN 50194-1:2009 and all of its amendments and corrigenda (if any).

EN 50194-1:2023 includes the following significant technical changes with respect to EN 50194-1:2009:

Description	Clause
This document has been completely revised following the structure of EN 50291-1:2018	All
End of Life indicator has been made mandatory and shall include an audible and visible warning	5.5
Guidance has been added for assessing battery capacity and expected life	8.2
Requirements for mains powered alarms with back-up supply have been added	8.5
The number of potential interference gases has been increased	
Tests have been added for an optional alarm silence facility	
Requirements have been added for apparatus using radio links	Clause 7
Added requirements for the use of batteries	5.10
Annex B has been added	Annex B
New requirement to comply with EN 50271 Standard for software	5.8
Defined type C apparatus for refrigerant gases	Clause 1
Bibliography has been added	
Annex C "A-deviations" has been removed	
Tests for stability in high humidity (non-condensing) and low humidity for Type C apparatus has been added	6.3.19 and 6.3.20
Ignition test for Hydrogen and Type C apparatus has been added	6.3.14
Tests for refrigerant poisoning and oil spray for Type C apparatus has been added	6.3.15
Revision of the Normative references	Clause 2

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

**EN 50194-1:2023 (E)**

## Introduction

This document defines test methods and performance requirements for all electrical gas detection apparatus used in residential and household premises by means of measurement of one or more threshold alarm levels. It is addressed to the manufacturers of such apparatus and test laboratories which validate it.

This document is an updated revision of the previous EN 50194-1 issued in 2009 and includes some new concepts of detection:

The term of “domestic” has been implemented in “household premises” in order to include further applications, i.e. shops, offices, hotel rooms, residential premises and in general where household appliances are installed (as defined in IEC/EN 60335-1).

This document implements a new range of the flammable gases to be detected. In the premises within the scope of this document, also flammable refrigerant gases, R-717 (Ammonia) at LFL level and Hydrogen in fuel cells applications may be present and are thus necessary to consider.

Finally, the document structure has been completely revised in order to align this revision with the similar standard EN 50291-1:2018 for Carbon Monoxide and other new standards concerning digital and software technologies.

## 1 Scope

This document specifies general requirements for the construction, testing and performance of electrically operated apparatus for the detection of flammable gases, designed for continuous operation in a fixed installation in household premises. The apparatus can be mains or battery powered.

Additional requirements for apparatus to be used in recreational vehicles and similar premises are specified in EN 50194-2.

NOTE For caravan holiday homes EN 50194-1 applies.

This document specifies four types of apparatus to warn and/or alarm in the event of an escape of town gas, natural gas or liquefied petroleum gas (LPG), Hydrogen and flammable refrigerant gases:

- Type A apparatus – provides a visual and audible alarm and an executive action in the form of an output signal that can actuate directly or indirectly a shut-off device and/or other ancillary device in the event of an escape of town gas, natural gas (LNG) liquefied petroleum gas (LPG) and Hydrogen gases;
- Type B apparatus – same as Type A but provides a visual and audible alarm only;
- Type C apparatus – provides a visual and audible alarm and an executive action in the form of an output signal that can actuate directly or indirectly a shut-off device and/or other ancillary device in the event of an escape of flammable refrigerant gas A2L, A2 or A3 as classified in other International Standards, e.g. ISO 817;
- Type D apparatus – intended to be installed where there can be a source of danger to the public, designed for continuous operation in fixed installations in non-classified explosive atmosphere premises (where the requirements for electrical Ex-safety are not requested). Intended for any flammable gases.

Typically Type D apparatus are available with analogue or digital output, designed as detection system. These systems are regularly maintained by competent persons and/or have a protection of IP44 or higher.

For type D apparatus, EN 60079-29-1 is applied.

See Annex C for further clarification on the apparatus types and their application.

NOTE Apparatus complying with this document is not considered suitable for installation in potentially explosive atmospheres, in which case the EN 60079 series applies.

NOTE Apparatus complying with EN 60079-29-1 will not necessarily comply with this document.

This document does not apply to any of the following:

- apparatus intended for the detection of dusts or mists in air;
- scientific or laboratory-based apparatus used only for analysis or measurement;
- apparatus used exclusively for process measurement purposes;
- apparatus for medical purposes;
- apparatus used for breath alcohol measurement;
- apparatus intended for the direct measurement of automotive exhaust gases;
- apparatus intended for use in industrial environments.

**EN 50194-1:2023 (E)****2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 437:2021, *Test gases. Test pressures. Appliance categories*

EN 1775, *Gas supply - Gas pipework for buildings - Maximum operating pressure less than or equal to 5 bar - Functional recommendations*

EN 50244:2016, *Electrical apparatus for the detection of combustible gases in domestic premises - Guide on the selection, installation, use and maintenance*

EN 50270, *Electromagnetic compatibility - Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen*

EN 50271, *Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen - Requirements and tests for apparatus using software and/or digital technologies*

EN 60335-1:2002, *Household and similar electrical appliances - Safety - Part 1: General requirements*

EN 60335-1:2012, *Household and similar electrical appliances – Safety - Part 1: General requirements*

IEC 60335-2-40:2022, *Household and similar electrical appliances. Safety - Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

EN 60704-1:2010, *Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 1: General requirements (IEC 60704-1:2010)*

**koniec náhľadu – text ďalej pokračuje v platenej verzii STN**