ICS 17.220.20 SLOVENSKÁ TECHNICKÁ NORMA Február 2025

STN	**Prístrojové transformátory** **Časť 1: Všeobecné požiadavky**	**STN** **EN IEC 61869-1** 35 1309

Instrument transformers - Part 1: General requirements

Táto norma obsahuje anglickú verziu európskej normy.
This standard includes the English version of the European Standard.

Táto norma bola oznámená vo Vestníku ÚNMS SR č. 01/25

Obsahuje: EN IEC 61869-1:2024, IEC 61869-1:2023

Oznámením tejto normy sa od 31.10.2027 ruší
STN EN 61869-1 (35 1309) z apríla 2010

STN EN 61869-6 (35 1309) z júna 2017

obsahuje farebné strany

139851

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 61869-1

October 2024

ICS 17.220.20

Supersedes EN 61869-1:2009; EN 61869-6:2016

English Version

Instrument transformers - Part 1: General requirements (IEC 61869-1:2023)

Transformateurs de mesure - Partie 1: Exigences générales (IEC 61869-1:2023)

Messwandler - Teil 1: Allgemeine Anforderungen (IEC 61869-1:2023)

This European Standard was approved by CENELEC on 2024-09-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Ref. No. EN IEC 61869-1:2024 E

European foreword

The text of document 38/718/FDIS, future edition 2 of IEC 61869-1, prepared by TC 38 "Instrument Transformers" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61869-1:2024.

The following dates are fixed:

• latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2025-10-31
• latest date by which the national standards conflicting with the document have to be withdrawn	(dow)	2027-10-31

This document supersedes EN 61869-1:2009 and EN 61869-6:2016 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61869-1:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60255-1:2009	NOTE Approved as EN 60255-1:2010 (not modified)
IEC 60255-27:2013	NOTE Approved as EN 60255-27:2014 (not modified)
IEC 60664-1	NOTE Approved as EN IEC 60664-1
IEC 60695-1-30	NOTE Approved as EN 60695-1-30
IEC 60695-7-1	NOTE Approved as EN 60695-7-1
IEC 60721-2-6	NOTE Approved as EN IEC 60721-2-6
IEC 60812	NOTE Approved as EN IEC 60812
IEC 61000 (series)	NOTE Approved as EN IEC 61000 (series)
IEC 61000-4-7	NOTE Approved as EN 61000-4-7
IEC 61000-6-5	NOTE Approved as EN 61000-6-5
IEC 61025	NOTE Approved as EN 61025
IEC 61754-2	NOTE Approved as EN 61754-2
IEC 61754-20	NOTE Approved as EN 61754-20

IEC 62262	NOTE Approved as EN 62262
IEC 62271-1:2017	NOTE Approved as EN 62271-1:2017 (not modified)

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 60060-1	-	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	-
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-11	-	Environmental testing - Part 2-11: Tests - Test Ka: Salt mist	EN IEC 60068-2-11	-
IEC 60068-2-17	-	Environmental testing - Part 2-17: Tests - Test Q: Sealing	EN IEC 60068-2-17	-
IEC 60068-2-27	2008	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	2009
IEC 60068-2-47	-	Environmental testing - Part 2-47: Test - Mounting of specimens for vibration, impact and similar dynamic tests	EN 60068-2-47	-
IEC 60068-2-57	2013	Environmental testing - Part 2-57: Tests - Test Ff: Vibration - Time-history and sine-beat method	EN 60068-2-57	2013
IEC 60068-2-75	-	Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	-
IEC 60068-2-78	2012	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	2013
IEC 60068-3-3	2019	Environmental testing - Part 3-3: Supporting documentation and guidance - Seismic test methods for equipment	EN IEC 60068-3-3	2019
IEC 60071-1	2019	Insulation co-ordination - Part 1: Definitions, principles and rules	EN IEC 60071-1	2019
IEC 60071-2	2018	Insulation co-ordination - Part 2: Application guidelines	EN IEC 60071-2	2018

IEC 60085	-	Electrical insulation - Thermal evaluation and designation	EN 60085	-
IEC 60270	2000	High-voltage test techniques - Partial discharge measurements	EN 60270	2001
+ A1	2015		+ A1	2016
IEC 60296	-	Fluids for electrotechnical applications - Mineral insulating oils for electrical equipment	EN IEC 60296	-
IEC 60376	-	Specification of technical grade sulphur hexafluoride (SF_6) and complementary gases to be used in its mixtures for use in electrical equipment	EN IEC 60376	-
IEC 60455	series	Resin based reactive compounds used for electrical insulation	EN IEC 60455	series
IEC 60475	-	Method of sampling insulating liquids	EN IEC 60475	-
IEC 60480	-	Specification for the re-use of sulphur hexafluoride (SF_6) and its mixtures in electrical equipment	EN IEC 60480	
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60603-7-1	-	Connectors for electronic equipment - Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors	EN 60603-7-1	-
IEC 60695-1-10	-	Fire hazard testing - Part 1-10: Guidance for assessing the fire hazard of electrotechnical products - General guidelines	EN 60695-1-10	-
IEC 60695-1-11	-	Fire hazard testing - Part 1-11: Guidance for assessing the fire hazard of electrotechnical products - Fire hazard assessment	EN 60695-1-11	-
IEC 60794-2	2017	Optical fibre cables - Part 2: Indoor cables - Sectional specification	EN 60794-2	2017
IEC 60794-3	-	Optical fibre cables - Part 3: Outdoor cables - Sectional specification	EN IEC 60794-3	-
IEC/TS 60815-1	2008	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles	-	-
IEC/TS 60815-2	2008	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 2: Ceramic and glass insulators for a.c. systems	-	-
IEC/TS 60815-3	2008	Selection and dimensioning of high-voltage insulators intended for use in polluted conditions - Part 3: Polymer insulators for a.c. systems	-	-

IEC 60867	-	Insulating liquids - Specifications for unused liquids based on synthetic aromatic hydrocarbons	EN IEC 60867	-
IEC/TR 61000-4-1	-	Electromagnetic compatibility (EMC) - Part 4-1: Testing and measurement techniques - Overview of IEC 61000-4 series		
IEC 61000-4-2	-	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	-
IEC 61000-4-3	-	Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN IEC 61000-4-3	-
IEC 61000-4-4	-	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	-
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
+ A1			+ A1	2017
IEC 61000-4-6	-	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	-
IEC 61000-4-8	-	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	-
IEC 61000-4-9	-	Electromagnetic compatibility (EMC) - Part 4-9: Testing and measurement techniques - Impulse magnetic field immunity test	EN 61000-4-9	-
IEC 61000-4-10	-	Electromagnetic compatibility (EMC) - Part 4-10: Testing and measurement techniques - Damped oscillatory magnetic field immunity test	EN 61000-4-10	-
IEC 61000-4-11	-	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase	EN IEC 61000-4-11	-
IEC 61000-4-13	-	Electromagnetic compatibility (EMC) - Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests	EN 61000-4-13	-
IEC 61000-4-16	-	Electromagnetic compatibility (EMC) - Part 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz	EN 61000-4-16	-

IEC 61000-4-17	-	Electromagnetic compatibility (EMC) - Part 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test	EN 61000-4-17	-
IEC 61000-4-18	2019	Electromagnetic compatibility (EMC) - Part 4-18: Testing and measurement techniques - Damped oscillatory wave immunity test	EN IEC 61000-4-18	2019
IEC 61000-4-29	-	Electromagnetic compatibility (EMC) - Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	EN 61000-4-29	-
IEC 61000-6-4	2018	Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments	EN IEC 61000-6-4	2019
IEC 61076-2-101	-	Connectors for electronic equipment - Product requirements - Part 2-101: Circular connectors - Detail specification for M12 connectors with screw-locking	EN 61076-2-101	-
IEC 61083-1	-	Instruments and software used for measurements in high-voltage and high-current tests - Part 1: Requirements for instruments for impulse tests	EN 61083-1	-
IEC 61099	-	Insulating liquids - Specifications for unused synthetic organic esters for electrical purposes	EN 61099	-
IEC 61181	-	Mineral oil-filled electrical equipment - Application of dissolved gas analysis (DGA) to factory tests on electrical equipment	EN 61181	-
IEC 61462	-	Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with AC rated voltage greater than 1 000 V AC and D.C. voltage greater than 1500V - Definitions, test methods, acceptance criteria and design recommendations	EN IEC 61462	-
IEC 61850-7-4	-	Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes	EN 61850-7-4	-
IEC 61869-9	2016	Instrument transformers - Part 9: Digital interface for instrument transformers	EN IEC 61869-9	2019
IEC 61869-99	-	Instrument transformers - Part 99: Glossary	EN IEC 61869-99	-
IEC 62155	-	Hollow pressurized and unpressurized ceramic and glass insulators for use in electrical equipment with rated voltages greater than 1 000 V	EN 62155	-

EN IEC 61869-1:2024 (E)

IEC 62217	2012	Polymeric HV insulators for indoor and outdoor use - General definitions, test methods and acceptance criteria	EN 62217	2013
IEC 62271-4	2022	High-voltage switchgear and controlgear - Part 4: Handling procedures for gases for insulation and/or switching	EN IEC 62271-4	2022
IEC 62271-100	-	High-voltage switchgear and controlgear - Part 100: Alternating-current circuit-breakers	EN IEC 62271-100	-
IEC 62271-203	2022	High-voltage switchgear and controlgear - Part 203: AC gas-insulated metal-enclosed switchgear for rated voltages above 52 kV	EN IEC 62271-203	2022
IEC 62770	-	Fluids for electrotechnical application – Unused natural esters for transformers and similar electrical equipment	EN IEC 62772	-
IEC 63012	-	Insulating liquids - Unused modified or blended esters for electrotechnical applications	EN IEC 63012	-
ISO 4628-3	-	Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 3: Assessment of degree of rusting	EN ISO 4628-3	-
ISO 22479	-	Corrosion of metals and alloys - Sulfur dioxide test in a humid atmosphere (fixed gas method)	EN ISO 22479	-
CISPR/TR 18-2	-	Radio interference characteristics of overhead power lines and high-voltage equipment - Part 2: Methods of measurement and procedure for determining limits	-	-
ISO/IEC/IEEE 21451-4	-	Information technology - Smart transducer interface for sensors and actuators - Part 4: Mixed-mode communication protocols and Transducer Electronic Data Sheet (TEDS) formats	-	-

IEC 61869-1

Edition 2.0 2023-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Instrument transformers – Part 1: General requirements

Transformateurs de mesure – Partie 1: Exigences générales

IEC 61869-1:2023-06(en-fr)

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

INSTRUMENT TRANSFORMERS –

Part 1: General requirements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61869-1 has been prepared by IEC technical committee 38: Instrument transformers. It is an International Standard.

This second edition cancels and replaces the first edition published in 2007 and IEC 61869-6:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) merger with IEC 61869-6:2016;
b) new scope: equipment for HV applications with a nominal voltage > 1 kV AC or 1,5 kV DC;
c) new classification of some special tests as type tests or routine test;
d) additional type tests, additional special tests and new clause for commissioning tests;
e) new annexes E, F, G and I.

The text of this International Standard is based on the following documents:

Draft	Report on voting
38/718/FDIS	38/722/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61869 series, published under the general title *Instrument transformers*, can be found on the IEC website. An overview of the planned or existing set of standards at the date of publication of this document is given below.

The updated list of standards issued by IEC TC 38 is available at the website: https://www.iec.ch

Product family standard	**Product standard**	**Title**
61869-1 General requirements	61869-2	Additional requirements for current transformers
	61869-3	Additional requirements for inductive voltage transformers
	61869-4	Additional requirements for combined transformers
	61869-5	Additional requirements for capacitor voltage transformers
	61869-7	Additional requirements for low-power voltage transformers
	61869-8	Additional requirements for low-power current transformers
	61869-9	Digital interface for instrument transformers
	61869-10	Additional requirements for current sensors
	61869-11	Additional requirements for voltage sensors
	61869-12	Additional requirements for combined low-power instrument transformers
	61869-13	Stand-alone merging unit (SAMU)
	61869-14	Additional requirements for current transformers for DC applications
	61869-15	Additional requirements for voltage transformers for DC applications
	61869-16	TEDS (transducer electronic data sheet) for instrument transformers
	61869-99	Glossary

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is the first revision of IEC 61869-1, defining common requirements for instrument transformers, applicable to all types or technologies.

Furthermore, the document is the result of a merger of IEC 61869-1:2007 (*General requirements*) and IEC 61869-6:2016 (*Additional general requirements for low-power instrument transformers*) with the aim of having one single document and simplify the comprehension for the reader of LPIT product-specific standards.

The main modifications of this revision are listed below:

- new scope: equipment for HV applications with a nominal voltage > 1 kV AC or 1,5 kV DC;
- transfer of the definitions to the TC 38 Glossary IEC 61869-99;
- ratings:
  - addition of HV insulation levels above 800 kV;
  - new DC insulation resistance requirements for secondary terminals;
  - additional accuracy class extensions for harmonics;
- design and construction:
  - additional mechanical requirements for EHV applications;
  - clarification of the altitude correction for external insulation and dielectric tests;
  - multiple chopped impulse test: definition of maximum gas-in-oil level before test;
  - internal arc fault protection: simplification of the acceptance criteria;
  - new requirements for storage climatic conditions withstand capability for LPIT;
- type tests:
  - temperature rise test: more accurate definition of the test duration;
  - lightning impulse test: new test procedure (15 impulses) for gas-insulated and resin-insulated instrument transformers, for U_m ≥ 300 kV;
  - switching impulse test: to be performed in both polarities in case of gas-insulated instrument transformers;
  - chopped wave impulse test: moved from special test to type test;
  - test for accuracy: to be performed with regard to the temperature range and frequency;
  - mechanical test: moved from special test to type test;
  - new specification for storage climatic environmental tests;
- routine tests:
  - partial discharge measurement: addition of record of PD inception voltage and extinction voltage;
  - measurement of capacitance and tanδ: moved from special test to routine test;
- special tests:
  - transmitted overvoltage test: improved test procedure;
  - internal arc fault test: clarified test procedure;
  - new insulation resistance measurement on secondary terminals;
  - new test for resin insulated instrument transformers operating at low temperature;
  - vibration test: improvement and addition of a shock test for parts mechanically coupled to a circuit-breaker;
  - optional tests for accuracy versus harmonics and for anti-aliasing;

- commissioning tests (new clause):
  - new installation inspection;
  - gas dew point test moved from special test to commissioning tests;
  - new recommended insulation test on LV connection up to the LV cubicle;
- rules for transport, storage, erection, operation and maintenance:
  - new mandatory rules for user and manufacturer;
  - new conditions for transportation and storage;
- new annexes:
  - Annex E (informative): technique used in temperature rise test of transformers to determine the thermal time constant by an experimental estimation;
  - Annex F (informative): guidance for the extension of validity of type tests and special tests;
  - Annex G (informative): guidance for the calculation of equivalent diameter in case of irregular shape of insulating part;
  - Annex I (normative): seismic qualification of instrument transformers.

INSTRUMENT TRANSFORMERS –

Part 1: General requirements

1 Scope

This part of IEC 61869 is applicable to newly manufactured instrument transformers intended for applications where the nominal voltage is higher than 1 kV AC or 1,5 kV DC, with an analogue or a digital secondary signal for measuring, protection and control purposes, with rated frequencies from 15 Hz to 400 Hz, or for DC applications.

NOTE 1 A bushing type current transformer, although having no primary insulation level for itself is often placed on a system with a nominal voltage > 1 kV AC or > 1,5 kV DC and therefore falls within the scope of this document. Example: CT placed around an HV bushing or a cable.

The general requirements for instrument transformers for applications in LV systems (nominal voltage ≤ 1 kV AC or ≤ 1,5 kV DC) are covered by IEC 61869-201.

This part of IEC 61869 is a product family standard and covers general requirements only. For each type of instrument transformer, the product standard is composed of this document and the relevant specific product standard.

This part of IEC 61869 contains the requirements for the limits of the errors both for analogue and digital secondary signals. The other characteristics of a digital interface for instrument transformer are standardised in IEC 61869-9 as an application of the IEC 61850 horizontal standard series, covering communication networks and systems for power utility automation.

This part of IEC 61869 considers bandwidth requirements. The accuracy requirements on harmonics and requirements for the anti-aliasing filter are specified in 5.7.

In the case of an LPIT, the general block diagram of single-phase devices is given in Figure 1.

According to the technology, it is not always necessary that all parts described in Figure 1 be included in the instrument transformer.



Figure 1 – General block diagram of single-phase LPITs

NOTE 2 A secondary power supply can be combined with a primary power supply or with a power supply of other instrument transformers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11, *Environmental testing – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-47, *Environmental testing – Part 2-47: Tests – Mounting of specimens for vibration impact and similar dynamic tests*

IEC 60068-2-57:2013, *Environmental testing – Part 2-57: Tests – Test Ff: Vibration – Time-history and sine-beat method*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60068-3-3:2019, *Environmental testing – Part 3-3: Supporting documentation and guidance – Seismic test methods for equipment*

IEC 60071-1:2019, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60071-2:2018, *Insulation co-ordination – Part 2: Application guidelines*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60270:2000, *High-voltage test techniques – Partial discharge measurements*
IEC 60270:2000/AMD1:2015

IEC 60296, *Fluids for electrotechnical applications – Mineral insulating oils for electrical equipment*

IEC 60376, *Specification of technical grade sulphur hexafluoride (SF_6) and complementary gases to be used in its mixtures for use in electrical equipment*

IEC 60455 (all parts), *Resin based reactive compounds used for electrical insulation*

IEC 60475, *Method of sampling insulating liquids*

IEC 60480, *Specifications for the re-use of sulphur hexafluoride (SF_6) and its mixtures in electrical equipment*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60603-7-1, *Connectors for electronic equipment – Part 7-1: Detail specification for 8-way, shielded, free and fixed connectors*

IEC 60695-1-10, *Fire hazard testing – Part 1-10: Guidance for assessing the fire hazard of electrotechnical products – General guidelines*

IEC 60695-1-11, *Fire hazard testing – Part 1-11: Guidance for assessing the fire hazard of electrotechnical products – Fire hazard assessment*

IEC 60794-2:2017, *Optical fibre cables – Part 2: Indoor cables – Sectional specification*

IEC 60794-3, *Optical fibre cables – Part 3: Outdoor cables – Sectional specification*

IEC TS 60815-1:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

IEC TS 60815-2:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 2: Ceramic and glass insulators for a.c. systems*

IEC TS 60815-3:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 3: Polymer insulators for a.c. systems*

IEC 60867, *Insulating liquids – Specifications for unused liquids based on synthetic aromatic hydrocarbons*

IEC TR 61000-4-1, *Electromagnetic compatibility (EMC) – Part 4-1: Testing and measurement techniques – Overview of IEC 61000-4 series*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2014, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*
IEC 61000-4-5:2014/AMD1:2017

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-9, *Electromagnetic compatibility (EMC) – Part 4-9: Testing and measurement techniques – Impulse magnetic field immunity test*

IEC 61000-4-10, *Electromagnetic compatibility (EMC) – Part 4-10: Testing and measurement techniques – Damped oscillatory magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-13, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at AC power port, low frequency immunity tests*

IEC 61000-4-16, *Electromagnetic compatibility (EMC) – Part 4-16: Testing and measurement techniques – Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz*

IEC 61000-4-17, *Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques – Ripple on DC input power port immunity test*

IEC 61000-4-18:2019, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory wave immunity test*

IEC 61000-4-29, *Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on DC input power port immunity tests*

IEC 61000-6-4:2018, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61076-2-101, *Connectors for electronic equipment – Product requirements – Part 2-101: Circular connectors – Detail specification for M12 connectors with screw-locking*

IEC 61083-1, *Instruments and software used for measurement in high-voltage and high-current tests – Part 1: Requirements for instruments for impulse tests*

IEC 61099, *Insulating liquids – Specifications for unused synthetic organic esters for electrical purposes*

IEC 61181, *Mineral oil-filled electrical equipment – Application of dissolved gas analysis (DGA) to factory tests on electrical equipment*

IEC 61462, *Composite hollow insulators – Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V – Definitions, test methods and acceptance criteria and design recommendations*

IEC 61850-7-4, *Communication networks and systems for power utility automation – Part 7-4: Basic communication structure – Compatible logical node classes and data object classes*

IEC 61869-9:2016, *Instrument transformers – Part 9: Digital interface for instrument transformers*

IEC 61869-99, *Instrument transformers: Glossary*

IEC 62155, *Hollow pressurized and unpressurized ceramic and glass insulators for use in electrical equipment with rated voltages greater than 1 000 V*

IEC 62217:2012, *Polymeric HV insulators for indoor and outdoor use – General definitions, test methods and acceptance criteria*

IEC 62271-4:2022, *High-voltage switchgear and controlgear – Part 4: Handling procedures for gases for insulation and/or switching*

IEC 62271-100, *High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers*

IEC 62271-203:2022, *High-voltage switchgear and controlgear – Part 203: Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV*

IEC 62770, *Fluids for electrotechnical applications – Unused natural esters for transformers and similar electrical equipment*

IEC 63012, *Insulating liquids – Unused modified or blended esters for electrotechnical applications*

CISPR TR 18-2, *Radio interference characteristics of overhead power lines and high-voltage equipment – Part 2: Methods of measurement and procedure for determining limits*

ISO/IEC/IEEE 21451-4, *Information technology – Smart transducer interface for sensors and actuators – Part 4: Mixed-mode communication protocols and Transducer Electronic Data Sheet (TEDS) formats*

ISO 4628-3, *Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 3: Assessment of degree of rusting*

ISO 22479, *Corrosion of metals and alloys – Sulfur dioxide test in a humid atmosphere (fixed gas method)*